



# Lecture 20: The Cytoskeleton: Intermediate Filaments and Microtubules



**Essential  
Cell Biology**  
Fourth Edition  
**Chapter 17**

# The Cytoskeleton Includes Dynamic Networks Of Microfilaments And Microfilaments




**The cytoskeleton consists of three major types of filaments plus many filament-associated proteins including molecular motors**

**Microfilaments – composed of actin, these filaments form dynamic networks that form the basis for cell shape and movement**


**Microtubules – composed of tubulin, these tubules act as tracks on which to move vesicles and organelles. They also form the basis of cilia and flagella. They are dynamic.**

**Intermediate filaments – composed of proteins that associate to form rope-like structures that are of high mechanical strength. They position organelles and form a strong, long lasting cell superstructure.**

**KERITAN – INTERMEDIATE FIL.**




**VIMENTIN – INTERMEDIATE**




**Cytoskeletal  
Networks  
Containing  
Fluorescent  
Proteins**


**TUBULIN - MICROTUBULES**



**ACTIN – STRESS FIBERS**





**ACTININ – STRESS FIBERS**




**Fluorescence  
Microscopy allows  
Visualization  
Of cytoskeletal  
Networks**


**Intermediate Filaments are non-dynamic and structural. They position the nucleus and insert into Desmosomes to hold neighboring cells together.**




**Intermediate filaments are ropelike fibers with a**




Intermediate  
Filaments  
polymerize  
to form strong  
rope-like fibers.  
The basic  
structural unit  
is a coiled-coil  
dimer. These  
fibers are  
symmetric



The inner side of the nuclear envelope is lined by a network of intermediate filaments called **lamins**. They serve as an anchoring site for chromosomes as well as for intermediate filament networks that extend from the nucleus out into the cytoplasm.



Intermediate filament networks flare out from the nucleus and insert into plasma membrane junctions called **desmosomes**. Desmosomes connect the intermediate filaments networks of neighboring cells forming a strong mechanical bond that keeps the cells from being pulled apart.




(A)

10  $\mu\text{m}$

intermediate  
filaments

desmosome  
connecting  
two cells




(B)


5  $\mu\text{m}$




# Microtubules Make Up Dynamic Networks





(A) INTERPHASE CELL




(B) DIVIDING CELL



(C) CILIATED CELL



MICROTUBULES



**Microtubules** are long, hollow cylinders made of the protein tubulin. With an outer diameter of 25 nm, they are more rigid than actin filaments or intermediate filaments.

## **Microtubules serve four functions:**

### **1. To give shape to the cell.**

**Example: nerve axons contain numerous microtubules along their length. If disrupted the axon shrivels.**


### **2. To provide “tracks” on which to move vesicles carrying cargo.**

**Example: pigment granules move outward and inward from cell center using microtubules.**

### **3. To form the mitotic spindle which separates chromosomes during mitosis and meiosis.**

### **4. To form flagella and cilia – whip like structures that propel cells.**



# Microtubules Are Made Of Tubulin Protofilaments




# Microtubules as seen by Electron Microscopy

1) thin section


2) freeze dried  
And platinum  
Shadowed






**Microtubules are stabilized by capping at their Plus and minus ends. Centrosomes and Microtubule organizing centers (MTOCs) cap the minus end; special membrane-associated proteins cap the plus end.**



(A) INTERPHASE CELL





The centrosome consists of centrioles surrounded by a “protein cloud”. Minus ends of microtubules are capped by gamma tubulin rings and the centrosome serves as a microtubule organizing center (MTOC).





Microtubule assembly at plus end is governed by GTP hydrolysis; GTP-tubulin is required for polymerization;


But after hydrolysis, GDP-tubulin favors depolymerization



**Catastrophic Disassembly can occur if growth at the plus end stops or is slow; but the microtubule starts to grow at this end again.**




### GROWING MICROTUBULE




### SHRINKING MICROTUBULE



# DYNAMIC INSTABILITY IN A MICROTUBULE ASTER





# MICROTUBULE DYNAMICS SEEN WITH FLUORESCENT PLUS END PROTEINS







# MICROTUBULE DYNAMICS SEEN WITH FLUORESCENT PLUS END PROTEINS





# Microtubule associated proteins also stabilize microtubules. Acetylation and tyrosylation do too.





**Drugs can stabilize or destabilize microtubules;  
Taxol stabilizes existing mts; colchicine  
destabilizes microtubules by monomer binding**




# Motor proteins “walk” on microtubules and microfilaments via their heads acting as “motors”



**Kinesin, like myosin, hydrolyzes ATP as it walks. During this process chemical energy is transformed into mechanical energy, hence the name motor protein.**




# MOTOR PROTEINS MOVE VESICLES ON MICROTUBULE TRACKS – A CONFORMATIONAL CYCLE THAT HYDROLYZES ATP








# MOTOR PROTEINS MOVE VESICLES ON MICROTUBULE TRACKS




# Direction of vesicle Transport on microtubules




Movement of pigment granules on MTs




# Cilia And Flagella: A Different Form Of Motility







(A) 100 nm




# The Structure Of Flagella And Cilia



(B)



(A)



(B)

**Dynein provides Motive force to move one MT doublet relative to a neighboring MT doublet**






Figure 16-78. Molecular Biology of the Cell, 4th Edition.

ciliary dynein



25 nm

**Dynein Motors cause microtubule sliding in vitro; these motors cause bending in an intact flagellum**




Figure 16-79. Molecular Biology of the Cell, 4th Edition.