


ПРЕЗЕНТАЦИЯ НА ТЕМУ: «THE EFFECT OF SMOKING ON PREGNANCY AND THE FETUS»





Smoking is a bad habit. So many women, who carries a child, find the strength to give up cigarettes. But, unfortunately, more of those whose nicotine dependence is stronger than the desire to have a healthy baby.

21 FACT ABOUT THE DANGERS OF SMOKING DURING PREGNANCY.


- ❑ Placenta Smoking pregnant women are more subtle.
- ❑ In smokers during pregnancy increased the risk of detachment of the placenta, its a massive heart attack and presentation.





- Maternal Smoking provokes oxygen starvation of the fetus and, as a consequence, the delay of its prenatal development.

-
- ❑ Women who smoked during pregnancy, there are cases of intrauterine fetal death. Early miscarriages occur in 1.7 times more often than non-smokers



-
- Smoking is fraught with sudden death syndrome in the newborn, and the risk of death of the child increases by 2.5 times.
 - The occurrence of preterm birth is in direct dependence on the number of daily smoked woman of cigarettes.




- The amount of carbon monoxide in the blood of the fetus is 10-15 times greater than that of Smoking mothers.
- During Smoking the body receives the radioactive isotope polonium, capable of hitting emerging from fetal germ cells, especially for women.



- Smoking during pregnancy is dangerous because the fetus gets one of the most poisonous alkaloids - nerve poison nicotine and also other nerve poison - benzidine. They accumulate in the nervous tissue of the unborn child, in his heart, the kidneys and the


Когда вы не можете жить без никотина...
его рабом становится и ваш ребенок



-
- ❑ Smoking during pregnancy provokes the birth of premature babies.
 - ❑ The children born to women who smoke, are characterized by slow physical, intellectual and emotional development. Compared with children born to Smoking mothers, they later begin to read and



- Smoking pregnant woman can cause her spontaneous abortion.
- Nicotine addiction is one of the reasons for the birth of children with heart defects.





- Kurama mother runs the risk that each cigarette you smoke adversely affects the process of Foundation and development of the neural tube of the unborn child, leading to the birth of anencephalus, infants with congenital anomalies, mental development, with a wolf's mouth and cleft lip.



- ❑ Smoking during pregnancy contributes to the appearance of defects fingers limbs in newborns: no fingers, fused or extra fingers or toes.
- ❑ Toxic effects of nicotine on the unborn child is one of the causes of down syndrome. Its harmful effects increases with age of the mother.



Дети, страдающие болезнью Дауна



- ❑ Smoking significantly reduces the ability of the pregnant woman's body to metabolize the b vitamins, vitamin C .Their deficit is recognised on the impaired development of the Central nervous system of the fetus.
- ❑ Newborns whose mothers smoked during pregnancy have reduced adaptive capacity. Such children have a higher risk of various diseases.



- ❑ Maternal Smoking increases the risk of cancerous tumors in the fetus.
- ❑ Smoking women are 2.2 times more likely children are born weighing less than 2 500 grams.

-
- Children born to Smoking mothers often suffer from diseases of the respiratory system. There is a risk that in the early stages of life they may stop breathing during repeated inhalation of tobacco smoke.



- ❑ Smoking during pregnancy - a dubious pleasure. It may cost the life of an unborn child.






- Only smoked one cigarette during pregnancy causes 20-30 minute spasm of the uterine vessels with slow uteroplacental blood flow.







Спасибо мамочка

За то что ты не пила, не курила и не кололась...



Thank
you !

