2 занятие
Курса HTML и CSS



Зачем нужен CSS

Таблица CSS свойств.

Cascading Style Sheets (CSS 3)

BACKGROUND	
background	*background-image* *background-position* *background-size* *background-repeat* *background-attachment* *background-origin* *background-clip* *background-color*
background-attachment	scroll | fixed
background-break	bounding-box | each-box | continuous
background-clip	*length* *%* border-box | padding-box | content-box | no-clip
background-color	*color* transparent
background-image	*url* none
background-origin	border-box | padding-box | content-box
background-position	top left | top center | top right | center left | center center | center right | bottom left | bottom center | bottom right *x-%* *y-%* *x-pos* *y-pos*
background-repeat	repeat | repeat-x | repeat-y | no-repeat
background-size	*length* *%* auto | cover | contain
BORDER	
border	*border-width* *border-style* *border-color*
border-break	*border-width* *border-style* *color* close
border-bottom	*border-bottom-width* *border-style* *border-color*
border-bottom-color	*border-color*
border-bottom-style	*border-style*
border-bottom-width	thin | medium | thick *length*
border-collapse	collapse | separate
border-color	*color*
border-image	*image* [*number* / *%* *border-width* stretch | repeat | round] none
border-left	*border-left-width* *border-style* *border-color*
border-left-color	*border-color*
border-left-style	*border-style*
border-left-width	thin | medium | thick *length*
border-right	*border-right-width* *border-style* *border-color*
border-right-color	*border-color*
border-right-style	*border-style*
border-right-width	thin | medium | thick *length*

BORDER	
border-top	*border-top-width* *border-style* *border-color*
border-top-color	*border-color*
border-top-style	*border-style*
border-top-width	thin | medium | thick *length*
border-width	thin | medium | thick *length*
border-radius	*border-top-right-radius* *border-bottom-right-radius* *border-bottom-left-radius* *border-top-left-radius*
border-top-right-radius	*length*
border-bottom-right-radius	*length*
border-bottom-left-radius	*length*
border-top-left-radius	*length*
box-shadow	inset || [*length*, *length*, *length*, *length* || *<color>*] none
border-style	none | hidden | dotted | dashed | solid | double | groove | ridge | inset | outset
FONT	
font	*font-style* *font-variant* *font-weight* *font-size/line-height* *font-family* caption | icon | menu | message-box | small-caption | status-bar
font-family	*family-name* *generic-family* inherit
font-size	xx-small | x-small | small | medium | large | x-large | xx-large | smaller | larger | inherit *length* *%*
font-size-adjust	none| inherit *number*
font-stretch	normal | wider | narrower | ultra-condensed | extra-condensed | condensed | semi-condensed | semi-expanded | expanded | extra-expanded | ultra-expanded | inherit
font-style	normal | italic | oblique | inherit
font-variant	normal | small-caps | inherit
font-weight	normal | bold | bolder | lighter | 100 | 200 | 300 | 400 | 500 | 600 | 700 | 800 | 900 | inherit
BOX MODEL	
clear	left | right | both | none
display	none | inline | block | inline-block | list-item | run-in | compact | table | inline-table | table-row-group | table-header-group | table-footer-group | table-row | table-column-group | table-column | table-cell | table-caption | ruby | ruby-base | ruby-text | ruby-base-group | ruby-text-group

BOX MODEL	
float	left | right | none
height	auto *length* *%*
max-height	none *length* *%*
max-width	none *length* *%*
min-height	none | inherit *length* *%*
min-width	none | inherit *length* *%*
width	auto *%* *length*
margin	*margin-top* *margin-right* *margin-bottom* *margin-left*
margin-bottom	auto *length* *%*
margin-left	auto *length* *%*
margin-right	auto *length* *%*
margin-top	auto *length* *%*
padding	*padding-top* *padding-right* *padding-bottom* *padding-left*
padding-bottom	*length* *%*
padding-left	*length* *%*
padding-right	*length* *%*
padding-top	*length* *%*
marquee-direction	forward | reverse
marquee-loop	infinite *number*
marquee-play-count	infinite *integer*
marquee-speed	slow | normal | fast
marquee-style	scroll | slide | alternate
overflow	visible | hidden | scroll | auto | no-display | no-content *overflow-x* *overflow-y*
overflow-style	auto | marquee-line | marquee-block
overflow-x	visible | hidden | scroll | auto | no-display | no-content
overflow-y	visible | hidden | scroll | auto | no-display | no-content
rotation	*angle*
rotation-point	*position (paired value offset)*
visibility	visible | hidden | collapse

©2009 Veign, All Rights Reserved

Теперь ты знаешь

- ❑ Какие есть редакторы для написания кода.
- ❑ Что такое CSS.
- ❑ Этапы создания сайта.
- ❑ Умеешь настраивать FTP соединение.