

Karaganda State Medical University  
The chair of foreign languages

*Lung abscess.  
Future and future in the past times  
of passive voice..*

Prepared by Bulatova N.

Group 2-064, “general medicine”

Checked teacher: T.G.DASHKINA

### Affirmative form:

- Subject + will be + Verb III form + [by Object]  
Подлежащее + will be + Глагол III формы + [Object]

□ The patient will be treated by the physician

### Interrogative form:

- Will + Subject + be + Verb III + [by Object]?  
Will + Подлежащее + be + Глагол III + [by Object]?
- Will the patient be treated by physician?

### Negative form:

- Subject + will + not + be + Verb III + [by Object]  
Подлежащее + will + not + be + Глагол III + [by Object]
- The patient will not be treated by the physician

*Future Simple Passive*

### Affirmative form:

- Subject + would be + Verb III form + [by Object]  
Подлежащее + will be + Глагол III формы + [Object]
- The diagnosis would be made correctly


### Interrogative form:

- Would + Subject + be + Verb III + [by Object]?  
Will + Подлежащее + be + Глагол III + [by Object]?
- Would the diagnosis be made correctly?

### Negative form:

- Subject + would + not + be + Verb III + [by Object]  
Подлежащее + will + not + be + Глагол III + [by Object]
- The diagnosis would not be made correctly

*Future in the past of  
Passive voice*



Lung abscess may develop because of various factors. In cases when an abscess develops as a complication of pneumonia the patient's general condition gradually becomes worse.

*Lung  
Abscess*






- Some manifestations of a chill, pain in the affected side, fever elevating to  $39-40^{\circ}$  , and loss of appetite are present.

Lung  
Abscess




- There is a profuse perspiration at night, dry cough, and a considerable increase of the white blood cell count up to 20,000 per cu mm of blood and accelerated ESR.

Lung  
Abscess



- The course of the lung abscess may be divided into two periods: that before and that after the rupture of the abscess into a bronchus. The length of the first period varies in different cases. The second period begins from the moment of the abscess rupture into a bronchus usually with 0,5 litre or more of sputum discharge.

## Lung Abscess



- After the rupture of sputum into a bronchus, the body temperature returns to normal, and the patient's general condition becomes better.
- Within 4-5 weeks of effective treatment complete recovery is usually observed in most cases of lung abscess.

# Lung Abscess





Thank you for attention  
and be healthy!