

Plug-in free

Tool

Setup


English

### SK 2021

This camera:  
SNC-EP521



г.Красноармейск, ул.Пионерская, д.7



- System**
- Camera
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert

**Title bar name** Sony Network Camera SNC-CM120  
Maximum: 48 characters

**Serial number** 3401404

**Software version** 1.74.01

**Exclusive control mode**  On  Off

Operation time 30 sec. (10 to 600 sec)  
Maximum wait number 5 (0 to 5)

**PTZ mode**  Normal  Step

Pan/Tilt level 1

Zoom level 1

**Horizontal tilt limit**  On  Off

- System**
- Camera
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert

**Current date & time** 09-11-2012 17 : 08 : 23

**PC clock** 09-11-2012 17 : 08 : 25

**Date & time format** dd-mm-yyyy hh:mm:ss

- yyyy-mm-dd hh:mm:ss
- mm-dd-yyyy hh:mm:ss
- dd-mm-yyyy hh:mm:ss**

**Adjust**

Manual setting  
9 - 11 - 2012 17 : 07 : 5

Synchronize with NTP  
 Use the following NTP server address  
NTP server 1  
NTP server 2  
NTP server 3  
 DHCP server  
 Multicast

Plug-in free Tool **Setup** English

- System**
- Camera
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert

**System** Date & time Superimpose Installation Initialize System log Access

Current date & time 16-11-2012 16 : 15 : 14

PC clock 16-11-2012 16 : 15 : 18

Date & time format dd-mm-yyyy hh:mm:ss

**Adjust**

- Keep current setting
- Synchronize with PC
- Manual setting

16 - 11 - 2012 16 : 14 : 5

Synchronize with NTP

Use the following NTP server address

NTP server 1

NTP server 2

NTP server 3

DHCP server

Multicast

OK Cancel

- System**
- Camera
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert

**Adjust**

- Keep current setting
- Synchronize with PC
- Manual setting

9 - 11 - 2012 17 : 07 : 5

- Synchronize with NTP

- Use the following NTP server address

NTP server 1

NTP server 2

NTP server 3

- DHCP server
- Multicast

**Time zone** **Abu Dhabi, Muscat (GMT +4:00)**

Automatically adjust clock for daylight saving time change

- System
- Camera
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert

Date & time Format **dd mm yyyy HH:MM:SS** Separator -

Camera ID  Text  Logo  
Выберите файл Файл не выбран Upload

Camera Direction Setting

Image Image 1

Superimpose  On  Off  
Font size Middle  
Superimpose format  
Upper left Date & time  
Top Off  
Upper right Off

- System
- Camera**
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output



Day/Night mode

- Auto
- Manual
- Day/Night  On  Off
- Timer

Plug-in free Tool **Setup** English

- System
- Camera**
- Network
- SSL
- 802.1X
- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert

Common Picture Privacy masking Day/Night **Video codec** Streaming

**Image 1** Codec JPEG Image size 640x480 Frame rate 20 fps Bit rate 1024 kbps I-picture interval 1 sec.

Adaptive rate control On Off Image quality Level 2 Bandwidth control 0.5 Mbps

**Image 2** Codec OFF Image size 640x480 Frame rate 25 fps Bit rate 1024 kbps I-picture interval 1 sec.

OK Cancel



- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert
- Trigger
- Schedule
- Alarm buffer
- Event detection
- Viewer

Layout HTML output

Home page  ActiveX viewer  Plug-in free viewer  Custom

Path /user/

Selected memory:  
 Flash memory Used space : 0Kbyte  
 SD memory card empty

Header  On  Off  
Button Style  Standard  Simple  
Logo Выберите файл файл не выбран  
Text color #ffffff  
Background color1 #000000  
Background color2 #262626

Camera list  On  Off  
Style  Standard  Simple

Plug-in free Tool **Setup**

English

- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert
- Trigger
- Schedule
- Alarm buffer
- Event detection
- Viewer**

Layout **HTML output**

**Text** Text1 text SK 2081  
Text2 text г.Ярославль, ул. Проспект Фрунзе, д.3  
Text3 text  
Text1 link  
Text2 link  
Text3 link  
Text color #ffffff  
Background color1 #000000  
Background color2 #262626  
 Show comment if camera selected

**Monitor** Initial streaming  Jpeg  Jpeg/Flash  ActiveX  
Initial image size 640 x 360  
Initial Image codec  Image 1  Image 2  Image 3  
Initial PTZ  No PTZ  Area zoom  PTZ control bar  Vector dragging

OK Cancel


Plug-in free Tool **Setup**

English

- User
- Security
- Preset position
- e-Mail (SMTP)
- FTP client
- Image memory
- FTP server
- Edge Storage
- Alarm output
- Voice alert
- Trigger
- Schedule
- Alarm buffer
- Event detection
- Viewer**

Layout **HTML output**

Initial image

- Still image
- Specified image (URL)
- Auto play 
- Blank

Click to start streaming

Initial sound

Volume: 30  Muting

Show menu

- On  Off
- Streaming
- Image size
- Frame rate
- Preset position
- Trigger
- PTZ control
- Sound
- Capture image
- Image codec

OK Cancel