# IMEI Programming tools manual

(In doing this test as close as possible anti-virus software or firewall tool)

1. Extract the IMEI burning tool

2.IMEI-tools.zipIMEI burning tools   USBDriver.rar USB Drive



3.Insert the SIM card and opened the MID;

4.Plug in the USB cable, see the computer's Device Manager appears "Android tablet" device can burn up after


```
Android Tablet
    Android Composite ADB Interface
DVD/CD-ROM 驱动器
IDE ATA/ATAPI 控制器
SCSI 和 RAID 控制器
处理器
磁盘驱动器
存储卷
端口 (COM 和 LPT)
计算机
监视器
键盘
声音、视频和游戏控制器
鼠标和其它指针设备
通用串行总线控制器
    CP210x USB Conposite Device
    Generic USB Hub
    Generic USB Hub
    Intel(R) 6 Series/C200 Series Chipset Family USB Enhanc
```

5.Open the "imei-tools" folder

6.Open imei.txt;) to delete the last number burned into, Enter the new IMEI number, save and exit

7.Double-click to run

8.following picture will appear after running the case that the machine burning success,
Otherwise failure, and the machine will automatically restart;

```
C:\WINDOWS\system32\cmd.exe                                    - □ ×

write imei start
* daemon not running. starting it now on port 5037 *
* daemon started successfully *
6 KB/s (5624 bytes in 0.796s)
1 KB/s (17 bytes in 0.015s)
write imei ok
请按任意键继续. . .
```