



PreSales Training

Team Engagement - Unified Communications – Design Tools



A1S Configurator basics


http://www.avaya.com/ebizu

- One Source landing page
- Check the correct company / region



A screenshot of a web browser displaying the Avaya One Source landing page. The browser tab is titled 'A1S Landing Page' and the address bar shows 'https://app36.avaya.com/ec/Default.aspx'. The page features the Avaya logo at the top left, a navigation menu with items like 'Lead Management', 'Catalogue', 'Design/Quote', 'Proposals', 'Orders', 'Credits', and 'Licences', and a 'Welcome to' message. A user is logged in as 'Andrey Bogachev'. The main heading is 'AVAYA | One Source' with 'Landing Page' below it. There are two main content boxes: 'Useful Links' with links for 'Latest News', 'Training', 'Tools', 'Job Aids', 'Avaya One Source Overview', 'Subscribe to eMail Notifications', 'Avaya Pricing Model', and 'ACSB'; and 'Support' with 'Contact phone numbers and links to support resources'. A footer contains '© 2018 Avaya Inc. All rights reserved.' and '305 items | 1 item selected | 25.5 mb'.

Select the Configurator Type



Design/Quote A1S Configurator Toggle Configurator Access

«ASD Desktop» - outdated option that require ASD Configurator installed
ASD Configurator is obsolete Oct 2015

A1S Configurator Home

The screenshot shows a web browser window with two tabs: 'A1S Landing Page' and 'A1S Quote Center'. The address bar shows the URL 'https://app36.avaya.com/QuoteCenter/#/DashBoard'. The browser's folder bar includes 'Avaya', 'Travel', 'Books', 'Social', 'GOV', 'Training', 'Modelling', 'Webprog', and 'Operations'. The page header features the 'AVAYA One Source' logo on the left, the company name 'Company: DEMO APM Antarctic Distributor 1 (650993)' and user name 'Welcome: Andrey Bogachev' on the right, and the version 'A1S RIs: 19.2.4.0 (Z2)' and a 'Search Quote' input field.

The main content area is titled 'Quote Center' and 'Quote Summary'. A welcome message reads: 'Hi Andrey, Welcome to A1S Quote Center. This site offers you the convenience of on-line quotation and configuration of Avaya products.' Below this are three cards:

- Create a Quote:** Features a plus sign icon and the text 'Create a quote by clicking create below'. A red arrow points to the 'CREATE +' button at the bottom.
- Retrieve a Quote:** Features a magnifying glass icon and the text 'Enter a Quote ID and click Retrieve'. There is an input field labeled 'Quote ID'. The 'RETRIEVE >' button is at the bottom.
- Recently Viewed:** Features an eye icon and the text 'Recently viewed quotes and status'. It lists three quote IDs: 'ERU0532263', 'ERU0532250', and 'ERU0530421 Sherwood Radisson HMS'. The 'ADVANCED SEARCH >' button is at the bottom.

Creating a new Quote

The screenshot shows a web browser window with two tabs: 'A1S Landing Page' and 'A1S Quote Center'. The address bar shows the URL <https://app36.avaya.com/QuoteCenter/#/CreateQuote>. The page header features the 'AVAYA One Source' logo and user information: 'Company: DEMO APM Antarctic Distributor 1 (650993)' and 'Welcome: Andrey Bogachev'. The main content area is titled 'Quote Center' and 'Create a Quote'. Below the title, there is a prompt: 'Please select a customer / country for whom you would like to create a quote'. The form contains the following fields:

- Company / Country: DEMO APM Antarctic Distributor 1 - 650993/Antarctica
- Product*: Communication Manager
- Quote Activity*: ASD Generated
- Business Partner Name / Link ID*: DEMO APM Antarctic Reseller Tier 2 East - 509399
- Vertical Market: Not Applicable

At the bottom of the form, there is a red 'GO' button and a 'Quote References' link. Three red arrows with numbers 1, 2, and 3 point to the Product, Business Partner Name / Link ID, and GO button respectively.

Starting the Aura / ACM design

The screenshot shows a web browser window with two tabs: "A1S Landing Page" and "Avaya One Source Configurator". The address bar displays the URL <https://apposcemea.avaya.com/OSC/Home/ModelViews>. The browser's bookmark bar includes folders for Avaya, Travel, Books, Social, GOV, Training, Modelling, Webprog, and Operations. The application header features the "AVAYA One Source" logo on the left, the company name "Company: DEMO APM Antarctic Distributor 1 (650993)" in the center, and the user name "Welcome: Andrey Bogachev" on the right. Below the header, the page title is "Quote Center / A1S Configurator" and the version is "A1S Rls: 19.2.4.0 (204)". On the left side of the main content area, there are two expandable sections: "Design Control" and "Design Inputs". A central dialog box titled "Model Views" is open, containing two options: "Communication Manager - New System" and "Communication Manager - Upgrades and Additions". A red "Cancel" button is located at the bottom right of the dialog box.

Design Control menu

- Material / APL report, Price/Reports/Exit
 - Go to Quote Management screen
- Configure design
 - Process parameters and build the BOM
- Blueprints – templates repository
- Piece Part order
 - order by material code / quantity
- Design Adjust
 - Manually change the processed BOM
- Co-term – sync service contract timing
- Select Country
 - design rules are country dependant

Design Control

Material / APL Report

Configure Design

 Save Design (06 : 50)

Preferences

▼ Blueprint

Save As Blueprint

Manage Model Blueprints

Upload ASD Template

Retrieve a Quote

Subscription Licensing

Co-Term

Design Adjust

Historical License

Piece Parts Order

Select Country

Create New Design

Cancel Quote

▼ Internal Reports

SLO Validation Report

Design Audit Trail

Design Adjust Tracking Report

Co-term Report

Switching to Location Manager

The screenshot shows the Avaya One Source Configurator interface. The browser address bar displays <https://apposcemea.avaya.com/OSC/Home/ConfigWizard>. The page header includes the Avaya One Source logo, company information (DEMO APM Antarctic Distributor 1 (650993)), and a welcome message (Welcome: Andrey Bogachev). The main navigation bar shows 'Quote Center / A1S Configurator / Communication Manager - New System' and 'A1S Rls: 19.2.4.0 (204)'. The left sidebar contains a 'Design Control' menu and a 'Design Inputs' menu. In the 'Design Inputs' menu, 'Location Manager' is selected, indicated by a yellow dot and a red arrow with the number '1'. The main content area displays the 'Default Summary' section for QRN# : EAQ0319790 and Country : . It includes a warning: 'Only the values on the Default Summary screens are required to complete your design. Default values have been entered for your convenience.' and a note: 'Please note that the design accuracy depends upon your input accuracy; therefore you should confirm that the default values are appropriate for your solution prior to placing any orders. For additional information click Help Me.' The form contains several fields: 'Select the Communication Manager server to be designed.' (Large Ent. Simplex Solution), 'Estimate the overall number of users to be served by this system.' (250), 'How many physical locations will be served by this solution?' (1), 'What percentage of the total users will be served at Location 1?' (100), 'If this is one of multiple communication systems for this customer, what centralized capabilities are needed?' (None), and a table for estimating percentages: % IP based (50), % Digital (40), % Analog (10), and % Total (100). There are also fields for 'Of the total users/endpoints served by this system, estimate what percentage will be call center agents.' (20) and 'What level of reliability does the customer's voice communication require?' (Standard Reliability). At the bottom, there are 'Back', 'Next', and 'Reset' buttons.

The background of the slide is a repeating pattern of red geometric shapes on a white background. The shapes are stylized, resembling a maze or a series of interconnected lines that form various rectangular and square patterns. Some shapes have small squares inside them, and the overall effect is a complex, rhythmic visual texture.

Location Manager

Location Manager: the simplest Configurator

The screenshot displays the Avaya Location Manager interface. At the top, the header includes the Avaya logo, the text 'Company: DEMO APM Antarctic Distributor 1 (650993)', and 'Welcome: Andrey Bogachev'. The main navigation bar shows 'Quote Center / A1S Configurator / Location Manager' and 'A1S RIs: 19.2.4.0 (204)'. A red box highlights the 'QRN# : EAQ0319790' field. Below this, the 'Locations' section is titled and includes a help link: 'Define the Physical Locations associated to all products and services for this solution. For more information click on the help link.' A table with 13 rows and 3 columns is shown, with the first row highlighted in blue. The columns are 'Physical Location Name' and 'Comment'. A red arrow with the number '1' points to the 'Modify Location' button at the bottom right of the table. At the bottom of the interface, there are 'Back' and 'Next' buttons.

	Physical Location Name	Comment
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		

Naming the Locations

The screenshot displays the Avaya One Source Configurator interface. The browser address bar shows the URL <https://apposcemea.avaya.com/OSC/Home/ConfigWizard>. The page header includes the Avaya One Source logo, company information (DEMO APM Antarctic Distributor 1 (650993)), and a user welcome message (Welcome: Andrey Bogachev). The main navigation bar shows the current path: Quote Center / A1S Configurator / Location Manager, along with the version number A1S RIs: 19.2.4.0 (204).

The interface is divided into several sections:

- Design Control:** A sidebar menu containing options like Material / APL Report, Configure Design, Save Design (06 : 50), Preferences, Blueprint (Save As Blueprint, Manage Model Blueprints, Upload ASD Template), Retrieve a Quote, Subscription Licensing, Co-Term, Design Adjust, Historical License, Piece Parts Order, Select Country, Create New Design, Cancel Quote, and Internal Reports (SLO Validation Report, Design Audit Trail, Design Adjust Tracking Report, Co-term Report).
- Design Inputs:** A section with a dropdown menu showing 'Location Manager' selected and 'Communication Manager' with a red asterisk.
- Main Content Area:** Titled 'Location 1', it features a warning message: 'Limit Physical Location names to 25 Standard English alphanumeric characters. Commas are not allowed.' Below this are input fields for 'Physical Location Name' and 'Comments'. A red arrow labeled '1' points to the 'Physical Location Name' field, which has a 'Type' label next to it. Below the input fields are four buttons: 'Previous Location', 'Next Location', 'Reset This Location', and 'Done'. A red arrow labeled '2' points to the 'Previous Location' button.
- Navigation:** At the bottom of the main content area, there are 'Back' and 'Next' buttons.

The footer of the page contains links for 'Find a Partner', 'Contacts', 'Careers', 'Resource library', and 'Site Map', along with the copyright notice '© 2018 Avaya Inc. Privacy Statement | Terms of Use'.

Locations Named

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Location Manager A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790 Country :

Design Control

- Material / APL Report
- Configure Design
- Save Design (14 : 21)
- Preferences
 - Blueprint
 - Save As Blueprint
 - Manage Model Blueprints
 - Upload ASD Template
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports
 - SLO Validation Report
 - Design Audit Trail
 - Design Adjust Tracking Report
 - Co-term Report

Design Inputs

Add new model

- Location Manager
- Communication Manager

Locations

Locations

Define the Physical Locations associated to all products and services for this solution. For more information click on the help link.

	Physical Location Name	Comment
1	Central office	
2	Branch office	
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		

Modify Location

Back Next

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

The background of the slide is a repeating pattern of red geometric shapes on a white background. The shapes are stylized, blocky forms that resemble a maze or a series of interconnected paths. Some shapes are solid red, while others are hollow, creating a complex, rhythmic visual texture.

Solution Core

Rough average design – don't use it

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Design Control

- Material / APL Report
- Configure Design
- Save Design
- Preferences
- ▼ Blueprint
 - Save As Blueprint
 - Manage Model Blueprints
 - Upload ASD Template
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- ▼ Internal Reports
 - SLO Validation Report
 - Design Audit Trail
 - Design Adjust Tracking Report
 - Co-term Report

Design Inputs

- Add new model
- Location Manager
- Communication Manager

System Options

- Default Summary - 1
- Default Summary - 2
- Default Summary - 3
- Platform
- Session Mgr
- Software

Default Summary

Only the values on the Default Summary screens are required to complete your design. Default values have been entered for your convenience.

Please note that the design accuracy depends upon your input accuracy; therefore you should confirm that the default values are appropriate for your solution prior to placing any orders. For additional information click Help Me.

Select the Communication Manager server to be designed.

Estimate the overall number of users to be served by this system.

How many physical locations will be served by this solution?

What percentage of the total users will be served at Location 1?

If this is one of multiple communication systems for this customer, what centralized capabilities are needed?

Of the total users/endpoints served by this system estimate the following percentages (the sum total must equal 100%).

% IP based	% Digital	% Analog	% Total
<input type="text" value="50"/>	<input type="text" value="40"/>	<input type="text" value="10"/>	<input type="text" value="100"/>

Of the total users/endpoints served by this system, estimate what percentage will be call center agents.

What level of reliability does the customer's voice communication require?

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Platform: solution-wide options

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Platform

CM SOLUTION Select the Communication Manager Solution that best meets the customer's needs. CM8 Large Ent. Simplex Solution

CM DEPLOY Select the Communication Manager release being deployed. R8

SERVER CONFIGURATION Select the server configuration required. Evolution Server

DEPLOYMENT MODEL Enter the desired deployment model. Customer Provided VM

UTILITY SERVICES Select the desired full Utility Services deployment option. N/A

EMEA STAGING Select the level of staging required for the system. N/A

TAA Is TAA (GSA) compliant product required for this customer? No

CONFERRING PHONES Does the customer want Conferencing Phones to be defaulted at the location level? No

LOCATIONS How many locations will be served by this system? 1

NETWORK READINESS ASSESSMENT Who will be accountable for performing the required Network Readiness Assessment? Partner/Vendor/Customer

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Session Manager

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790 Country :

Session Manager

Session Manager Help

- EXISTING SESSION MANAGER Does the customer already have an existing Session Manager in their enterprise?
- SM VERSION What version of Session Manager does the customer require?
- SM DEPLOY Select the Session Manager version being deployed.
- SESSION MANAGER Does the customer want Session Manager (SM)?
- PROD/NONPROD Is this a Production or Non-Production system?
- REDUNDANCY What level of redundancy is required?
- BHCC What is the expected Inter-site Traffic Busy Hour Call Completion (BHCC)?
- SIMULTANEOUS CONNECTIONS How many entitlement connections or trunks are required?
- TRUNKS How many additional Simultaneous Connections or Trunks are required?
- NON CM How many application licenses will be needed for sequencing without integration with CM?

Design Inputs

- Add new model
- Location Manager
- Communication Manager

System Options

- Default Summary - 1
- Default Summary - 2
- Default Summary - 3
- Platform
- Session Mgr**
- Software
- Call Center
- Contact Center - AACC
- AE Services/CTI
- ACP ISS
- Avaya Breeze
- Support Options - 1
- Support Options - 2
- Options - 1
- Advanced
- Passwords

Location Tools

- Create New Location
- Manage Locations

Find a Partner | [Contacts](#) | [Careers](#) | [Resource library](#) | [Site Map](#) © 2018 Avaya Inc. [Privacy Statement](#) | [Terms of Use](#)

Software licenses (RTU)

Design Control

- Material / APL Report
- Configure Design
- Save Design (05 : 06)
- Preferences
 - Blueprint
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports

Design Inputs

- Add new model
- Location Manager
- Communication Manager
- System Options
 - Default Summary - 1
 - Default Summary - 2
 - Default Summary - 3
 - Platform
 - Session Mgr
 - Software
- Call Center
 - Contact Center - AACC
 - AE Services/CTI
 - ACP ISS
 - Avaya Breeze
 - Support Options - 1
 - Support Options - 2
 - Options - 1
 - Advanced
 - Passwords
- Location Tools

Software Licenses

QRN# : EAQ0319790 Country :

SYSTEM OFFER Select the system software offer needed. Core Suite

ADDITIONAL LICENSES How many extra combined TDM/H.323/SIP station licenses are needed? 0

POWER LICENSES How many of the total licenses will the customer need as Power Suites? (total licenses are all stations requested on location screens plus add'l licenses requested above) 0

AAMS DEMO Are AAMS Demo offer licenses being requested? (The AAMS Demo offer is for Channel Partners only and shall not be used for production purposes. They shall not be sold or distributed to end company customers) No

AAMS DSP CHANNEL LICENSES How many AAMS VoIP Channel licenses will the customer require? 0

MOBILE LICENSES How many Mobile Suite licenses will the customer require? 0

COLLABORATION LICENSES How many Collaboration Suite licenses will the customer require? 0

MESSAGING Select the Messaging entitlement desired with Core/Power Suite bundles. IX Messaging

SDK Is the Breeze Client SDK Basic required for this customer? No

BREEZE CLIENT How many Breeze Client SDK Basic licenses will the customer require? 0

ANALOG LICENSES How many Analog only station licenses does the customer require? 0

SMGR VERSION What version of System Manager will the customer deploy? R8

SMGR DEPLOY Select the System Manager version being deployed. R8

SMGR USERS How many total Avaya Aura users will be managed by the System Manager for the enterprise (SIP & H.323)? 0

DISASTER RECOVERY LICENSES How many disaster recovery licenses does the customer require? 0

BASIC IPT How many Basic IPT licenses will the customer require? (Requires equivalent number of devices supported with license type) 0

ENHANCED IPT How many Enhanced IPT licenses will the customer require? (Requires equivalent number of devices supported with license type) 0

Back Next Reset

© 2018 Avaya Inc. Privacy Statement | Terms of Use

Contact Center Elite

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Call Center

CALL CENTER OFFER Select the level of Call Center software needed. Basic Call Center

CALL CENTER AGENTS Enter the quantity of agents required.

Agents (live and automated) 0

Workspaces 0

Customer Journey 0

Multi-Channel (screen pop, chat, email, instant messaging) 0

AVAYA WORKSPACES ESS Is Avaya Workspaces ESS required? N/A

SDK ADVANCED Is the Avaya Breeze Client SDK Advanced required? N/A

MULTI-CHANNEL STANDBY Is a Standby server required for Multi-Channel? N/A

CRM CONNECTOR Enter MS-CRM Connectors needed (1 connector needed per site). 0

MEDIA CLIENTS Enter the quantity of Media Clients required for use with Call Center Elite Multi-Channel. 0

OPTIONAL CALL CENTER FEATURES Select the optional Elite features desired.

Advanced Segmentation N/A

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Breeze Platform

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

Co-Term
Design Adjust
Historical License
Piece Parts Order
Select Country
Create New Design
Cancel Quote
Internal Reports

Design Inputs

Add new model

Location Manager
Communication Manager

System Options

Default Summary - 1
Default Summary - 2
Default Summary - 3
Platform
Session Mgr
Software
Call Center
Contact Center - AACC
AE Services/CTI
ACP ISS
Avaya Breeze
Support Options - 1
Support Options - 2
Options - 1
Advanced
Passwords

Location Tools

Create New Location
Manage Locations

QR#: EAQ0319790 Country :

Avaya Breeze for Call Park & Page and Avaya Mobile Video Snap-In Offers

Use the Avaya Breeze model to design third party and additional Avaya developed snap-in offers.

BREEZE MEDIA SERVER Enter the desired deployment model. None

Aura Snap-Ins

CALL PARK PAGE Enter the quantity of Call Park and Page being used in Production. 0

CALL PARK PAGE LAB Enter the quantity of Call Park and Page being used in a Lab. 0

Mobile Video

MV BUNDLES Enter the quantity of Mobile Video bundles required. (1 call bundle = 10 concurrent sessions) 0

MV BASIC Enter the quantity of basic Media Client Software downloads required. 0

MV ADV Enter the quantity of advanced Media Client software downloads required. 0

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Support contract parameters

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

Co-Term
Design Adjust
Historical License
Piece Parts Order
Select Country
Create New Design
Cancel Quote
Internal Reports

Design Inputs

Add new model

- Location Manager
- Communication Manager

System Options

- Default Summary - 1
- Default Summary - 2
- Default Summary - 3
- Platform
- Session Mgr
- Software
- Call Center
- Contact Center - AACC
- AE Services/CTI
- ACP ISS
- Avaya Breeze
- Support Options - 1
- Support Options - 2
- Options - 1
- Advanced
- Passwords

Location Tools

- Create New Location
- Manage Locations

QRN# : EAQ0319790 Country :

Support Advantage and Software Support Options

Select the Support Advantage/Software Support, Upgrade Advantage and Billing Frequency for each of the following offers. All entries must be either JSD/Co-Delivery or Non JSD/Co-Delivery entries.

	Support Advantage/Software Support	Upgrade Advantage	Billing Frequency
CM	SA Preferred Support	Yes	3 year annual
AAMS	SA Preferred Support	Yes	3 year annual
Call Center	N/A	N/A	N/A
Avaya Flare/Communicator	SA Preferred Support	Yes	3 year annual
Equinox VDI	SA Preferred Support	Yes	3 year annual
Avaya Aura Contact Center	N/A	N/A	N/A
Equinox Attendant	SA Preferred Support	Yes	3 year annual
one-X Agent	SA Preferred Support	Yes	3 year annual
Avaya Aura Agent Desktop	SA Preferred Support	Yes	3 year annual
Session Manager	SA Preferred Support	Yes	3 year annual
Session Border Controller	SA Preferred Support	Yes	3 year annual
Avaya Communicator for MS-Lync	SA Preferred Support	Yes	3 year annual
AAWG	SA Preferred Support	Yes	3 year annual
Agent for Desktop	SA Preferred Support	Yes	3 year annual
Avaya Breeze	SA Preferred Support	Yes	3 year annual
Enhanced Developer			0

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

System-wide options

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Miscellaneous Options

SOFTWARE MEDIA Select the software option that the customer desires. Download

SAL DEPLOYMENT How will SAL be deployed? Customer Provided VM

SLA DEPLOYMENT How will SLA MON be deployed? None

Back Next Reset

© 2018 Avaya Inc. Privacy Statement | Terms of Use

Navigation menu items: Co-Term, Design Adjust, Historical License, Piece Parts Order, Select Country, Create New Design, Cancel Quote, Internal Reports, Design Inputs, Add new model, Location Manager, Communication Manager, System Options, Default Summary - 1, Default Summary - 2, Default Summary - 3, Platform, Session Mgr, Software, Call Center, Contact Center - AACC, AE Services/CTI, ACP ISS, Avaya Breeze, Support Options - 1, Support Options - 2, Options - 1, Advanced, Passwords, Location Tools, Create New Location, Manage Locations.

Limited access features

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

Co-term
Design Adjust
Historical License
Piece Parts Order
Select Country
Create New Design
Cancel Quote
Internal Reports

Design Inputs

Add new model

Location Manager
Communication Manager

System Options

Default Summary - 1
Default Summary - 2
Default Summary - 3
Platform
Session Mgr
Software
Call Center
Contact Center - AACC
AE Services/CTI
ACP ISS
Avaya Breeze
Support Options - 1
Support Options - 2
Options - 1
Advanced
Passwords
Location Tools

Create New Location
Manage Locations

QRN# : EAQ0319790 Country :

Passwords

Some features and capabilities are restricted by Avaya Product Management.
Contact the appropriate individual for password assistance.

Advanced Configuration	<input type="text" value="0"/>
Reserved (Test purposes only)	<input type="text" value="0"/>
Adjust Media Processors	<input type="text" value="0"/>
AACC Design Verification	<input type="text" value="0"/>
DMCC	<input type="text" value="0"/>
AES Avaya Call Recording	<input type="text" value="0"/>
Software Support	<input type="text" value="0"/>
R6 Upgrade Advantage	<input type="text" value="0"/>
Fed/Gov	<input type="text" value="0"/>
Business Approval	<input type="text" value="0"/>
Snap-in Offer w/Avaya Breeze	<input type="text" value="0"/>
Foundation/Mobility/Collaboration Suites	<input type="text" value="0"/>
Buy to Current Bypass	<input type="text" value="0"/>
Distributed Duplex Solution	<input type="text" value="0"/>
Managed Operate Custom	<input type="text" value="0"/>
Agent for Desktop/Expert Client	<input type="text" value="0"/>

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

G-type gateway based location

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Physical Location
Select the applicable physical location. Central office

Locations
LOCATION QUANTITY Total Quantity of the Location. 1
PHYSICAL LOCATION NAMING STRATEGY Physical location naming strategy of the Location. N/A
If Solution Integration Assurance is required with other configurators (for example, Power) select 'Use Next Available Name' option for the Physical Location Naming Strategy in order to avoid SIA problems.

Gateways
MEDIA GATEWAY Choose the type of media gateway for this location. G450 VoIP160
PROCESSOR ETHERNET Will Processor Ethernet be used for signalling at this location? Yes
V.150 SUPPORT Does the customer require V.150 support for Modems-over-IP and secure communications between Viper phones? No
EXISTING DEFINITY OR CM EQUIPMENT Are there any existing DEFINITY or CM Cabinets, Media Gateways or Circuit Packs at this location? N/A

Design Inputs
Add new model
Location Manager
Communication Manager
System Options
Location Options
Platform
Platform - 1
Platform - 2
Platform - 3
Platform - 4 (ACP ISS)
Platform - 5 (ACP 130)
User Endpoints

AAMS-based location

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Avaya Aura Media Server (AAMS)

AAMS DEPLOYMENT Choose the AAMS deployment method.

AAMS PROFILES Choose the AAMS profile method.

AAMS OTHER LOCATION Choose the logical location where the AAMS server supporting this location is located.

PROCESSOR CPU MARK Enter the CPU mark for the associated processor(s)?
(See http://www.cpubenchmark.net/cpu_list.php for CPU benchmarks)

AAMS HA Is AAMS HA required?

AAMS CHANNELS Enter the number of AAMS channels the customer needs at this location.

Avaya Aura Media Server (AAMS) Codec

% G.711	<input type="text" value="100"/>	% G.726	<input type="text" value="0"/>	% OPUS Narrowband	<input type="text" value="0"/>
% G.722	<input type="text" value="0"/>	% G.729	<input type="text" value="0"/>	% OPUS Wideband	<input type="text" value="0"/>
% G.722.1	<input type="text" value="0"/>				

Equipment Room

WALLFIELD What type of cable termination hardware does the customer require?

I/O CABLES What length and type of cable does the customer require between the gateway and the wallfield?

CABLE CONNECTOR Select the type of cable connector for the I/O cable.

Find a Partner | Contacts | Careers | Resource library | Site Map

© 2018 Avaya Inc. All rights reserved. | [Privacy Statement](#) | [Terms of Use](#)

Location parameters, page 2

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790 Country :

Design Control

- Material / APL Report
- Configure Design
- Save Design (26 : 05)
- Preferences
 - Blueprint
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports

Design Inputs

Add new model

- Location Manager
- Communication Manager

System Options

Location Options

Platform

- Platform - 1
- Platform - 2
- Platform - 3
- Platform - 4 (ACP ISS)
- Platform - 5 (ACP 130)

- User Endpoints
- Trunks
- Hardware/Software
- Advanced
- Advanced Traffic

Location Tools

- Create New Location
- Manage Locations
- Location 1 - Central office

Additional Gateway Options

- S8300 DVD/CD-ROM DRIVE Does the customer want to purchase this optional DVD/CD-ROM drive to load the system software? N/A
- SYSTEM SOFTWARE CD/DVD How many system software recovery CD/DVDs are needed at this location (G450 or G430)? 0
- REDUNDANT POWER Does the customer need power supply redundancy in the G450 Media Gateways at this location? N/A
- USB MODEM Will the customer require a modem at this location (G430 & G450 Media Gateways only)? N/A

System Manager Servers

- PRIMARY SYSTEM MANAGER How will the System Manager be deployed? (One SMGR domain per enterprise is supported.) Customer Provided VM
- SMGR REDUNDANCY Is System Manager Geographic Redundancy required? No
- SECONDARY SYSTEM MANAGER How will the System Manager Geo Redundancy be deployed? N/A

Session Mgr/Presence/AACC

Session Mgr/Presence/AACC Help

- SM TYPE Is this a Core Session Manager or Branch Session Manager location? Core SM
- SM DEPLOYMENT How will Session Manager be deployed at this location? Customer Provided VM

Indicate all Session Manager instances below and the number of devices or sessions (both Primary and Secondary).

	SM Instances	SM Instances that cannot share w/another SM Instance
up to 2K Devices/1200 SoftClients/72K Sessions Per Hour	0	0
up to 4.5K Devices/2700 SoftClients/162K Sessions Per Hour	0	0

Back Next Reset

© 2018 Avaya Inc. Privacy Statement | Terms of Use

Location parameters, page 2 - cont

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

up to 23.3K Devices/13900 Soft Clients/540K Sessions Per Hour
up to 66.7K Devices/13900 Soft Clients/648K Sessions Per Hour

AADS Does the customer require Avaya Aura Device Services (AADS) deployed for all instances of Session Manager at this location? If 'No', then either select 'None' for AADS DEPLOYMENT or modify (reduce) the number of pre-populated AADS instances below. (AADS must be ordered at the same time as Session Manager)

AADS DEPLOYMENT How will AADS be deployed at this location? **Customer Provided VM**

AADS PROFILE	AADS Instances	AADS Instances that cannot share w/another AADS Instance
AADS PROFILE 1	0	0
AADS PROFILE 2	0	0
AADS PROFILE 3	0	0
AADS PROFILE 4	0	0
AADS PROFILE 5	0	0

Indicate all Branch Session Manager instances below and the number of devices or sessions.

Qty of BSM Instances
up to 1K Devices: 0
1K - 5K Devices: 0

PRESENCE How will Presence be deployed? **Customer Provided VM**

MULTIMEDIA MESSAGING Will the MultiMedia Messaging IM feature be used with Presence? Yes

PRESENCE USERS How many Presence users are required? 0

PRESENCE HA Is Presence High Availability required? N/A

PRESENCE REDUNDANCY Is Presence Geo-Redundancy required? N/A

SECONDARY PRESENCE LOCATION Indicate the location where the Geo-Redundant Presence will be located. 0

Back **Next** **Reset**

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Location parameters, page 3

The screenshot displays the AVAYA One Source web application interface. At the top, the header includes the AVAYA One Source logo, the company name "Company: DEMO APM Antarctic Distributor 1 (650993)", and the user name "Welcome: Andrey Bogachev". The main navigation bar shows "Quote Center / A1S Configurator / Communication Manager - New System" and the version "A1S Rls: 19.2.4.0 (204)".

The left sidebar contains a "Design Control" menu with options like "Material / APL Report", "Configure Design", "Save Design (30 : 27)", "Preferences", "Blueprint", "Retrieve a Quote", "Subscription Licensing", "Co-Term", "Design Adjust", "Historical License", "Piece Parts Order", "Select Country", "Create New Design", "Cancel Quote", and "Internal Reports". Below this is a "Design Inputs" section with radio buttons for "Location Manager" (selected) and "Communication Manager". The "System Options" section is expanded to show "Location Options", which includes a "Platform" dropdown menu with options: "Platform - 1", "Platform - 2", "Platform - 3" (highlighted), "Platform - 4 (ACP ISS)", and "Platform - 5 (ACP 130)". A red arrow points to the "Platform - 3" option.

The main content area is titled "Survivable Core/ESS And IP Options" and contains three configuration questions:

- SURVIVABLE CORE** If Survivable Core/ESS is desired, select the deployment model for this location. (Dropdown menu: None)
- SURVIVABLE CORE CONTROLLED** Is this location controlled by a Survivable Core/ESS at another location? (Dropdown menu: No)
- SURVIVABLE CORE DECT R4 LOC** Will this location (or another location controlled by the Survivable Core/ESS) have a DECT R4 system that should remain functional in survivable mode? (Dropdown menu: N/A)

At the bottom of the main content area, there are three red buttons: "Back", "Next", and "Reset".

The footer includes links for "Find a Partner", "Contacts", "Careers", "Resource library", and "Site Map", along with the copyright notice "© 2018 Avaya Inc. Privacy Statement | Terms of Use".

IP subscriber devices, part 1

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790 Country :

Product / Design Guidance

Promotions and Incentives

Please note Avaya offers promotions and incentives on our market leading devices: J Series, B Series, Vantage, CU 360 and Cameras. Review at <https://sales.avaya.com/en/card-category/devices-collaboration-video-promotions>

H.323/SIP Ports

H.323 PORTS How many H.323 ports are needed at this location? This entry is used for software license, hardware (circuit pack/media modules), station capacities and traffic calculations.

SIP PORTS How many SIP station ports are needed at this location? This entry is used for software licenses. It is not used for SIP traffic calculations or hardware provisioning. Make sure to reflect the SIP traffic on the IP Trunk screen.

SIP COUNT How many of the required H.323/SIP Devices are being used for SIP Only? This question is for tracking purposes. It is only required if H.323/SIP Telephones are requested.

H.323/SIP COUNT This is the total quantity of H.323/SIP Devices currently selected.

H.323/SIP Telephones

H.323/SIP TELEPHONES Enter the desired quantity for each Telephone. Include quantities for both installed and growth/spare. All telephones require power.

	SIP Telephones	H.323 Only Telephones	H.323/SIP Telephones	
J129 (SIP only)	<input type="text" value="0"/>	1603	<input type="text" value="0"/>	<input type="text" value="0"/>
J139 (SIP only)	<input type="text" value="0"/>	1603SW	<input type="text" value="0"/>	<input type="text" value="0"/>
J169 Gray (SIP/H.323)	<input type="text" value="0"/>	1608	<input type="text" value="0"/>	<input type="text" value="0"/>
J169 White (SIP/H.323)	<input type="text" value="0"/>			

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

IP subscriber devices, part 2

The screenshot displays the AVAYA One Source interface for configuring a new system. The top navigation bar includes the AVAYA logo, the text "One Source", the company name "Company: DEMO APM Antarctic Distributor 1 (650993)", and the user name "Welcome: Andrey Bogachev". The main header shows the path "Quote Center / A1S Configurator / Communication Manager - New System" and the version "A1S Rls: 19.2.4.0 (204)".

The left sidebar contains a "Design Inputs" section with "Location Manager" selected. Below it is the "System Options" section, where "Location Options" is expanded to show "Platform" (with options Platform - 1 to Platform - 5) and "User Endpoints" (with "UC Standard Editions" expanded to show "IP" devices). A red arrow points to "IP Devices - 2".

The main content area is titled "IP Telephone Accessories" and contains a table for configuring quantities for various accessories. The table has two columns: the accessory name and a quantity input field (all set to 0). The accessories listed are:

IP TELEPHONE ACCESSORIES	Quantity
Avaya Vantage™ Cordless Handset Kit	0
Avaya Vantage™ Corded Handset Kit	0
Avaya Vantage™ Wallmount (required w/Handset Kits)	0
Avaya Vantage™ Power Supply	0
L119 Leather Headset RJ9 MONO	0
L129 Leather Headset Quickconnect MONO	0
L139 Leather Headset QuickConnect MONO	0
L149 Leather Headset Quickconnect Stereo	0
L159 Leather Headset USB Stereo	0
Quick Connect RJ9 HEADSET CORD 1.2M	0
Quick Connect TO USB Mechanical Combox Cable 1.2M	0
Quick Connect TO USB TouchControl Combox Cable 1.2M	0
Quick Connect USB Touch Control and BT Combox Cable 1.2M	0
Supervisor Cable Accessory	0

At the bottom of the main content area are three buttons: "Back", "Next", and "Reset".

The footer contains links for "Find a Partner", "Contacts", "Careers", "Resource library", and "Site Map", along with the copyright notice "© 2018 Avaya Inc. Privacy Statement | Terms of Use".

IP soft phones

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

IP Soft Endpoints

IP SOFT ENDPOINTS Enter the desired quantities of IP Soft endpoints.

	Roadwarrior (My Computer)	Telecommuter (Other Phone)
Avaya Aura Agent Desktop R6 Embedded Softphone	<input type="text" value="0"/>	<input type="text" value="0"/>
one-X Agent R2	<input type="text" value="0"/>	<input type="text" value="0"/>
one-X Agent Non-Agent Client R2	<input type="text" value="0"/>	<input type="text" value="0"/>
one-X Agent Supervisor R2	<input type="text" value="0"/>	<input type="text" value="0"/>
one-X Communicator	<input type="text" value="0"/>	<input type="text" value="0"/>
one-X Communicator Video	<input type="text" value="0"/>	<input type="text" value="N/A"/>
one-X Communicator R1 Mac OS	<input type="text" value="0"/>	<input type="text" value="N/A"/>
one-X Communicator R2 Mac OS	<input type="text" value="0"/>	<input type="text" value="N/A"/>
one-X Communicator R2 Mac OS Video	<input type="text" value="0"/>	<input type="text" value="N/A"/>
Avaya Communicator for MS Lync	<input type="text" value="0"/>	<input type="text" value="N/A"/>

ONE-X COMMUNICATOR What version of one-X Communicator is needed?

	Windows	Linux
EQUINOX VDI Enter quantity required for type of Thin Client OS license.	<input type="text" value="0"/>	<input type="text" value="0"/>
DESKTOP WALLBOARD Enter the number of concurrent Avaya Desktop Wallboards required.		<input type="text" value="0"/>

Back **Next** **Reset**

© 2018 Avaya Inc. Privacy Statement | Terms of Use

Receptionist soft client – Equinox Attendant

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

Design Inputs

- Add new model
- Location Manager
- Communication Manager

System Options

Location Options

- Platform
 - Platform - 1
 - Platform - 2
 - Platform - 3
 - Platform - 4 (ACP ISS)
 - Platform - 5 (ACP 130)
- User Endpoints
 - UC Standard Editions
 - IP
 - IP Devices - 1
 - IP Devices - 2
 - IP Softphones - 1
 - IP Softphones - 2
 - Equinox Attendant**
 - Digital
 - Analog
 - Wireless
 - Power
 - Trunks
 - Hardware/Software
 - Advanced
 - Advanced Traffic
- Location Tools
 - Create New Location
 - Manage Locations
 - Location 1 - Central office

Equinox Attendant

QRN# : EAQ0319790 Country :

EQUINOX ATTENDANT Enter the desired quantity of Equinox Attendant R5 endpoints.

EQUINOX ATTENDANT SYSTEM Enter the required quantity of Equinox Attendant systems.

CO-DEPLOYMENT Are Equinox Attendant and Presence Services co-deployed?

EQUINOX ATTD DEPLOYMENT How will Equinox Attendant be deployed?

EQUINOX ATTD HA Is Equinox Attendant High Availability required?

EQUINOX REDUNDANCY Is Equinox Attendant Geographic Redundancy required?

EQUINOX ATTD SECONDARY LOCATION Indicate the logical location where the Secondary Equinox Attendant will be located.

BREEZE AAMS DEPLOYMENT How will Breeze Media Server be deployed.

BREEZE AAMS SERVER Enter the quantity of Breeze AAMS Servers required.

EQUINOX ATTENDANT CONNECT EXTERNAL DATABASE Select Connect to External Database to support the requested Equinox Attendant endpoints.

Back **Next** **Reset**

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Digital subscribers

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

Design Inputs

- Add new model
- Location Manager
- Communication Manager

System Options

Location Options

- Platform
 - Platform - 1
 - Platform - 2
 - Platform - 3
 - Platform - 4 (ACP ISS)
 - Platform - 5 (ACP 130)
- User Endpoints
 - UC Standard Editions
 - IP
 - IP Devices - 1
 - IP Devices - 2
 - IP Softphones - 1
 - IP Softphones - 2
 - Equinox Attendant
 - Digital
 - Digital Terminals - 1**
 - Analog
 - Wireless
 - Power
 - Trunks
 - Hardware/Software
 - Advanced
 - Advanced Traffic

Location Tools

- Create New Location
- Manage Locations

QRN# : EAQ0319790 Country :

Digital Ports

Indicate the desired number of digital station ports (installed and spare) for hardware and software licenses independent of the number of terminals/telephone sets.

DIGITAL PORTS How many digital station ports (including growth/spare) are needed at this location? This entry is used for software license, hardware (circuit pack/media modules) station capacities and traffic calculations.

DIGITAL COUNT This is the total quantity of Digital Terminals currently selected.

Digital Terminals

DIGITAL TERMINALS Enter the desired quantity of NEW sets for each style and color. Include quantities for both installed and growth/spare telephones.

1408 No English Text	<input type="text" value="0"/>	9404 No EnglishText	<input type="text" value="0"/>
1416 No EnglishText	<input type="text" value="0"/>	9408 No EnglishText	<input type="text" value="0"/>

Terminal Modules

TERMINAL MODULES Enter the desired quantity for each style and color.

Button Mod DBM32 (1416 only)	<input type="text" value="0"/>
Button Mod BM12 (9408 only)	<input type="text" value="0"/>

Back Next Reset

© 2018 Avaya Inc. Privacy Statement | Terms of Use

Analog subscribers

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

System Options

Location Options

- Platform
 - Platform - 1
 - Platform - 2
 - Platform - 3
 - Platform - 4 (ACP ISS)
 - Platform - 5 (ACP 130)
- User Endpoints
 - UC Standard Editions
 - IP
 - IP Devices - 1
 - IP Devices - 2
 - IP Softphones - 1
 - IP Softphones - 2
 - Equinox Attendant
 - Digital
 - Digital Terminals - 1
 - Analog**
 - Wireless
 - Wireless - EC500
 - Wireless - one-X Offers
 - Wireless - DECT R4
 - Power
 - Trunks
 - Hardware/Software
 - Advanced
 - Advanced Traffic
 - Location Tools
 - Create New Location
 - Manage Locations
 - Location 1 - Central office

Analog Ports

Indicate the desired number of Analog ports (installed and spare) for hardware and software licenses independent of the number of terminals/telephone sets. Off Premise Stations over DS1 are entered on the Location>Trunks>Digital>Digital - 1 screen.

ANALOG PORTS How many analog ports are needed at this location? Analog devices include sets, faxes, modems, music on hold, night bell over paging, external alerts, etc. Some devices are not supported by all servers.

ANALOG COUNT This is the total quantity of Analog Terminals and devices currently selected.

Analog Telephones

ANALOG TELEPHONES Enter the desired quantity of sets for each style and color. Include quantities for both installed and growth/spare telephones.

	Gray	White
6211 Analog Telset	<input type="text" value="0"/>	<input type="text" value="0"/>
6219 Analog Telset	<input type="text" value="0"/>	<input type="text" value="N/A"/>
6221 Analog Telset	<input type="text" value="0"/>	<input type="text" value="0"/>

Analog Conferencing

ANALOG CONFERENCING Specify the desired style and quantity of conferencing devices.

	Without expansion mics	With expansion mics
B159	<input type="text" value="0"/>	<input type="text" value="0"/>
B169	<input type="text" value="0"/>	<input type="text" value="0"/>

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

IP DECT

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

System Options

Location Options

- Platform
 - Platform - 1
 - Platform - 2
 - Platform - 3
 - Platform - 4 (ACP ISS)
 - Platform - 5 (ACP 130)
- User Endpoints
 - UC Standard Editions
 - IP
 - IP Devices - 1
 - IP Devices - 2
 - IP Softphones - 1
 - IP Softphones - 2
 - Equinox Attendant
 - Digital
 - Digital Terminals - 1
 - Analog
 - Wireless
 - Wireless - EC500
 - Wireless - one-X Offers
 - Wireless - DECT R4
 - Power
 - Trunks
 - Hardware/Software
 - Advanced
 - Advanced Traffic
- Location Tools
 - Create New Location
 - Manage Locations
 - Location 1 - Central office

Wireless DECT R4

It is required that a site survey be performed to ensure technical assurance of your Wireless System.

DECT R4 HANDSETS Enter the quantity of handsets needed for this location.

3730 Handsets	<input type="text" value="10"/>	3735 Handsets	<input type="text" value="0"/>	3745 Handsets	<input type="text" value="0"/>	3749 Handsets	<input type="text" value="0"/>
3735 Handsets With Alarm Lic	<input type="text" value="0"/>						

Enter the quantity of accessories for your DECT R4 handsets.

Chargers:

373x Basic	<input type="text" value="0"/>	373x Advanced	<input type="text" value="0"/>	373x Multi Kit	<input type="text" value="0"/>		
374x Basic	<input type="text" value="0"/>	374x Advanced	<input type="text" value="0"/>	374x Rackmount	<input type="text" value="0"/>	374x Multi Kit	<input type="text" value="0"/>

Batteries:

3720/30 Handset	<input type="text" value="0"/>	3725 Handset	<input type="text" value="0"/>	3745 Handsets	<input type="text" value="0"/>	3749 Handset	<input type="text" value="0"/>
3735 Handset	<input type="text" value="0"/>						

DECT R4 SURVIVABILITY Will the DECT R4 system at this location be available in survivability mode?

DECT R4 HARDWARE Enter the quantity of base station(s) and accessory hardware required.

IP Radio Base Station with internal antenna	<input type="text" value="0"/>	Outdoor Housing	<input type="text" value="0"/>
IP Radio Base Station with external antenna	<input type="text" value="0"/>	Pole mounting kit	<input type="text" value="0"/>
ISDN Radio Base Station with internal antenna	<input type="text" value="0"/>	Ceiling Bracket kit (10 pack)	<input type="text" value="0"/>
ISDN Radio Base Station with external antenna	<input type="text" value="0"/>	IP Radio Base Station	<input type="text" value="0"/>

Back **Next** **Reset**

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Power for subscriber devices

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Endpoint Power

External power is required for all IP telephones some digital telephones and some Universal Couplers. One power cord will be provided for each Standalone power supply.
The type of power cord provided will be determined by country requirements.

EXTERNAL POWER Enter the quantity of appropriate power supplies below.

Global Port PoE Adapter (local power option for 14xx, 94xx & 96xx)	<input type="text" value="0"/>
Y Adapter (w/GPOE for 14xx/94xx)	<input type="text" value="0"/>
Standalone Power (local power for 1600 Series)	<input type="text" value="0"/>
1603 PoE Power Adapter	<input type="text" value="0"/>
H229 Power Adapters	<input type="text" value="0"/>
H239/H249 Power Adapters	<input type="text" value="0"/>
Additional Power Cords	
Input Power cord (10 amp)	<input type="text" value="0"/>
B199 PoE Adapter	<input type="text" value="0"/>

IP Terminals

Back **Next** **Reset**

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Trunks: digital

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Digital Trunks

Select the total number of digital trunk ports (installed and spare) and Digital OPS independent of the number of circuit packs/media modules for this location.

DIGITAL TRUNKS How many total digital (DS1 and BRI) trunks ports are needed at this location? This entry is used for software license, trunk capacities and traffic calculations.

DIGITAL OPS How many total off-premise stations carried on DS1 circuits are needed at this location? This entry is used for software license, station capacities and traffic calculations.

DS1 Select the appropriate types and quantities of circuit packs for the DS1 circuits.

- T1/E1 TN2464/464
- T1/E1 MM710 Media Module

BRI Select the appropriate types and quantities of circuit packs for the ISDN-BRI circuits.

- BRI TN556 U-LT or ST-NT (12/24 trunks)
- BRI TN2185 ST-TE (8 trunks)
- BRI MM721 - 8 ports

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Additional HW for digital trunks

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

DSP Resources

MINIMUM DSP RESOURCES Select the minimum quantity of DSPs per G430 or G450 Media Gateway the customer requires at this location N/A

Optional DS1 Equipment

DS1 CABLE Select the DS1 cables and adapters needed.

	Quantity	Length
T1/E1 Media Module Cable	0	
888 B Adapter	0	
Loopback Jack Adapter	0	

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Trunks: analog

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Analog Trunks

Select the total number of analog trunk ports (installed and spare) independent of the number of circuit packs/media modules for this location.

ANALOG TRUNK PORTS How many total analog trunk ports (all types) are needed at this location? This entry is used for software license, trunk capacities and traffic calculations.

ANALOG TRUNKS Enter the appropriate types and quantities of analog trunks. The appropriate circuit packs/media modules will be designed based on these entries.

Central Office (CO)	<input type="text" value="0"/>
Direct Inward Dial (DID)	<input type="text" value="0"/>
Direct Inward/Outward Dialing (DIOD)	<input type="text" value="0"/>
DIOD with Periodic Pulse Metering (DIOD with PPM)	<input type="text" value="0"/>
4-wire E & M Tie	<input type="text" value="0"/>

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Trunks: IP

Each SIP subscriber has a corresponding SIP trunk to CM. Therefore SIP trunks qty for this form is counted as a sum of external SIP trunks qty and SIP subscribers qty.



AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN#: EAQ0319790 Country:

H.323/SIP Trunks

Select the number of H.323/SIP trunk ports (installed and spare) independent of the type of H.323/SIP trunks at this location.

H.323/SIP TRUNK PORTS How many total H.323/SIP trunk ports are needed at this location? This entry is used for software license, trunk capacities and traffic calculations.

H.323/SIP TRUNKS Enter the appropriate types and quantities of H.323/SIP trunks.

H.323 SBS	<input type="text" value="0"/>
H.323 TIE	<input type="text" value="0"/>
SIP Trunks	<input type="text" value="0"/>
HDTG (High Density Trunk Gateway) Trunks	<input type="text" value="0"/>
HDTG Trunks Specific to this CM system	<input type="text" value="0"/>

HDTG MODULE OPTION Enter the type of gateway modules required for HDTG at this location.

HDTG REDUNDANCY Does the customer require N+1 Redundancy for HDTG?

ELEMENT MANAGEMENT SERVER Does the customer require an Element Management Server to manage multiple M3K's from a central location?

Ignore Footprint for SIP Trunks

If SIP trunks needed to support one or more of the following applications listed below differs from what is sent via the footprint, select Yes and the footprint for SIP trunks will be ignored for that application. You must then include your SIP trunks required for that application in the entries above.

Meeting Exchange

Back **Next** **Reset**

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Session Border Controller

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Avaya Session Border Controller for Enterprise (ASBCE)

- ASBCE Does the customer want ASBCE? Yes
- ASBCE VERSION What version of ASBCE is required? R8
- ASBCE DEPLOY Select the ASBCE release being deployed. R8
- STANDARD SESSIONS How many Standard Service licenses does the customer require at this location (in addition to the entitlements with the Core/Power Suite Bundles)? 0
- ADVANCED SESSIONS How many Advanced Service licenses does the customer require at this location (in addition to the entitlements with the Core/Power Suite Bundles)? 0
- DYNAMIC LICENSING Does the customer require Dynamic Licensing? N/A
- TRANSCODING SESSIONS How many Transcoding sessions are required at this location? 0
- ASBCE SCOPIA VIDEO How many Scopia Video Conferencing Service licenses does the customer require at this location? 0
- HIGH AVAILABILITY Does the customer require High Availability licenses? No
- ENCRYPTION Does the customer require encryption? No
- CES How many CES Session licenses does the customer require at this location? 0
- ASBCE SERVER What type of server is required for ASBCE? Portwell CAD-0230

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Avaya Aura Web Gateway

Avaya Aura Web Gateway (AAWG)

AAWG DEPLOYMENT How will Avaya Aura Web Gateway be deployed? ➔

AAWG HA Is AAWG High Availability (N+1) required?

AAWG LICENSES Enter the number of Concurrent Virtual Endpoints Sessions and the percentage used on Active Calls.

	Concurrent Sessions	% Active Calls to Sessions
Mobile Users (Call Notification)	<input type="text" value="0"/>	<input type="text" value="N/A"/>
Equinox for Web Clients	<input type="text" value="0"/>	<input type="text" value="0"/>
Equinox Meeting for Web Participants	<input type="text" value="0"/>	<input type="text" value="0"/>
Oceana Workspaces WebRTC enabled Agents	<input type="text" value="0"/>	<input type="text" value="0"/>
Third Party Clients/Applications	<input type="text" value="0"/>	<input type="text" value="0"/>

AUDIO PORTS Provide the percentage of Web Audio Calls to Aura devices.

VIDEO PORTS Provide the percentage of audio calls used as video calls

Equinox for Web	<input type="text" value="0"/>
Equinox Meetings for Web Calls	<input type="text" value="0"/>
Oceana Workspaces WebRTC enabled Agents	<input type="text" value="0"/>
Third Party Clients	<input type="text" value="0"/>

EQUINOX MEDIA SERVER Will Equinox Media Server be deployed as part of Equinox Conferencing?

Back

Next

Reset

QRN# : EAQ0319790

Country :

CODEC WEB TO AURA CALLS Provide the percentage of codecs to be used in Web to Aura Calls.

	% G.711	% G.722	% G.729	% OPUS Narrowband	% OPUS Wideband
Audio Web RTC	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="N/A"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
Aura Audio	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
			% H.264 High Definition	% H.264 Standard Definition	
Video Web RTC			<input type="text" value="0"/>	<input type="text" value="0"/>	
Aura Video			<input type="text" value="0"/>	<input type="text" value="0"/>	

CODEC WEB TO WEB CALLS Provide the percentage of codecs to be used in Web to Web Calls.

	% G.711	% G.722	% G.729	% OPUS Narrowband	% OPUS Wideband
Audio Web RTC (A)	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="N/A"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
Aura Web RTC (B)	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="N/A"/>	<input type="text" value="0"/>	<input type="text" value="0"/>
			% H.264 High Definition	% H.264 Standard Definition	
Video Web RTC (A)			<input type="text" value="0"/>	<input type="text" value="0"/>	
Video Web RTC (B)			<input type="text" value="0"/>	<input type="text" value="0"/>	

AAMS POOLING Does this deployment require pooling of AAMS resources?

AAWG AAMS Choose the AAMS deployment method with AAWG. ➔

AAWG PROCESSOR CPU MARK Enter the CPU mark for the associated processor(s). (See http://www.cpubenchmark.net/cpu_list.php for CPU benchmarks)

AAWG AAMS HA Is AAMS HA required?

Back

Next

Reset

Application Enablement Services

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN# : EAQ0319790 Country :

Application Enablement Services Server

Application Enablement Services Server Help

AES Release: 8.0 (indicated by a red arrow)

AES Deployment Model: Customer Provided VM

AES DEPLOY Select the AE Services release being deployed.

AES FOOTPRINT Indicate the number of AES R7+ and GRHA Instances required:

	Qty of AES Instances	Qty of GRHA Small	Qty of GRHA Medium	Qty of GRHA Large
1 CPU && 4 GB RAM (Profile 1)	0 (indicated by a red arrow)	0	0	0
2 CPU && 4 GB RAM (Profile 2)	0	0	0	0
4 CPU && 6 GB RAM (Profile 3)	0	0	0	0

GRHA LOCATION Indicate the logical location where the GRHA Instances will be located.

Application Programming Interfaces (APIs)

Select the desired AE Services application(s) for your customer.

CVLAN: 0 DLG: 0 Unified Desktop: 0

TSAPI/JTAPI Indicate the type of licenses and the number of users that are required.

TSAPI Licenses: None TSAPI Users: 0

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Location-related options

The screenshot displays the AVAYA One Source A1S Configurator interface. The top navigation bar includes the AVAYA logo, the text 'One Source', the company name 'Company: DEMO APM Antarctic Distributor 1 (650993)', and a user welcome message 'Welcome: Andrey Bogachev'. The main header shows the current configuration path: 'Quote Center / A1S Configurator / Communication Manager - New System' and the version 'A1S RIs: 19.2.4.0 (204)'. A left-hand navigation tree lists various configuration categories such as 'Digital', 'Wireless', 'Power', 'Trunks', 'Hardware/Software', and 'Options'. The 'Options' category is expanded, and 'Options - 2' is selected. The main content area is titled 'Miscellaneous Options' and contains a list of configuration items, each with a description and a numeric input field. Two red arrows point to the 'DL360G9 DUPLICATE POWER' and 'R630 DUPLICATE POWER' options. At the bottom of the configuration area are three red buttons: 'Back', 'Next', and 'Reset'. The footer contains the copyright notice '© 2018 Avaya Inc. All rights reserved.' and a link to the 'Privacy Statement | Terms of Use'.

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN#: EAQ0319790 Country :

Miscellaneous Options

EMERGENCY TRANSFER How many trunks are required to support stations dedicated to emergency transfer if commercial power is lost? (The number indicated here must be added to analog trunk port and analog station port totals)	?	<input type="text" value="0"/>
UNIVERSAL COUPLER How many non-FCC registered interfaces are needed for loudspeaker paging and Music on Hold (requires analog or auxiliary port)?	?	<input type="text" value="0"/>
MOH INTERFACE How many non-FCC registered Music on Hold interfaces does the customer need (requires analog station port)?	?	<input type="text" value="0"/>
DL360PG8 DUPLICATE POWER How many duplicate power supplies for DL360PG8 Servers are needed?	?	<input type="text" value="0"/>
DL360G9 DUPLICATE POWER How many duplicate power supplies for DL360G9 Servers are needed?		<input type="text" value="0"/>
		<input type="text" value="0"/>
R620 DUPLICATE POWER How many duplicate power supplies for R620 Servers are needed?	?	<input type="text" value="0"/>
R630 DUPLICATE POWER How many duplicate power supplies for R630 Servers are needed?		<input type="text" value="0"/>
		<input type="text" value="0"/>

Back Next Reset

© 2018 Avaya Inc. All rights reserved. [Privacy Statement](#) | [Terms of Use](#)

The background of the slide is a repeating pattern of red geometric shapes on a white background. The shapes are stylized, resembling a combination of squares and rectangles with various internal cutouts and protrusions, creating a complex, maze-like visual effect. The pattern is consistent across the entire slide.

Maintenance Configurator

Auto-attached configurator

The screenshot displays the AVAYA One Source web interface. At the top, the header includes the AVAYA logo, the text "One Source", and user information: "Company: DEMO APM Antarctic Distributor 1 (650993)" and "Welcome: Andrey Bogachev". The main navigation area on the left is titled "Quote Center / A1S Configur" and contains sections for "Design Control" (with options like Material / APL Report, Configure Design, Save Design, Preferences, Blueprint, Retrieve a Quote, Subscription Licensing, Co-Term, Design Adjust, Historical License, Piece Parts Order, Select Country, Create New Design, Cancel Quote, Internal Reports), "Design Inputs" (with options like Add new model, Configuration Errors / Warnings, Location Manager, Communication Manager), and "System Options" (with various summary and platform options). A central modal dialog box titled "Auto Attach Model Message" is open, showing a list of models: "AUTOATTACH" (checked) and "CM_WIZ" (checked). Below the list, the text reads: "Due to the configuration of your design the following models have been automatically attached: Maintenance Services". A red arrow points from this text to the right. At the bottom of the dialog, there is a red "Continue design" button, with another red arrow pointing to it from the left. The background interface shows various configuration fields and a "Core Suite" dropdown menu.

Setting up PARTS

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Maintenance Services A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790 Country: RUSSIA

Product / Design Guidance

Non-Standard Support

APAC Direct Only If you require Non-standard support offers, H/W parts and/or on-site support, Client Service Manager and Dedicated Technician please contact your local in-country Service Account Manager (SAM) who can open a case for an SFDC custom quote.

Default Summary

Only the values on this screen are required to complete your design; default values have been entered for your convenience. Please note that design accuracy depends upon your input accuracy; therefore you should confirm that the default values are appropriate for your solution prior to placing any orders. For additional information click "?".

For R17 CMS the selection on this screen is ignored. Please navigate to the ROE/SS/Speech screen for the R17 CMS coverage in your country. Please Note: For all CMS platforms and releases the HW support offer is limited to Onsite 24x7.

IP Office/IPOSS coverage is not reflected on the default summary screen. Please navigate directly to the Avaya Branch Gateway/IP Office > IPOSS screen to make your coverage selection.

Avaya Video Collaboration (AVC) coverage is not reflected on the default summary screen. Please navigate directly to the MSG/MX/AVC/PC/AOCE/ screen to make your coverage and term selection.

What type of maintenance coverage is required for all products in this solution? Please note if desired coverage is not available predetermined defaults will be applied. **Parts Next Business Day**

For SUPPORT ADVANTAGE, Contract Length and Billing Frequency are derived directly from the product configurator(s). The selections below pertain only to the portion of your design not covered by SUPPORT ADVANTAGE.

What contract length is desired for this solution's maintenance coverage? **3 Years**

What is the billing frequency for this solution's maintenance contract? **Annual Prepaid**

Do the products covered by this solution already have Secure Access Policy Server? **N/A**

Back Next

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use



Processing design

How the Design Error looks like

The screenshot displays the AVAYA One Source web application interface. At the top, the header includes the AVAYA One Source logo, the company name "Company: DEMO APM Antarctic Distributor 1 (650993)", and the user name "Welcome: Andrey Bogachev". The main content area is titled "Quote Center / A1S Configur". A central dialog box is open, displaying a warning message: "Current Configuration has generated Errors!". The dialog box lists two items: "WARNING CM1329" and "ERROR CM0077". The error message states: "At Location 2, you have requested Branch Session Manager without any Branch Session Manager Instances." Below the message, a "RESOLUTION" section provides instructions: "Return to the Location > Platform > Platform - 2 screen and request Branch Session Manager instances." A red "Stop design" button is located at the bottom right of the dialog box. The background interface shows a left-hand navigation menu with sections for "Design Control", "Design Inputs", "System Options", and "Location Options". The "Location Options" section is expanded, showing "Platform" options (Platform - 1 to Platform - 5) and "User Endpoints" (UC Standard Editions, IP, IP Devices, IP Softphones, and Equinox Attendant). The right-hand side of the interface shows configuration details for "A1S Ris: 19.2.4.0 (204)" and a list of input fields with values (16, 0, 0, 0, 0).

Save design

The screenshot displays the AVAYA One Source interface for a quote configuration. The main content area shows the 'Product / Design Guidance' section with a 'Save Design' dialog box overlaid. The dialog box contains the following text and elements:

- Save Design** (Title)
- Enter the description to use as an identifier for your design.
- Description : (Input field with a red arrow pointing to it labeled '1')
- (Buttons with a red arrow pointing to the 'Save' button labeled '2')
- Do not show again in this design session

The background interface includes a navigation menu on the left with sections like 'Design Control', 'Design Inputs', and 'System Options'. The top navigation bar shows 'AVAYA One Source', 'Company: DEMO APM Antarctic Distributor 1 (650993)', and 'Welcome: Andrey Bogachev'. The main header indicates 'Quote Center / A1S Configurator / Maintenance Services' and 'A1S RIs: 19.2.4.0 (204)'. The bottom of the page features a footer with 'Find a Partner | Contacts | Careers | Resource library | Site Map' and '© 2018 Avaya Inc. Privacy Statement | Terms of Use'.

Configure the design

The screenshot shows the AVAYA One Source A1S Configurator interface. The top navigation bar includes the AVAYA logo, 'One Source', and user information: 'Company: DEMO APM Antarctic Distributor 1 (650993)' and 'Welcome: Andrey Bogachev'. The main header indicates the current view is 'Quote Center / A1S Configurator / Maintenance Services' with version 'A1S Rls: 19.2.4.0 (204)'. The interface is divided into a left sidebar and a main content area. The sidebar has sections for 'Design Control' (Material / APL Report, Configure Design, Save Design, Preferences, Blueprint, Retrieve a Quote, Subscription Licensing, Co-Term, Design Adjust, Historical License, Piece Parts Order, Select Country, Create New Design, Cancel Quote, Internal Reports), 'Design Inputs' (Add new model, Configuration Errors / Warnings, Location Manager, Communication Manager, Maintenance Services), and 'System Options' (Main, Default Summary, Default Summary 2, Default Summary 3, Default Summary Adv Svcs, Miscellaneous Products, Communication Manager, MSG/MX/AVC/PC/AOCE, Avaya Branch Gateway / IP Office, Enhanced Services, Passwords). The main content area shows a 'Default Summary' for QRN# : EAQ0319790 in Country : RUSSIA. A central dialog box titled 'Processing Design, Please Wait...' is overlaid, showing progress indicators for 'Location Manager' (green dot), 'Communication Manager' (green dot), and 'Maintenance Services' (red dots). Below the dialog, a question asks 'What is the billing frequency for this solution's maintenance contract?'. At the bottom of the main content area are 'Back' and 'Next' buttons.

The screenshot shows a 'Co-Term' dialog box with a red header and a close button. The main text asks 'Do you wish to Co-Term the service contract length?'. Below this is a warning: 'Warning: Any changes in quote content will require previous Co-Term values to be re-entered.' At the bottom of the dialog are 'Yes' and 'No' buttons.

Configured design

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Material - APL Report A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790 Country: RUSSIA

[Back to Design](#) [Export to Excel](#)

QRN#: EAQ0319790
 Rls: 19.2.4.0
 User: Andrey Bogachev
 Created By: DEMO APM Antarctic Distributor 1 (650993)
 Description: APDS WS demo
 Model Names: Location Manager, Communication Manager, Maintenance Services

Levels	Physical Location	Div Grp	Product Code	Parent Code	Quantity	Term	Product Description	BTC Quote/Order	MPG	Unit APL USD	Extended APL USD	Configurator	BTC SA VAL
1.1	Central office	2	183441		1		CM S8500 MODEL	0 - Included	2P	0.00	0.00	CM	0
1.1.1	Central office	2	228490	183441	3		ONE-X AGT R2 LIC FREE-MAX 3 PLD	0 - Included	1Z	0.00	0.00	CM	0
1.1.2	Central office	2	270692	183441	1344		SIP STATION TRACKING LIC	0 - Included	1Z	0.00	0.00	CM	0
1.1.3	Central office	2	381277	183441	2		AVP R7+ DUAL CPU CMN LIC	0 - Included	1Z	900.00	1,800.00	CM	0
1.1.4	Central office	2	383548	183441	1		R630 SRVR MEDIUM AVP	0 - Included	1P	18,040.00	18,040.00	CM	0
1.1.5	Central office	2	383552	183441	1		R630 SRVR VLARGE AVP	0 - Included	1P	27,060.00	27,060.00	CM	0
1.1.6	Central office	2	388048	183441	1		R330 MID RANGE SRVR ASBCE	0 - Included	1P	8,720.00	8,720.00	CM	0
1.1.7	Central office	2	396792	183441	1050		AURA R8 BASIC IPT NEW LIC	0 - Included	2P	40.00	42,000.00	CM	0
1.1.8	Central office	2	396794	183441	294		AURA R8 CORE NEW LIC	0 - Included	2P	300.00	88,200.00	CM	0
1.1.9	Central office	2	396838	183441	50		CC R8 ELITE AGT NEW 1-250 LIC	0 - Included	5P	650.00	32,500.00	CM	0
1.1.10	Central office	2	397113	183441	1050		AURA R8 PRESENCE SERVICES R8 /E	0 - Included	1Z	0.00	0.00	CM	0
1.1.11	Central office	2	397113	183441	294		AURA R8 PRESENCE SERVICES R8 /E	0 - Included	1Z	0.00	0.00	CM	0
1.1.12	Central office	2	397114	183441	294		AURA R8 AES UNIFIED DESKTOP R8 /E	0 - Included	1Z	0.00	0.00	CM	0

Find a Partner | Contacts | Careers | Resource Library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Quota is Ready to Order

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center A1S Rls: 19.2.4.0 (Z9) Search Quote

Quote: EAQ0319790 Status: READY TO ORDER

Quote Summary

QUOTE ACTIONS

Quote ID/QRN #:	EAQ0319790
Associated Quote ID's:	EAQ0319792.
Product:	ASD Generated
Business Unit:	AVAYA
Opportunity ID:	
MEA (Multi Element Arrangement) Number:	EAQ0319790
eProject Opportunity Project Code:	
ASD RQT ID:	
ASD Split Design Reference Number:	
Reference ID:	<input type="text"/>
Customer Project #:	<input type="text"/>
Project Title:	<input type="text"/>
Creation Date:	14 September 2019
Last Modified:	14 September 2019
Last Modified By:	Andrey Bogachev
Quote Expiry Date:	13 December 2019
Software Version:	19.2.4.0
Price:	(APL) USD 704,708.64
PO Total:	USD 331,545.56
Description:	<input type="text" value="APDS WS demo"/>
Status:	Ready to order
Budgetary Quote:	No
Owner:	Andrey Bogachev
Business Partner Name / Link ID:	<input type="text" value="DEMO APM Antarctic Reseller Tier 2 East - 509399"/>
Reseller ID / Name:	<input type="text" value="Please select a Reseller"/>
Company:	DEMO APM Antarctic Distributor 1 - 650993
Country:	Antarctica
Activity:	ASD Generated
Vertical Market:	Not Applicable

Generate Reports

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center A1S RIs: 19.2.4.0 (Z9) Search Quote

Quote: **EAQ0319790** Status: READY TO ORDER

Quote Summary
Attach to Opportunity
Rev Rec Indicator
End Customer
Distributor Supplied Items
Apply Promotion/Program
Apply Other Discounts
Request A1S Special Bid
Create Custom Prices
Reports
Quote Notes

Reports

Commercial Reports Configurator Reports

To view a report click on the required format icon. You can batch download all reports using the batch excel download button. Please ensure the desired price point(s) are selected via the Price Point dropdown.

Price Points
Avaya List Price Show only billable materials

Avaya List Price X

Name	HTML	Excel	XML
Quote Output Report			--
Quote Output Summary Report			--
Order Code Listing Report			--
B2B XML Report	--	--	
XML Report	--	--	

BATCH EXCEL DOWNLOAD

Report Output

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
1	MAIN SITE																					
2	Quote Output Report - ASD Generated																					
3	Product Quote Reference Number: EAQ0319790																					
4	Service Quote Reference Number:																					
5	Reference ID:																					
6	Created By: DEMO APM Antarctic Distributor 1 (19.2) - 650993																					
7	Link ID: 509395																					
8	Quote Status: Ready To Order																					
9	Budgetary Quote: No																					
10	Quote Creation Date: 14-Sep-2019 05:24:06 PM																					
11	Quote Modification Date: 14-Sep-2019 05:24:06 PM																					
12	Quote Expiry Date: 13-Dec-2019																					
13	Activity: ASD Generated																					
14	Product: ASD Generated																					
15	System Option: ASD Generated																					
16	Business Unit: AVAYA																					
17	Business Partner Name: DEMO APM Antarctic Reseller Tier 2 East																					
18	Business Partner Link ID: 509399																					
19	Business Partner Medal Level: Emerald																					
20	Description: APDS WS demo																					
21	Site ID: Not Specified																					
22	OPI File: Not Specified																					
23	Opportunity Number:																					
24	Services Start Date: 01-Nov-2019																					
25	Services End Date: 31-Oct-2020																					
26	Number of Months terms: 12																					
27	Display Billable Materials Only: No - All materials in this solution are displayed																					
28																						
29	Quote: Central office - EAQ0319790 - ASD Generated																					
30																						
31	ASD Parts List																					
32																						
33																						
34	Quantity	Service Term	Part Number	Description	MPG	USD	USD															
35	1		185446	AVAYA COMMUNICATIONS SOLUTION	1Z	0.00	0.00															
36	1		183441	CM S8500 MODEL	2P	0.00	0.00															
37	3		228490	ONE-X AGENT R2 FREE-MAX 3 PLD LIC: CU	1Z	0.00	0.00															



Design practice

Task setup

- Headquarters
 - 900 employees with regular phones
 - 50 of them are part of tech support team, receiving calls from customers
 - 100 mid-level managers
 - Access to corporate directory
 - BT headset support
 - 40 directors
 - High class phones
 - Mobile & Video support
 - 40 directors' secretaries
 - Phones with 24 direct dial buttons
 - Receptionist (requirements similar to secretary)
 - 5 ISDN PRI connections
- Regional branch
 - 200 employees
 - 20 mid-level managers
 - Receptionist
 - 16 analog CO lines
 - Survivability in case of lost HQ connection

Solution

- ACM 8 Simplex / G450
- S8300 LSP in a branch
- CC Elite for the technical support team
 - Possible upsell to CC/Oceana
- Phones
 - J129 / Basic IPT – for employees (900-50+200)
 - J169 for Tech support team (50)
 - J179 with Wireless mod – for managers (100+20)
 - J179 with console for secretaries and receptionists (41+1)
 - Vantage with wireless handset – for directors (40)
- NB:
 - J100 means SIP
 - mobile Equinox client means ASBCE



Practice: A1S

Platform

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Platform

- CM SOLUTION Select the Communication Manager Solution that best meets the customer's needs. CM8 Large Ent. Simplex Solution
- CM DEPLOY Select the Communication Manager release being deployed. R8
- SERVER CONFIGURATION Select the server configuration required. Evolution Server
- DEPLOYMENT MODEL Enter the desired deployment model. Avaya Provided Server - Shared Simplex
- UTILITY SERVICES Select the desired full Utility Services deployment option. N/A
- EMEA STAGING Select the level of staging required for the system. N/A
- TAA Is TAA (GSA) compliant product required for this customer? No
- CONFERENCING PHONES Does the customer want Conferencing Phones to be defaulted at the location level? No
- LOCATIONS How many locations will be served by this system? 1
- NETWORK READINESS ASSESSMENT Who will be accountable for performing the required Network Readiness Assessment? Partner/Vendor/Customer

Design Inputs

Add new model

- Location Manager
- Communication Manager

System Options

- Default Summary - 1
- Default Summary - 2
- Default Summary - 3
- Platform**
- Session Mgr
- Software
- Call Center
- Contact Center - AACC
- AE Services/CTI
- ACP ISS
- Avaya Breeze
- Support Options - 1
- Support Options - 2
- Options - 1
- Advanced
- Passwords

Location Tools

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Session Manager

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Session Manager

Session Manager Help

EXISTING SESSION MANAGER Does the customer already have an existing Session Manager in their enterprise?

SM VERSION What version of Session Manager does the customer require?

SM DEPLOY Select the Session Manager version being deployed.

SESSION MANAGER Does the customer want Session Manager (SM)?

PROD/NONPROD Is this a Production or Non-Production system?

REDUNDANCY What level of redundancy is required?

BHCC What is the expected Inter-site Traffic Busy Hour Call Completion (BHCC)?

SIMULTANEOUS CONNECTIONS How many entitlement connections or trunks are required?

TRUNKS How many additional Simultaneous Connections or Trunks are required?

NON CM How many application licenses will be needed for sequencing without integration with CM?

Back **Next** **Reset**

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Software licenses and components

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QR#: EAQ0319790 Country: RUSSIA

Retrieve a Quote
Subscription Licensing
Co-Term
Design Adjust
Historical License
Piece Parts Order
Select Country
Create New Design
Cancel Quote
Internal Reports

Design Inputs

Add new model
Location Manager
Communication Manager

System Options
Default Summary - 1
Default Summary - 2
Default Summary - 3
Platform
Session Mgr
Software
Call Center
Contact Center - AACC
AE Services/CTI
ACP ISS
Avaya Breeze
Support Options - 1
Support Options - 2
Options - 1
Advanced
Passwords
Location Tools

POWER LICENSES How many of the total licenses will the customer need as Power Suites? (total licenses are all stations requested on location screens plus add'l licenses requested above) 0

AAMS DEMO Are AAMS Demo offer licenses being requested? (The AAMS Demo offer is for Channel Partners only and shall not be used for production purposes. They shall not be sold or distributed to end company customers) No

AAMS DSP CHANNEL LICENSES How many AAMS VoIP Channel licenses will the customer require? 0

MOBILE LICENSES How many Mobile Suite licenses will the customer require? 0

COLLABORATION LICENSES How many Collaboration Suite licenses will the customer require? 0

MESSAGING Select the Messaging entitlement desired with Core/Power Suite bundles. IX Messaging

SDK Is the Breeze Client SDK Basic required for this customer? No

BREEZE CLIENT How many Breeze Client SDK Basic licenses will the customer require? 0

ANALOG LICENSES How many Analog only station licenses does the customer require? 0

SMGR VERSION What version of System Manager will the customer deploy? R8

SMGR DEPLOY Select the System Manager version being deployed. R8

SMGR USERS How many total Avaya Aura users will be managed by the System Manager for the enterprise (SIP & H.323)? 0

DISASTER RECOVERY LICENSES How many disaster recovery licenses does the customer require? 0

BASIC IPT How many Basic IPT licenses will the customer require? (Requires equivalent number of devices supported with license type) 1050

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Tech support «call center»

The screenshot shows the Avaya One Source web application interface. The top navigation bar includes the Avaya logo, the text "One Source", and user information: "Company: DEMO APM Antarctic Distributor 1 (650993)" and "Welcome: Andrey Bogachev". The main header displays the current page: "Quote Center / A1S Configurator / Communication Manager - New System" and the version "A1S RIs: 19.2.4.0 (204)".

The left sidebar contains a navigation menu with the following items:

- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports
- Design Inputs** (selected)
- Add new model
- Location Manager
- Communication Manager
- System Options**
- Default Summary - 1
- Default Summary - 2
- Default Summary - 3
- Platform
- Session Mgr
- Software
- Call Center**
- Contact Center - AACC
- AE Services/CTI
- ACP ISS
- Avaya Breeze
- Support Options - 1
- Support Options - 2
- Options - 1
- Advanced
- Passwords
- Location Tools

The main content area is titled "Call Center" and displays configuration options for a Call Center system. The QR number is "EAQ0319790" and the country is "RUSSIA".

The configuration options include:

- CALL CENTER OFFER**: Select the level of Call Center software needed. (Dropdown menu: Elite)
- CALL CENTER AGENTS**: Enter the quantity of agents required.
 - Agents (live and automated): 50
 - Workspaces: 0
 - Customer Journey: 0
 - Multi-Channel (screen pop, chat, email, instant messaging): 0
- AVAYA WORKSPACES ESS**: Is Avaya Workspaces ESS required? (Dropdown menu: N/A)
- SDK ADVANCED**: Is the Avaya Breeze Client SDK Advanced required? (Dropdown menu: N/A)
- MULTI-CHANNEL STANDBY**: Is a Standby server required for Multi-Channel? (Dropdown menu: N/A)
- CRM CONNECTOR**: Enter MS-CRM Connectors needed (1 connector needed per site). (Input field: 0)
- MEDIA CLIENTS**: Enter the quantity of Media Clients required for use with Call Center Elite Multi-Channel. (Input field: 0)
- OPTIONAL CALL CENTER FEATURES**: Select the optional Elite features desired.
 - Advanced Segmentation: (Dropdown menu: No)

At the bottom of the configuration area, there are three buttons: "Back", "Next", and "Reset".

The footer of the page includes the text "© 2018 Avaya Inc. Privacy Statement | Terms of Use" and a navigation bar with links: "Find a Partner | Contacts | Careers | Resource library | Site Map".

Service support

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Support Advantage and Software Support Options

Select the Support Advantage/Software Support, Upgrade Advantage and Billing Frequency for each of the following offers. All entries must be either JSD/Co-Delivery or Non JSD/Co-Delivery entries.

	Support Advantage/Software Support	Upgrade Advantage	Billing Frequency
CM	SA Preferred Support	Yes	1 year pre-paid
AAMS	SA Preferred Support	Yes	1 year pre-paid
Call Center	SA Preferred Support	Yes	1 year pre-paid
Avaya Flare/Communicator	SA Preferred Support	Yes	1 year pre-paid
Equinox VDI	SA Preferred Support	Yes	1 year pre-paid
Avaya Aura Contact Center	N/A	N/A	N/A
Equinox Attendant	SA Preferred Support	Yes	1 year pre-paid
one-X Agent	SA Preferred Support	Yes	1 year pre-paid
Avaya Aura Agent Desktop	SA Preferred Support	Yes	1 year pre-paid
Session Manager	SA Preferred Support	Yes	1 year pre-paid
Session Border Controller	SA Preferred Support	Yes	1 year pre-paid
Avaya Communicator for MS-Lync	SA Preferred Support	Yes	1 year pre-paid
AAWG	SA Preferred Support	Yes	1 year pre-paid
Agent for Desktop	SA Preferred Support	Yes	1 year pre-paid
Avaya Breeze	SA Preferred Support	Yes	1 year pre-paid
Enhanced Developer			0

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

System-wide options

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Miscellaneous Options

SOFTWARE MEDIA Select the software option that the customer desires. [Download](#)

SAL DEPLOYMENT How will SAL be deployed? Avaya Provided Server - Shared

SLA DEPLOYMENT How will SLA MON be deployed? None

[Back](#) [Next](#) [Reset](#)

Find a Partner | [Contacts](#) | [Careers](#) | [Resource library](#) | [Site Map](#) © 2018 Avaya Inc. [Privacy Statement](#) | [Terms of Use](#)

Navigation Menu:

- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports
- Design Inputs**
- Add new model
- Location Manager
- Communication Manager
- System Options**
- Default Summary - 1
- Default Summary - 2
- Default Summary - 3
- Platform
- Session Mgr
- Software
- Call Center
- Contact Center - AACC
- AE Services/CTI
- ACP ISS
- Avaya Breeze
- Support Options - 1
- Support Options - 2
- Options - 1
- Advanced
- Passwords
- Location Tools

Location - 1

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Physical Location

Select the applicable physical location. Central office

Locations

LOCATION QUANTITY Total Quantity of the Location. 1

PHYSICAL LOCATION NAMING STRATEGY Physical location naming strategy of the Location. N/A

If Solution Integration Assurance is required with other configurators (for example, Power) select 'Use Next Available Name' option for the Physical Location Naming Strategy in order to avoid SIA problems.

Gateways

MEDIA GATEWAY Choose the type of media gateway for this location. G450 VoIP160

PROCESSOR ETHERNET Will Processor Ethernet be used for signalling at this location? Yes

V.150 SUPPORT Does the customer require V.150 support for Modems-over-IP and secure communications between Viper phones? No

EXISTING DEFINITY OR CM EQUIPMENT Are there any existing DEFINITY or CM Cabinets, Media Gateways or Circuit Packs at this location? N/A

DISTRIBUTED NODES Enter the quantity and type of Distributed Nodes for this location.

Simplex	0	Deployment Simplex	N/A
Duplex	0	Deployment Duplex	N/A
Hi Duplex	0	Deployment Hi Duplex	N/A

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Location - 2

Additional Gateway Options

- S8300 DVD/CD-ROM DRIVE Does the customer want to purchase this optional DVD/CD-ROM drive to load the system software?
- SYSTEM SOFTWARE CD/DVD How many system software recovery CD/DVDs are needed at this location (G450 or G430)?
- REDUNDANT POWER Does the customer need power supply redundancy in the G450 Media Gateways at this location?
- USB MODEM Will the customer require a modem at this location (G430 & G450 Media Gateways only)?

System Manager Servers

- PRIMARY SYSTEM MANAGER How will the System Manager be deployed? (One SMGR domain per enterprise is supported.)
- SMGR REDUNDANCY Is System Manager Geographic Redundancy required?
- SECONDARY SYSTEM MANAGER How will the System Manager Geo Redundancy be deployed?

Session Mgr/Presence/AACC

Session Mgr/Presence/AACC Help

- SM TYPE Is this a Core Session Manager or Branch Session Manager location?
- SM DEPLOYMENT How will Session Manager be deployed at this location?

Indicate all Session Manager instances below and the number of devices or sessions (both Primary and Secondary).

	SM Instances	SM Instances that cannot share w/another SM Instance
up to 2K Devices/1200 SoftClients/72K Sessions Per Hour	<input type="text" value="1"/>	<input type="text" value="0"/>
up to 4.5K Devices/2700 SoftClients/162K Sessions Per Hour	<input type="text" value="0"/>	<input type="text" value="0"/>
up to 7K Devices/4200 SoftClients/256K Sessions Per Hour	<input type="text" value="0"/>	<input type="text" value="0"/>

QRN# : EAQ0319790

Country : RUSSIA

up to 10K Devices/6000 SoftClients/360K Sessions Per Hour	<input type="text" value="0"/>	<input type="text" value="0"/>
up to 23.3K Devices/13900 Soft Clients/540K Sessions Per Hour	<input type="text" value="0"/>	<input type="text" value="0"/>
up to 66.7K Devices/13900 Soft Clients/648K Sessions Per Hour	<input type="text" value="0"/>	<input type="text" value="0"/>

AADS Does the customer require Avaya Aura Device Services (AADS) deployed for all instances of Session Manager at this location? If 'No', then either select 'None' for AADS DEPLOYMENT or modify (reduce) the number of pre-populated AADS instances below. (AADS must be ordered at the same time as Session Manager)

AADS DEPLOYMENT How will AADS be deployed at this location?

	AADS Instances	AADS Instances that cannot share w/another AADS Instance
AADS PROFILE 1	<input type="text" value="1"/>	<input type="text" value="0"/>
AADS PROFILE 2	<input type="text" value="0"/>	<input type="text" value="0"/>
AADS PROFILE 3	<input type="text" value="0"/>	<input type="text" value="0"/>
AADS PROFILE 4	<input type="text" value="0"/>	<input type="text" value="0"/>
AADS PROFILE 5	<input type="text" value="0"/>	<input type="text" value="0"/>

Indicate all Branch Session Manager instances below and the number of devices or sessions.

	Qty of BSM Instances
up to 1K Devices	<input type="text" value="0"/>
1K - 5K Devices	<input type="text" value="0"/>

PRESENCE How will Presence be deployed?

MULTIMEDIA MESSAGING Will the MultiMedia Messaging IM feature be used with Presence?

PRESENCE USERS How many Presence users are required?

PRESENCE HA Is Presence High Availability required?

PRESENCE REDUNDANCY Is Presence Geo-Redundancy required?

SECONDARY PRESENCE LOCATION Indicate the location where the Geo-Redundant Presence will be located.

IP - subscribers

AVAYA One Source
Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S RIs: 19.2.4.0 (204)

QRN#: EAQ0319790
Country : RUSSIA

Product / Design Guidance

Promotions and Incentives

Please note Avaya offers promotions and incentives on our market leading devices: J Series, B Series, Vantage, CU 360 and Cameras. Review at <https://sales.avaya.com/en/card-category/devices-collaboration-video-promotions>

H.323/SIP Ports

H.323 PORTS How many H.323 ports are needed at this location? This entry is used for software license, hardware (circuit pack/media modules), station capacities and traffic calculations.

SIP PORTS How many SIP station ports are needed at this location? This entry is used for software licenses. It is not used for SIP traffic calculations or hardware provisioning. Make sure to reflect the SIP traffic on the IP Trunk screen.

SIP COUNT How many of the required H.323/SIP Devices are being used for SIP Only? This question is for tracking purposes. It is only required if H.323/SIP Telephones are requested.

H.323/SIP COUNT This is the total quantity of H.323/SIP Devices currently selected.

H.323/SIP Telephones

H.323/SIP TELEPHONES Enter the desired quantity for each Telephone. Include quantities for both installed and growth/spare. All telephones require power.

	SIP Telephones	H.323 Only Telephones	H.323/SIP Telephones
J129 (SIP only)	<input type="text" value="850"/>	1603	<input type="text" value="0"/> 9608G
J139 (SIP only)	<input type="text" value="0"/>	1603SW	<input type="text" value="0"/> 9611G
J169 Gray (SIP/H.323)	<input type="text" value="50"/>	1608	<input type="text" value="0"/> 9641GS
J169 White (SIP/H.323)	<input type="text" value="0"/>		
J179 Gray (SIP/H.323)	<input type="text" value="141"/>		
J179 White (SIP/H.323)	<input type="text" value="0"/>		
J100 24 Button Color Expansion Module	<input type="text" value="41"/>		
J100/K100 Wireless Module (for J129/J179 /K155)	<input type="text" value="100"/>		

Back
Next
Reset

Find a Partner | [Contacts](#) | [Careers](#) | [Resource library](#) | [Site Map](#)
© 2018 Avaya Inc. [Privacy Statement](#) | [Terms of Use](#)

IP – subscribers, additional components

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

IP Telephone Accessories

IP TELEPHONE ACCESSORIES Enter the desired quantity for each IP Telephone accessory.

Avaya Vantage™ Cordless Handset Kit	<input type="text" value="40"/>
Avaya Vantage™ Corded Handset Kit	<input type="text" value="0"/>
Avaya Vantage™ Wallmount (required w/Handset Kits)	<input type="text" value="0"/>
Avaya Vantage™ Power Supply	<input type="text" value="0"/>
L119 Leather Headset RJ9 MONO	<input type="text" value="0"/>
L129 Leather Headset Quickconnect MONO	<input type="text" value="0"/>
L139 Leather Headset QuickConnect MONO	<input type="text" value="0"/>
L149 Leather Headset Quickconnect Stereo	<input type="text" value="0"/>
L159 Leather Headset USB Stereo	<input type="text" value="0"/>
Quick Connect RJ9 HEADSET CORD 1.2M	<input type="text" value="0"/>
Quick Connect TO USB Mechanical Combox Cable 1.2M	<input type="text" value="0"/>
Quick Connect TO USB TouchControl Combox Cable 1.2M	<input type="text" value="0"/>
Quick Connect USB Touch Control and BT Combox Cable 1.2M	<input type="text" value="0"/>
Supervisor Cable Accessory	<input type="text" value="0"/>
BM12 Button module (9608G/9611G)	<input type="text" value="0"/>
9600 Dual Headset Adapter Kit	<input type="text" value="0"/>
Wallmount (1608)	<input type="text" value="0"/>
Wallmount (1616)	<input type="text" value="0"/>

Navigation: Back Next Reset

Footer: © 2018 Avaya Inc. Privacy Statement | Terms of Use

ISDN PRI trunks

The screenshot displays the AVAYA One Source web interface for configuring a new system. The top navigation bar includes the AVAYA logo, the text "One Source", and user information: "Company: DEMO APM Antarctic Distributor 1 (650993)" and "Welcome: Andrey Bogachev". The main header shows the current page: "Quote Center / A1S Configurator / Communication Manager - New System" and the version "A1S RIs: 19.2.4.0 (204)".

The left sidebar contains a navigation menu with sections: "Design inputs", "System Options", "Location Options", "Platform", "User Endpoints", "Digital", "Trunks", and "Location Tools". The "Trunks" section is expanded, and "Digital" is selected.

The main content area is titled "Digital Trunks" and contains the following configuration options:

- DIGITAL TRUNKS**: How many total digital (DS1 and BRI) trunks ports are needed at this location? This entry is used for software license, trunk capacities and traffic calculations.
- DIGITAL OPS**: How many total off-premise stations carried on DS1 circuits are needed at this location? This entry is used for software license, station capacities and traffic calculations.
- DS1**: Select the appropriate types and quantities of circuit packs for the DS1 circuits.
 - T1/E1 TN2464/464:
 - T1/E1 MM710 Media Module:
- BRI**: Select the appropriate types and quantities of circuit packs for the ISDN-BRI circuits.
 - BRI TN556 U-LT or ST-NT (12/24 trunks):
 - BRI TN2185 ST-TE (8 trunks):
 - BRI MM721 - 8 ports:

At the bottom of the configuration area, there are three buttons: "Back", "Next", and "Reset".

The footer contains the text "© 2018 Avaya Inc. Privacy Statement | Terms of Use" and a "Create New Location" link.

SIP trunks for SIP subscribers connectivity

The screenshot displays the AVAYA One Source web interface for configuring a new system. The top navigation bar includes the AVAYA logo, the text "One Source", the company name "Company: DEMO APM Antarctic Distributor 1 (650993)", and a welcome message "Welcome: Andrey Bogachev". The main header shows the current page: "Quote Center / A1S Configurator / Communication Manager - New System" and the version "A1S Rls: 19.2.4.0 (204)".

The left sidebar contains a navigation menu with sections: "Design inputs", "System Options", "Location Options", "User Endpoints", "Digital", "Wireless", "Power", "Trunks", "Hardware/Software", "Advanced", "Advanced Traffic", and "Location Tools". The "Trunks" section is expanded to show "Digital" and "IP" options.

The main content area is titled "H.323/SIP Trunks" and includes the following configuration fields:

- QRN#**: EAQ0319790
- Country**: RUSSIA
- H.323/SIP Trunk Ports**: A text input field containing "1122".
- H.323/SIP TRUNKS**: A table for configuring trunk types and quantities.

Trunk Type	Quantity
H.323 SBS	0
H.323 TIE	0
SIP Trunks	1122
HDTG (High Density Trunk Gateway) Trunks	0
HDTG Trunks Specific to this CM system	0
- HDTG MODULE OPTION**: A dropdown menu set to "N/A".
- HDTG REDUNDANCY**: A dropdown menu set to "N/A".
- ELEMENT MANAGEMENT SERVER**: A dropdown menu set to "N/A".
- Ignore Footprint for SIP Trunks**: A section with a warning icon and text: "If SIP trunks needed to support one or more of the following applications listed below differs from what is sent via the footprint, select Yes and the footprint for SIP trunks will be ignored for that application. You must then include your SIP trunks required for that application in the entries above." Below this are two rows:

Application	Selection
Meeting Exchange	No
Messaging	Yes

At the bottom of the configuration area are three buttons: "Back", "Next", and "Reset". The footer contains the text "© 2018 Avaya Inc. Privacy Statement | Terms of Use" and a "Find a Partner" link.

Session Border Controller

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Avaya Session Border Controller for Enterprise (ASBCE)

- ASBCE Does the customer want ASBCE? Yes
- ASBCE VERSION What version of ASBCE is required? R8
- ASBCE DEPLOY Select the ASBCE release being deployed. R8
- STANDARD SESSIONS How many Standard Service licenses does the customer require at this location (in addition to the entitlements with the Core/Power Suite Bundles)? 0
- ADVANCED SESSIONS How many Advanced Service licenses does the customer require at this location (in addition to the entitlements with the Core/Power Suite Bundles)? 0
- DYNAMIC LICENSING Does the customer require Dynamic Licensing? N/A
- TRANSCODING SESSIONS How many Transcoding sessions are required at this location? 0
- ASBCE SCOPIA VIDEO How many Scopia Video Conferencing Service licenses does the customer require at this location? 0
- HIGH AVAILABILITY Does the customer require High Availability licenses? No
- ENCRYPTION Does the customer require encryption? No
- CES How many CES Session licenses does the customer require at this location? 0
- ASBCE SERVER What type of server is required for ASBCE? R330 Mid Range

Back Next Reset

Find a Partner | Contacts | Careers | Resource library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Branch - location

AVAYA One Source
Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790
Country : RUSSIA

Physical Location

Select the applicable physical location. Branch office

Locations

LOCATION QUANTITY Total Quantity of the Location. 1

PHYSICAL LOCATION NAMING STRATEGY Physical location naming strategy of the Location. N/A

If Solution Integration Assurance is required with other configurators (for example, Power) select 'Use Next Available Name' option for the Physical Location Naming Strategy in order to avoid SIA problems.

Gateways

MEDIA GATEWAY Choose the type of media gateway for this location. G450 VoIP160

PROCESSOR ETHERNET Will Processor Ethernet be used for signalling at this location? Yes

V.150 SUPPORT Does the customer require V.150 support for Modems-over-IP and secure communications between Viper phones? No

EXISTING DEFINITY OR CM EQUIPMENT Are there any existing DEFINITY or CM Cabinets, Media Gateways or Circuit Packs at this location? No

DISTRIBUTED NODES Enter the quantity and type of Distributed Nodes for this location.

Simplex	0	Deployment Simplex	N/A
Duplex	0	Deployment Duplex	N/A
Hi Duplex	0	Deployment Hi Duplex	N/A

Survivable Remote SURVIVABLE REMOTE Enter the quantity of Survivable Remote/LSPs for this location:

S8300	1	Type	S8300E
Standalone Server	0	Type	N/A

Avaya Aura Media Server (AAMS)

AAMS DEPLOYMENT Choose the AAMS deployment method. N/A

Back
Next
Reset

Design Control

- Material / APL Report
- Configure Design
- Save Design (18 : 21)
- Preferences
- Blueprint
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports

Design Inputs

- Add new model
- Location Manager
- Communication Manager

System Options

Location Options

- Platform
- Platform - 1
- Platform - 2
- Platform - 3
- Platform - 4 (ACP ISS)
- Platform - 5 (ACP 130)
- User Endpoints
- Trunks
- Hardware/Software
- Advanced
- Advanced Traffic

Location Tools

- Create New Location
- Manage Locations
- Location 1 - Central office
- Location 2 - Branch office

Find a Partner | [Contacts](#) | [Careers](#) | [Resource library](#) | [Site Map](#)

© 2018 Avaya Inc. [Privacy Statement](#) | [Terms of Use](#)

Branch – platform 2

AVAYA One Source
Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System
A1S Rls: 19.2.4.0 (204)

QRN#: EAQ0319790
Country : RUSSIA

Design Control

- Material / APL Report
- Configure Design
- Save Design (19 : 51)
- Preferences
 - ▶ Blueprint
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- ▶ Internal Reports

Design Inputs

- Add new model
- Location Manager
- Communication Manager

System Options

Location Options

- ▼ Platform
 - Platform - 1
 - Platform - 2
 - Platform - 3
 - Platform - 4 (ACP ISS)
 - Platform - 5 (ACP 130)
- ▶ User Endpoints
- ▶ Trunks
- ▶ Hardware/Software
- ▶ Advanced
- ▶ Advanced Traffic

Location Tools

- Create New Location
- Manage Locations
- Location 1 - Central office
- Location 2 - Branch office

Additional Gateway Options

S8300 DVD/CD-ROM DRIVE Does the customer want to purchase this optional DVD/CD-ROM drive to load the system software? No

SYSTEM SOFTWARE CD/DVD How many system software recovery CD/DVDs are needed at this location (G450 or G430)? 0

REDUNDANT POWER Does the customer need power supply redundancy in the G450 Media Gateways at this location? No

USB MODEM Will the customer require a modem at this location (G430 & G450 Media Gateways only)? N/A

System Manager Servers

PRIMARY SYSTEM MANAGER How will the System Manager be deployed? (One SMGR domain per enterprise is supported.) None

SMGR REDUNDANCY Is System Manager Geographic Redundancy required? No

SECONDARY SYSTEM MANAGER How will the System Manager Geo Redundancy be deployed? N/A

Session Mgr/Presence/AACC

Session Mgr/Presence/AACC Help

SM TYPE Is this a Core Session Manager or Branch Session Manager location? Branch SM

SM DEPLOYMENT How will Session Manager be deployed at this location? Avaya Provided Server - Shared

Indicate all Session Manager instances below and the number of devices or sessions (both Primary and Secondary).

	SM Instances	SM Instances that cannot share w/another SM Instance
up to 2K Devices/1200 SoftClients/72K Sessions Per Hour	0	0
up to 4.5K Devices/2700 SoftClients/162K Sessions Per Hour	0	0
up to 7K Devices/4200 SoftClients/256K Sessions Per Hour	0	0

Back
Next
Reset

Find a Partner | Contacts | Careers | Resource library | Site Map
© 2018 Avaya Inc. Privacy Statement | Terms of Use

Branch – IP subscribers

AVAYA One Source
Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790
Country : RUSSIA

i
Product / Design Guidance

Promotions and Incentives

Please note Avaya offers promotions and incentives on our market leading devices: J Series, B Series, Vantage, CU 360 and Cameras. Review at <https://sales.avaya.com/en/card-category/devices-collaboration-video-promotions>

H.323/SIP Ports

H.323 PORTS How many H.323 ports are needed at this location? This entry is used for software license, hardware (circuit pack/media modules), station capacities and traffic calculations.

SIP PORTS How many SIP station ports are needed at this location? This entry is used for software licenses. It is not used for SIP traffic calculations or hardware provisioning. Make sure to reflect the SIP traffic on the IP Trunk screen.

SIP COUNT How many of the required H.323/SIP Devices are being used for SIP Only? This question is for tracking purposes. It is only required if H.323/SIP Telephones are requested.

H.323/SIP COUNT This is the total quantity of H.323/SIP Devices currently selected.

H.323/SIP Telephones

H.323/SIP TELEPHONES Enter the desired quantity for each Telephone. Include quantities for both installed and growth/spare. All telephones require power.

	SIP Telephones	H.323 Only Telephones	H.323/SIP Telephones	
J129 (SIP only)	<input style="width: 50px;" type="text" value="200"/>	1603	<input style="width: 50px;" type="text" value="0"/>	<input style="width: 50px;" type="text" value="0"/>
J139 (SIP only)	<input style="width: 50px;" type="text" value="0"/>	1603SW	<input style="width: 50px;" type="text" value="0"/>	<input style="width: 50px;" type="text" value="0"/>
J169 Gray (SIP/H.323)	<input style="width: 50px;" type="text" value="0"/>	1608	<input style="width: 50px;" type="text" value="0"/>	<input style="width: 50px;" type="text" value="0"/>
J169 White (SIP/H.323)	<input style="width: 50px;" type="text" value="0"/>			
J179 Gray (SIP/H.323)	<input style="width: 50px;" type="text" value="21"/>			
J179 White (SIP/H.323)	<input style="width: 50px;" type="text" value="0"/>			
J100 24 Button Color Expansion Module	<input style="width: 50px;" type="text" value="1"/>			
J100/K100 Wireless Module (for J129/J179 /K155)	<input style="width: 50px;" type="text" value="20"/>			

Back
Next
Reset

Find a Partner | Contacts | Careers | Resource library | Site Map
© 2018 Avaya Inc. Privacy Statement | Terms of Use

Branch – incoming city phone lines (CO)

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Communication Manager - New System A1S Rls: 19.2.4.0 (204)

QRN# : EAQ0319790 Country : RUSSIA

Analog Trunks

Select the total number of analog trunk ports (installed and spare) independent of the number of circuit packs/media modules for this location.

ANALOG TRUNK PORTS How many total analog trunk ports (all types) are needed at this location? This entry is used for software license, trunk capacities and traffic calculations.

ANALOG TRUNKS Enter the appropriate types and quantities of analog trunks. The appropriate circuit packs/media modules will be designed based on these entries.

Central Office (CO)	<input type="text" value="16"/>
Direct Inward Dial (DID)	<input type="text" value="0"/>
Direct Inward/Outward Dialing (DIOD)	<input type="text" value="0"/>
DIOD with Periodic Pulse Metering (DIOD with PPM)	<input type="text" value="0"/>
4-wire E & M Tie	<input type="text" value="0"/>

Back Next Reset

Find a Partner | Contacts | Careers | Resource Library | Site Map © 2018 Avaya Inc. Privacy Statement | Terms of Use

Navigation Menu:

- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- Internal Reports
- Design Inputs
- Add new model
 - Location Manager
 - Communication Manager
- System Options
- Location Options
 - Platform
 - Platform - 1
 - Platform - 2
 - Platform - 3
 - Platform - 4 (ACP ISS)
 - Platform - 5 (ACP 130)
 - User Endpoints
 - UC Standard Editions
 - IP
 - IP Devices - 1
 - IP Devices - 2
 - IP Softphones - 1
 - IP Softphones - 2
 - Equinox Attendant
 - Digital
 - Analog
 - Wireless
 - Power
 - Trunks
 - Digital
 - Analog
 - IP
 - Hardware/Software
 - Advanced
 - Advanced Traffic
- Location Tools
- Create New Location

Removing PARTS from default SA

AVAYA One Source Company: DEMO APM Antarctic Distributor 1 (650993) Welcome: Andrey Bogachev

Quote Center / A1S Configurator / Maintenance Services A1S RIs: 19.2.4.0 (204)

QRN#: EAQ0319790 Country: RUSSIA

Design Control

- Material / APL Report
- Configure Design
- Save Design (02 : 02)
- Preferences
 - ▶ Blueprint
- Retrieve a Quote
- Subscription Licensing
- Co-Term
- Design Adjust
- Historical License
- Piece Parts Order
- Select Country
- Create New Design
- Cancel Quote
- ▶ Internal Reports

Design Inputs

Add new model

Configuration Errors / Warnings

- Location Manager
- Communication Manager
- Maintenance Services

System Options

- ▼ Main
 - Default Summary
 - Default Summary 2
 - Default Summary 3
 - Default Summary Adv Svcs
 - Miscellaneous Products
 - ▶ Communication Manager
 - ▶ MSG/MX/AVC/PC/AOCE
 - ROE/SS/Speech
 - ▶ Avaya Branch Gateway / IP Office
 - ▶ Enhanced Services
 - Passwords



Price output structure

How to read the pricing output

Price output structure

Quote: Headquarters - EAQ0109135 - ASD Generated

ASD Parts List

Quantity	Service Term	Part Number	Description	MPG	Unit APL USD	Extended APL USD
1		185446	AVAYA COMMUNICATIONS SOLUTION	1Z	0.00	0.00
1		184048	MM MODEL	2P	0.00	0.00
			...			
1		183441	CM S8500 MODEL	2P	0.00	0.00
1		232253	SA CM MODEL	1Z	0.00	0.00
			...			
			SubTotal for ASD Parts List			884,411.82

Quote: Branch - EAQ0109140 - ASD Generated

ASD Parts List

Quantity	Service Term	Part Number	Description	MPG	Unit APL USD	Extended APL USD
1		185446	AVAYA COMMUNICATIONS SOLUTION	1Z	0.00	0.00
1		183441	CM S8500 MODEL	2P	0.00	0.00
			...			
1		232253	SA CM MODEL	1Z	0.00	0.00
			...			
			SubTotal for ASD Parts List			80,571.01

Total Price

						Extended APL USD

Total System Price: 964,982.83

Special codes

- Codes with VAPP in description
 - OVA download codes
- Nonmaterial codes with price of \$0
 - «flagging» codes to carry options and entitlements
 - ending with /E – Aura Suite entitlements
 - Can be excluded from price report
- Avoid DVDs in the order
 - Possible delays with the customs clearance

Aura Suite capacity licenses

- Licensed capacity is consolidated in Location 1
- Main suite license produce set of feature tracking ones
 - Entitlement Licenses

396794	AURA R8 CORE SUITE NEW SOFTWARE LIC: NU;CU;SR	2P	300.00
397113	AURA SUITE R8 PRESENCE SERVICES R8 /E LIC:NU	1Z	0.00
397113	AURA SUITE R8 PRESENCE SERVICES R8 /E LIC:NU	1Z	0.00
397114	AURA SUITE R8 AES UNIFIED DESKTOP R8 /E LIC:CU	1Z	0.00
397115	AURA SUITE R8 ASBCE R8 STANDARD SERVICES /E LIC:CU	1Z	0.00
397116	AURA SUITE R8 ASBCE R8 ADVANCED SERVICES /E LIC:CU	1Z	0.00
397117	AURA SUITE R8 ASBCE R8 STANDARD HIGH AVAIL LIC /E LIC:CU	1Z	0.00
397118	AURA SUITE R8 ASBCE R8 ADVANCED HIGH AVAIL LIC /E LIC:CU	1Z	0.00
397124	AURA SUITE R8 EQUINOX IPAD /E LIC:NU	1Z	0.00
397125	AURA SUITE R8 EQUINOX WIN /E LIC:CU	1Z	0.00
397126	AURA SUITE R8 EQUINOX MOBILE /E LIC:NU	1Z	0.00
397127	AURA SUITE R8 EC500 SINGLE MODE /E LIC:NU	1Z	0.00
397128	AURA SUITE R8 ONE-X CES /E LIC:CU	1Z	0.00
397129	AURA SUITE R8 VIDEO /E LIC:NU	1Z	0.00
397130	AURA SUITE R8 EQUINOX MAC /E LIC:NU	1Z	0.00
397131	AURA SUITE R8 ONE-X COMMUNICATOR /E LIC:NU	1Z	0.00
397132	AURA SUITE R8 COMMUNICATOR FOR MS LYNC /E LIC:NU	1Z	0.00
397133	AURA SUITE R8 EQUINOX FOR WEB /E LIC:CU	1Z	0.00
397134	AURA SUITE R8 INTG MGMT SITE ADMINISTRATION R6 /E LIC:DS	1Z	0.00
397135	AURA SUITE R8 AVAYA BREEZE R3 USER /E LIC:CU	1Z	0.00
397136	AURA SUITE R8 BREEZE R3 SERVER PRESENCE INSTANCE /E LIC:DS	1Z	0.00
398132	AURA R8 BREEZE R3 SNAP-IN VIRTUAL ENVIRON VAPPLIANCE SYSTEM ENABLEMENT	1Z	0.00
398771	AURA R8 IX MESSAGING R10 BASIC SEAT /E LIC:NU	1Z	0.00

Result: Support Advantage codes

1		232253	SUPPORT ADVANTAGE COMMUNICATION MANAGER MODEL	1Z	0.00	0.00
2	12	293666	SA PREFER SUPT AAVP R7 DUAL CPU CMN SRV 1YR PREPD	5S	24.91	597.84
2	12	293672	UPGRADE ADVANTAGE AAVP R7 DUAL CPU CMN SRV 1YR PREPD	1Z	0.00	0.00
50	12	344159	SA PREFER SUPT CC R8 ELITE AGENT 1YR PREPD	5S	10.48	6,288.00
1050	12	344228	SA PREFER SUPT AURA R8 BASIC IPT 1YR PREPD	5S	0.53	6,678.00
294	12	344277	SA PREFER SUPT AURA R8 CORE SUITE 1YR PREPD	5S	4.20	14,817.60

- **1YPP** means **1 Year PrePayment**
- **3YAN** means **3 Years ANnual** payment
- Service code price is listed **per 1 month**
- If 3 years ANNUAL is selected
 - Order Confirmation will be issued on full price
 - First year will be invoiced
 - Next year will be invoiced after 12 months, and than next
- Please note that invoices will be unavoidable


The background of the slide is a repeating pattern of red geometric shapes on a white background. The shapes are composed of thick red lines forming squares and rectangles, some with smaller squares inside them, creating a maze-like or labyrinthine effect. The pattern is consistent across the entire slide.

Wrap-up

Where to get more info?..

- Sales/Design Docs
 - Sales Portal <http://sales.avaya.com>
 - Pay attention to Offer Definitions and Announcements
- Implementation Docs
 - Support Portal <http://support.avaya.com>
 - Implementation Manuals, Application Notes
- Hands-On experience with Designer tools
 - One Source Portal <http://www.avaya.com/ebizu>
 - A1S Configurator

How to raise your proficiency level?

- Design.
 - Try and repeat.
 - Analyze the result and try again.
 - Master your design skills.
 - This is a continuous job.
- 



Thank you.