


Pregnancy, is the time during which one or more offspring develops inside a woman.

It can occur by sexual intercourse or assisted reproductive technology.


It usually lasts around 40 weeks from the last menstrual period (LMP) and ends in childbirth.



Pregnancy is typically divided into three trimesters:

1. Week 1 to Week 12
2. Week 13 to Week 28
3. Week 29 to Week 40

Trimesters have many distinctions between them, and the most important period is the first.



## First trimester.



- Week 1 to Week 13
- Hormone level is changing
- Uterus supports growth of placenta and fetus
- Heart rate increases.

## Complications of the first trimester.

- Physical disturbances
  - Neural tube defects
- Future pregnancy and birth defects.



## Second trimester.

- Abdomen looks pregnant
- Physical disturbances are going down
  - Leg cramps and heartburn.



# Complications of the first trimester.

The most common complications are:

- Miscarriage
- Preterm labor



## Third trimester.

Last period of pregnancy when all disturbances disappear and the preparing time for childbirth is starting.




## Complications of the third trimester.



The most common complications are:

- Preterm labor
- Previa and Abruption
- Gestational Diabetes



A photograph of three newborn babies lying together in a blue blanket. The babies are positioned horizontally, with the middle baby in the center and two others on either side. They are all wearing white diapers and have their eyes closed. The baby on the right has its hand near its face. The baby in the middle has its hands near its chest. The baby on the left has its hands near its chest. The background is a light-colored, textured surface. The text "Thank you for your attention!" is overlaid in the center of the image.

Thank you for your attention!