



CREATIVE CITY BUILDER

INTELLIGENT COMMUNITY & HOME AUTOMATION & HOME SECURITY SOLUTIONS

CLOUD INTERCOMS

About Taichuan




STOCK NO.
8 3 2 2 1 4

Zuhai Taichuan Cloud Technology Co., Ltd is a leading enterprise of high technology community and home automation products manufacturer. Since it was founded in 1999, Taichuan is focusing on developing its career of video intercom for intelligent building, and continuously developing the advanced cloud technology for a creative city builder.


Now, Taichuan has already a top company in the market, Taichuan cooperated with many famous property developers in China. And its products and service obtained acceptance from property developers and users. Taichuan is committed to building the top brand in the intelligent community industry, focus on supplying professional products and solutions.





500+
Our Team
Service for Customer

DDNS Solution



Whole Cloud Intercom system with wireless (Internet) connection, support Mobile Phone and Indoor Monitor for talking and unlock.

Features

Remote Controlling

Support mobile phone APP answer and open the door whenever and wherever you are.

Support Indoor Monitor and Extension

Available to calling the Mobile APP and indoor monitor at the same time.

Multiple Users


Receive the video alerts any place connection on your mobile device.

Management

Visitor call log to check any one who call the door bell.

Monitoring

Monitoring the outdoor station whenever with the mobile APP.



DDNS Server

DDNS Server Requirement:

1. 4 Core CPU, 4G DDR, 1TB HDD,
2. Static IP required.
3. Bandwidth required 50M based on 1000 apartment.

(DDNS Intercom Software offer by Taichuan)

The screenshot displays the 'File maintenance' window for DDNS Server. It features a navigation bar with tabs for 'Center Info', 'Doorphone Info', 'User Info', 'Operator set', 'ICard Info', and 'System set'. Below the navigation bar, there is a search area with a 'Query' input field, a 'Search' button, a 'Filter Object' dropdown menu set to 'Street', and a 'Filter' button. The main area contains a table with columns for 'Center calli', 'Stree No.', 'Buildin', 'Unit', 'Serial', 'Type', 'Name', 'IP address', 'Subnet mask', and 'Gateway'. The table lists various doorphone units and their associated IP addresses and subnet masks. On the right side of the window, there are several action buttons: 'Add', 'Modify', 'Delete', 'Empty', 'Export XLS', 'Backup', and 'Restore'. At the bottom of the window, the operator is identified as '系统管理员'.

Center calli	Stree No.	Buildin	Unit	Serial	Type	Name	IP address	Subnet mask	Gateway
00			00	0	Main entran	Head doorphone	192.168.3.6	255.255.255.0	172.16.1.1
000100	00	01	00	0	Entrance of	1栋	192.168.3.7	255.255.255.0	192.168.1.1
0101	00	01	00	01	0	4 No1. Unit01	172.16.5.1	255.255.0.0	172.16.1.1
0102	00	01	00	02	0	4 No1. Unit02	172.16.5.1	255.255.0.0	172.16.1.1
0103	00	01	00	03	0	4 No1. Unit03	172.16.5.1	255.255.0.0	172.16.1.1
0104	00	01	00	04	0	4 No1. Unit04	172.16.5.1	255.255.0.0	172.16.1.1
010101	00	01	01	01	0	4 No1. Building01Unit01	172.16.5.1	255.255.0.0	172.16.1.1
010102	00	01	01	02	0	4 No1. Building01Unit02	172.16.5.1	255.255.0.0	172.16.1.1
010103	00	01	01	03	0	4 No1. Building01Unit03	172.16.5.1	255.255.0.0	172.16.1.1
010104	00	01	01	04	0	4 No1. Building01Unit04	172.16.5.1	255.255.0.0	172.16.1.1
010201	00	01	02	01	0	4 No1. Building02Unit01	172.16.5.1	255.255.0.0	172.16.1.1
010202	00	01	02	02	0	4 No1. Building02Unit02	172.16.5.1	255.255.0.0	172.16.1.1
010203	00	01	02	03	0	4 No1. Building02Unit03	172.16.5.1	255.255.0.0	172.16.1.1
010204	00	01	02	04	0	4 No1. Building02Unit04	172.16.5.1	255.255.0.0	172.16.1.1
0201	00	02	00	01	0	4 No2. Unit01	172.16.5.1	255.255.0.0	172.16.1.1
0202	00	02	00	02	0	4 No2. Unit02	172.16.5.1	255.255.0.0	172.16.1.1
0203	00	02	00	03	0	4 No2. Unit03	172.16.5.1	255.255.0.0	172.16.1.1
0204	00	02	00	04	0	4 No2. Unit04	172.16.5.1	255.255.0.0	172.16.1.1
020101	00	02	01	01	0	4 No2. Building01Unit01	172.16.5.1	255.255.0.0	172.16.1.1
020102	00	02	01	02	0	4 No2. Building01Unit02	172.16.5.1	255.255.0.0	172.16.1.1

Device List

Device	Photos	Qty	Remark
Cloud Intercom Outdoor Station for optional		1	Connect to Internet for cloud intercoms Unlock available by IC/ID card
Cloud Intercom Indoor Monitor (Optional)		By Project Requirement	Cloud Intercom for unlock the gate, monitor the gate, Support the Home Automation system
E-Lock (Accessories)		1	E-Lock to the outdoor station
DDNS Server		1	One DDNS Server with static IP. Available to configure different project



THANK YOU!



ZHUHAI TAICHUAN CLOUD TECHNOLOGY CO., LTD.

Intelligent Community & Home Automation & Home Security Solutions

Add: Taichuan Industrial Park, 611 Huawei Road, Qianshan Technopark,
Zhuhai City 519060, Guangdong, China.

Tel: +86 756 8665169; 8665566 ext. 569

Fax: +86 756 8665566

Mail: globalmarket@taichuan.com

Web: www.taichuan.com

