



сломанная нога

Vocabulary

Broken leg - ...

Backache - ...

Cough - ...

<u>Cut</u> - ...

Earache - ...

Fever - ...

Headache - ...

Runny nose - ...

Stomachache - ...

The flue ...

Bruise ...

Toothache - ...



боль в спине

Vocabulary

Broken leg - сломанная нога

Backache - ...

Cough - ...

Cut - ...

Earache - ...

Fever - ...

Headache - ...

Runny nose - ...

Stomachache - ...

The flue - ...

Bruise - ...

Toothache - ...



кашель

Vocabulary

Broken leg

сломанная нога

Backache -

боль в спине

Cough -

Cut -

Fever

Earache -

Headache -

Runny nose -

Stomachache -

The flue

Bruise

Toothache









порез

Vocabulary

Broken leg - сломанная нога

Backache - боль в спине

Cough - кашель

<u>Cut</u> -

Earache - ...

Fever - ...

Headache - ...

Runny nose - ...

Stomachache - ...

The flue - ...

Bruise - ...

Toothache - ...









боль в ухе

Vocabulary

Broken leg

сломанная нога

Backache -

боль в спине

Cough -

кашель

Cut -

Fever

Earache -

Headache -

Runny nose -

Stomachache -

The flue

Bruise

Toothache

порез











жар

Vocabulary

Broken leg

сломанная нога

Backache -

боль в спине

Cough -

кашель

Cut -

порез

Earache -

боль в ухе

Fever

Headache -

Runny nose -

Stomachache -

The flue

Bruise

Toothache



головная боль

Vocabulary

Broken leg -

сломанная нога

Backache -

боль в спине

Cough -

кашель

Cut -

порез

Earache -

боль в ухе

Fever -

жар

Headache -

• • •

Runny nose -

• • •

Stomachache -

. . .

The flue -

• • •

Bruise -

• • •

Toothache -

65.5



насморк

Vocabulary

Broken leg

сломанная нога

Backache -

боль в спине

Cough -

кашель

Cut -

порез

Earache -

боль в ухе

Fever

жар

Headache -

головная боль

Runny nose -

Stomachache -

The flue

Bruise

Toothache











боль в животе

Vocabulary

Broken leg

сломанная нога

Backache -

боль в спине

Cough -

кашель

Cut -

порез

Earache -

боль в ухе

Fever

жар

Headache -

головная боль

Runny nose -

насморк

Stomachache -

The flue

Bruise

Toothache







грипп

Vocabulary

Broken leg -

Backache -

Cough -

Cut -

Earache -

Fever -

Headache -

Runny nose -

Stomachache -

The flue -

Bruise -

Toothache -

сломанная нога

боль в спине

кашель

порез

боль в ухе

жар

головная боль

насморк

боль в животе


• • •

• • •

...











СИНЯК

Vocabulary

Broken leg -

Backache -

Cough -

Cut -

Earache -

Fever -

Headache -

Runny nose -

Stomachache -

The flue -

Bruise -

Toothache -

сломанная нога

боль в спине

кашель

порез

боль в ухе

жар

головная боль

насморк

боль в животе

грипп

• • •

. . .



зубная боль

Broken leg -

Backache -

Cough -

Cut -

Earache -

Fever -

Headache -

Runny nose -

Stomachache -

The flue -

Bruise -

Toothache

Vocabulary

сломанная нога

боль в спине

кашель

порез

боль в ухе

жар

головная боль

насморк

боль в животе

грипп

СИНЯК

....



Vocabulary

Broken leg -

Backache -

Cough -

Cut -

Earache -

Fever -

Headache -

Runny nose -

Stomachache -

The flue -

Bruise -

Toothache -

сломанная нога

боль в спине

кашель

порез

боль в ухе

жар

головная боль

насморк

боль в животе

грипп

СИНЯК

зубная боль



to take to take, to stay to take, to stay, to have to

take, to stay, to have, <u>to feel</u>to take, lo ... medicine have, to feel, <u>to put</u>to take, to stay, t

feet; % home to drink

To ... a terrible cut

To ... warm compress

To ... some herbal tea

To ... cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, <u>to feel</u>to take, lo take medicine have, to feel, <u>to put</u>to take, to stay, t

feel; 95 pone to drink

To ... a terrible cut

To ... warm compress

To ... some herbal tea

To ... cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the

To ... a terrible cut

To ... warm compress

To ... some herbal tea

To ... cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take, medicine have, to feel, to put to take, to stay, the stay of the drink

To have a terrible cut

To ... warm compress

To ... some herbal tea

To ... cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the drink

To have a terrible cut

To put warm compress

To ... some herbal tea

To ... cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the drink

To have a terrible cut

To put warm compress

To drink some herbal tea

To ... cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the

To have a terrible cut

To put warm compress

To drink some herbal tea

To take cough syrup

To ... in bed

To ... an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the stay of the drink

To have a terrible cut

To put warm compress

To drink some herbal tea

To take cough syrup

To stay in bed

To ... an awful headache

To... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the stay of the drink

To have a terrible cut

To put warm compress

To drink some herbal tea

To take cough syrup

To stay in bed

To have an awful headache

To ... dizzy





to take to take, to stay to take, to stay, to have to

take, to stay, to have, to feel to take, to take medicine have, to feel, to put to take, to stay, the stay of the stay of the drink

To have a terrible cut

To put warm compress

To drink some herbal tea

To take cough syrup

To stay in bed

To have an awful headache

To feel dizzy





to take, to stay, to have, to feel, to put, to drink

To take medicine

To stay at home

To have a terrible cut

To put warm compress

To drink some herbal tea

To take cough syrup

To stay in bed

To have an awful headache

To feel dizzy

To have a medical check





- If you've broken your leg youvisit a surgeon.
- If you feel tired youcall the doctor at once
- If you've got a flue you consult the pediatrician.
- If you've got a fever you stay in bed.
- If you feel hot you go out.
- If you have a sore throat you go to school.

- If you've broken your leg you must visit a surgeon.
- If you feel tired you call the doctor at once
- If you've got a flue youconsult the pediatrician.
- If you've got a fever you stay in bed.
- If you feel hot you go out.
- If you have a sore throat you go to school.

- If you've broken your leg you must visit a surgeon.
- If you feel tired you shouldn't call the doctor at once
- If you've got a flue you consult the pediatrician.
- If you've got a fever you stay in bed.
- If you feel hot you go out.
- If you have a sore throat you ... go to school.

- If you've broken your leg you must visit a surgeon.
- If you feel tired you shouldn't call the doctor at once
- If you've got a flue you should consult the pediatrician.
- If you've got a fever youstay in bed.
- If you feel hot you not go out.
- If you have a sore throat you go to school.

- If you've broken your leg you must visit a surgeon.

 Shouldn't
- If you feel tired you shouldn't call the doctor at once
- If you've got a flue you should consult the pediatrician.
- If you've got a fever you must stay in bed.
- If you feel hot you go out.
- If you have a sore throat you go to school.

Fill in the gaps with <u>must</u>, <u>should</u> or <u>shouldn't</u>

- If you've broken your leg you must visit a surgeon.
- If you feel tired you shouldn't call the doctor at once
- If you've got a flue you should consult the pediatrician.
- If you've got a fever you must stay in bed.
- If you feel hot you should not go out.
- If you have a sore throat you go to school.


Fill in the gaps with must, should or shouldn't

- If you've broken your leg you must visit a surgeon.
- If you feel tired you shouldn't call the doctor at once
- If you've got a flue you should consult the pediatrician.
- If you've got a fever you must stay in bed.
- If you feel hot you should not go out.
- If you have a sore throat you shouldn't go to school.




Wealth is nothing without health







An apple a day keeps the doctors away



An apple a day keeps the doctors away










Good health is above wealth



Доброе здоровье дороже богатства



Listening





Excellent

