



Кафедра: Денсаулық сақтау саясаты және
басқару

Проект тақырыбы: *Бедеуліктің дамуында қауіп-
қатер болып табылатын әйелдер арасындағы темекі
тарту жайында ақпараттарды табыңыз.*



Орындаған: Мәмбет Е.Е.
Қабылдаған: Аденова А.Д.
Факультет: ЖМ
Курс: 3
Топ: 14-013-2қ

Алматы 2017



Мәселе:

35 жасар А. Есімді науқас гинеколог маманың қарауына 5 жылдан бері ұрпақ сүйе алмағаны бойынша мәселемен келді. Науқасты жалпы қарағанда АҚ қалыпты, қан талдамында ешқандай өзгерістер жоқ, науқастың шағымдары жоқ. Өмірлік анамнезенде отбасын 5 жыл бұрын құрған және көп балалы отбасынан шыққан. Бірқатар зиянды әдеттері анықталған: 25 жасынан бастап темекіге әуес болған және қазіргі уақытта темекі тартпайды, алкоголь бұрын пайдаланған. Емдік препараттар қабылдамаған және қазір жұбайы екеуі ұрпақ сүйгісі келеді. *Дәрігер маман науқаста бедеуліктік болуына күдіктенді.*

РІСО бойынша

Р — 35 жасар А. Есімді науқас бедеулікке шалдыққан.

І — Жасанды ұрықтандыру бойынша бала сүю

С — жоқ

О — науқас бедеулікке шалдыққан.



PUBMED САЙТЫНЫҢ БАСТАПҚЫ беті

Меню WhatsApp С.А. Арғи Новости Home - Pub infertility Major Dise Google Пе Google Пе фон для п piro - Пои

www.ncbi.nlm.nih.gov/pubmed/ Sign in to NCBI

NCBI Resources How To PubMed.gov US National Library of Medicine National Institutes of Health PubMed Advanced Search Help

Filters activated: Free full text, published in the last 5 years, Humans. [Clear all](#)



PubMed

PubMed comprises more than 27 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

Using PubMed

- [PubMed Quick Start Guide](#)
- [Full Text Articles](#)
- [PubMed FAQs](#)
- [PubMed Tutorials](#)
- [New and Noteworthy](#)

PubMed Tools

- [PubMed Mobile](#)
- [Single Citation Matcher](#)
- [Batch Citation Matcher](#)
- [Clinical Queries](#)
- [Topic-Specific Queries](#)

More Resources

- [MeSH Database](#)
- [Journals in NCBI Databases](#)
- [Clinical Trials](#)
- [E-Utilities \(API\)](#)
- [LinkOut](#)

Latest Literature

New articles from highly accessed journals

- Am J Obstet Gynecol (2)
- BJU Int (1)
- Biobio Biophys Acta (6)

Trending Articles

PubMed records with recent increases in activity

- Mutant Huntingtin Disrupts the Nuclear Pore Complex. Neuron. 2017.
- Child and Adolescent Health From 1990 to 2015: Findings From

PubMed Commons

Featured comments

- Sequencing bacterial genomes from the built environment: R Pechacek (@randiclam) links to author post. [bit.ly/2n2SJnE](#) Apr 10

EN 2:14 11.04.2017

Кілт сөздер:
Бедеулік/ Темекі тарту
Key words:
infertility / smoking



Кілт сөз бойынша іздеу

Меню WhatsApp С.Ж. Асфе Новости Home - PubMed infertility Major Disease Google Пе Google Пе фон для п ключи - По

www.ncbi.nlm.nih.gov/pubmed/

NCBI Resources How To Sign in to NCBI

PubMed infertility smoking Search

Create RSS Create alert Advanced Help

Article types Clinical Trial Review Customiz... Format: Summary Sort by: Most Recent Per page: 20

Search results Items: 1 to 20 of 85

Text availability Abstract Full text Free full text PubMed Commons Reader comments Trending articles

Publication dates 5 years 10 years Custom range... Species Humans Other Animals

Clear all Show additional filters

Filters activated: Free full text, published in the last 5 years, Humans. Clear all to show 1067 items.

1 Major Disease Prevalence and Menstrual Characteristics in Infertile Female Korean Smokers. Shin JJ, Jee BC, Kim H, Kim SH. J Korean Med Sci. 2017 Feb;32(2):321-328. doi: 10.3346/jkms.2017.32.2.321. PMID: 28049245 Free PMC Article Similar articles

2 Tobacco smoking is associated with decreased semen quality. Asare-Anane H, Bannison SB, Ofori EK, Ateko RO, Bawah AT, Amanquah SD, Oppong SY, Gandau BB, Ziem JB. Reprod Health. 2016 Aug 5;13(1):90. doi: 10.1186/s12978-016-0207-z. PMID: 27496053 Free PMC Article Similar articles

3 Potential effect of smoking on semen quality through DNA damage and the downregulation of Chk1 in sperm. Cui X, Jing X, Wu X, Wang Z, Li Q. Mol Med Rep. 2016 Jul;14(1):753-61. doi: 10.3892/mmr.2016.5318. Epub 2016 May 20. PMID: 27221653 Free PMC Article Similar articles

4 Do cigarette and alcohol affect semen analysis? Keskin MZ, Budak S, Gubari S, Durmaz K, Yoldas M, Celik O, Aksoy EE, Ilbey YO.

Titles with your search terms

Abnormal Methylation of Imprinted Genes and Cigarette Smoking: Assessment [Reprod Sci. 2016]

Active and passive smoking linked to infertility and early menopause. [Practitioner. 2016]

Smoking and Male Infertility: An Evidence-Based Review [World J Mens Health. 2015]

See more...

Find related data

Database: Select Find items

Search details

((("infertility"[MeSH Terms] OR "infertility"[All Fields]) AND ("smoking"[MeSH Terms] OR "smoking"[All Fields])) AND ("loaotr free full text"[sb] AND "2012/04/12"[PDat] :

Search See more...

Іріктеп алу

Керекті мақаланы таңдап, іріктеп алу

Меню WhatsApp С.Ж. Асфе Новости Home - Pub infertility si Major Dise Google Пе Google Пе фон для п ключи - По

www.ncbi.nlm.nih.gov/pubmed/

NCBI Resources How To Sign in to NCBI

PubMed PubMed infertility smoking Search

Create RSS Create alert

Help

Article types
Clinical Trial
Review
Customize

Text availability
Abstract
Free full text
Full text

PubMed Commons
Reader comments
Trending articles

Publication dates
5 years
10 years
Custom range...

Species
Humans
Other Animals

Clear all
Show additional filters

Format: Summary Sort by: Most Recent

Search results
Items: 1 to 20 of 85

Filters activated: Free full text, published in the last 5 years, Humans. Clear all to show 1067 items.

1. Major Disease Prevalence and Menstrual Characteristics in Infertile Female Korean Smokers.
Shin JJ, Jee BC, Kim H, Kim SH.
J Korean Med Sci. 2017 Feb;32(2):321-328. doi: 10.3346/jkms.2017.32.2.321.
PMID: 28049245 Free PMC Article
Similar articles

2. Tobacco smoking is associated with decreased semen quality.
Asare-Anane H, Bannison SB, Ofori EK, Aleku RO, Bawah AT, Amanquah SD, Oppong SY, Gandau BB, Ziem JB.
Reprod Health. 2016 Aug 5;13(1):90. doi: 10.1186/s12978-016-0207-z.
PMID: 27496053 Free PMC Article
Similar articles

3. Potential effect of smoking on semen quality through DNA damage and the downregulation of Chk1 in sperm.
Cui X, Jing X, Wu X, Wang Z, Li Q.
Mol Med Rep. 2016 Jul;14(1):753-61. doi: 10.3892/mmr.2016.5318. Epub 2016 May 20.
PMID: 27221653 Free PMC Article
Similar articles

4. Do cigarette and alcohol affect semen analysis?
Koskin MZ, Budak S, Cubari S, Durmaz K, Yoldas M, Celik O, Aksoy EE, Ilbey YO.

Send to Filters: Manage Filters

Titles with your search terms
Abnormal Methylation of Imprinted Genes and Cigarette Smoking: Assessment [Reprod Sci. 2016]
Active and passive smoking linked to infertility and early menopause. [Practitioner. 2016]
Smoking and Male Infertility: An Evidence Based Review. [World J Mens Health. 2015]
See more

Find related data
Database: Select
Find items

Search details
(("infertility"[MeSH Terms] OR "infertility"[All Fields]) AND ("smoking"[MeSH Terms] OR "smoking"[All Fields])) AND ("loaotr free full text"[sb] AND "2012/04/12"[Pdat] :
Search See more...

RU 2:27 11.04.2017

Тапқан мақалаға кіру

Меню WhatsApp C.Ж. Асфендиерова (10) Home PubMed infertility Major Disease Google Поиск Google Поиск Поиск для PubMed Ключевые слова

www.ncbi.nlm.nih.gov/pubmed/28049245

NCBI Resources How To Sign in to NCBI

PubMed US National Library of Medicine National Institutes of Health PubMed Advanced Search

Format: Abstract Send to

J Korean Med Sci. 2017 Feb;32(2):321-320. doi: 10.3346/jkms.2017.32.2.321.

Major Disease Prevalence and Menstrual Characteristics in Infertile Female Korean Smokers.

Shin JJ¹, Jee BC^{1,2}, Kim H³, Kim SH^{3,4}.

Author information

Abstract

We investigated the prevalence of smoking and factors associated with smoking in infertile Korean women. Smoking status, education, occupation, personal habits, past medical history, current illness, stress level, and menstrual characteristics were collected from self report questionnaires. The Beck Depression Inventory (BDI) was used to assess the degree of depression. Data on the causes of infertility and levels of six reproductive hormones were collected from medical records. Among 785 women less than 42 years of age, the prevalence of current, secondhand, past, and never smokers were 12.7%, 45.7%, 0.9%, and 40.6%, respectively. Primary infertility was more frequent in secondhand smokers. Causes of infertility were similar among current, secondhand, and never smokers. Current smokers were less educated ($P < 0.001$) and more likely to consume alcohol than secondhand or never smokers ($P < 0.001$). Secondhand smokers slept less than current smokers ($P = 0.041$). Among several major diseases, only the prevalence of diabetes mellitus (4.0%) was significantly higher in current smokers than in secondhand smokers (0.0%, $P = 0.002$) or never smokers (0.6%, $P = 0.031$). The self-reported prevalence of depression, and the degree of depression were similar among women with different smoking statuses. There were no differences in menstrual characteristics or serum levels of six reproductive hormones between current, secondhand, and never smokers, even after excluding women with polycystic ovary syndrome. In conclusion, education/employment status, alcohol drinking, and the prevalence of primary infertility and diabetes mellitus were significantly different according to smoking status among infertile women.

KEYWORDS: Alcohol Drinking; Depression; Diabetes; Education; Infertility; Menstruation; Smoking

PMID: 28049245 PMCID: PMC5220000 DOI: 10.3346/jkms.2017.32.2.321

[Indexed for MEDLINE] Free PMC Article

Full text links JKMS Journal of Korean Medical Science FULL TEXT FREE PMC Full text

Save items Add to Favorites

Similar articles

Active smoking and exposure to secondhand smoke and their relation [BMC Public Health. 2015]

Smoking in infertile women with polycystic ovary syndrome: baseline validation [Hum Reprod. 2014]

A survey on depression among infertile women in Ghana. [BMC Women's Health. 2014]

Current smoking and secondhand smoke exposure and depression among [BMJ Open. 2014]

[Smoking and secondhand smoking in Zhejiang province, China [Zhonghua Liu Xing Bing Xue Za ...]

See reviews See all...

Related information

2:30 11.04.2017

Мақаланың тақырыбы

- **Бедеуліктің дамуында қауіп-қатер болып табылатын әйелдер арасындағы темекі тарту жайында ақпараттарды табыңыз.**
- **Major Disease Prevalence and Menstrual Characteristics in Infertile Female Korean Smokers.**



Зерттеудің өткізілген жері:

Department of Obstetrics and Gynecology, Seoul National University College of Medicine, Seoul, Korea.

seokhyun@snu.ac.kr.

Авторлары: Shin JJ, Jee BC, Kim H, Kim SH.

Публикация жылы: 2017 Feb;32(2)

Зерттеу әдісі: Retrospective analysis, Болған жағдайды бақылау



Methods

We investigated the prevalence of smoking and factors associated with smoking in infertile Korean women. Smoking status, education, occupation, personal habits, past medical history, current illness, stress level, and menstrual characteristics were collected from self-report questionnaires. The Beck Depression Inventory (BDI) was used to assess the degree of depression. Data on the causes of infertility and levels of six reproductive hormones were collected from medical records. Among 785 women less than 42 years of age, the prevalence of current, secondhand, past, and never smokers were 12.7%, 45.7%, 0.9%, and 40.6%, respectively.

Әдісі

Зерттеу барысында темекі шегудәң таралуын және темекімен байланысты бедеу корей әйелдерін зерттедік. Шылым шегу мәртебесі, білім, кәсіп, жеке әдеттер, өткен медициналық тарих, қазіргі ауру, стресс және етеккір сипаттамалары өзін-өзі бағалау үшін сауалнама арқылы жиналған. Депрессия дәрежесін бағалау үшін Бек Депрессия индексі (BDI) пайдаланылды. Бедеуліктің себептері және репродуктивті гормондардың алты деңгейдегі туралы мәліметтер медициналық жазбалар жиналған. 42 жасқа дейінгі 785 әйелдер арасында, екінші, ағымдағы соңғы, және ешқашан темекі шекпегендер таралуы тиісінше, 12,7%, 45,7%, 0,9% және 40,6% құрады

Results



Primary infertility was more frequent in secondhand smokers. Causes of infertility were similar among current, secondhand, and never smokers. Current smokers were less educated ($P < 0.001$) and more likely to consume alcohol than secondhand or never smokers ($P < 0.001$). Secondhand smokers slept less than current smokers ($P = 0.041$). Among several major diseases, only the prevalence of diabetes mellitus (4.0%) was significantly higher in current smokers than in secondhand smokers (0.0%, $P = 0.002$) or never smokers (0.6%, $P = 0.031$). The self-reported prevalence of depression, and the degree of depression were similar among women with different smoking statuses. There were no differences in menstrual characteristics or serum levels of six reproductive hormones between current, secondhand, and never smokers, even after excluding women with polycystic ovary syndrome.

Нәтижелері:

Біріншілік бедеулік көбінесе темекі шегетіндер арасында болды. Бедеулік себептері темекі шегетіндер арасында бір біріне ұқсас болды. Ағымдағы шылымқорлар ($P < 0,001$) білімі төмендеу, алкогольға бейім келді. Бұл темекі шегетін және шекпейтін ерлермен салыстырғанда. ($P < 0,001$). Және ұйқы бұзыстары да анықталған.

Бедеулікке алып келетін бірнеше аурулар ішінде тек қант диабеті ғана (4,0%) айтарлықтай жоғары болды. Депрессия да темекі шегетін әйелдер арасында ұқсас болды.



- Conclusion**

- education/employment status, alcohol drinking, and the prevalence of primary infertility and diabetes mellitus were significantly different according to smoking status among infertile women.

Қорытынды:

Сонымен қатар темекі шегетін әйелдер арасында репродуктивті гормондардың және етеккір уақыты, қан сарысуларындағы айырмашылықтар темекі тартпайтын әйелдермен айырмашылықтар байқалды. Қортындайлай келе темекі шегу бедеулікке алып келетін бірден бір себеп.



Менің пікірім.

Жалпы осы мақаламен және тәжірибенмен таныса келе темекінің жалпы болашақ аналардың денсаулығына өте зиянды екендігіне тағы да көзім жетті.





Назарларыңызға рахмет!