Factorising Quadratics

Last modified: 30th September 2015

Factorising Overview

Factorising means :

To turn an expression into a **product** of factors.



Starter



Exercise 1

1
$$2x - 4 = ?$$

2 $xy + y = ?$
3 $qr - 2q = ?$
4 $6x - 3y = ?$
5 $xyz + yz = ?$
6 $x^2y + 2yz = ?$
7 $x^3y + xy^2 = ?$
9 $12pw^2 - 8w^2y = ?$
10 $55p^3 + 33p^2 = ?$
11 $6p^4 + 8p^3 + 10p^2$
 $= ?$
12 $10x^3y^2 + 5x^2y^3 + 15x^2y^2$
 $= ?$
13 $x^{100}y^4 + x^{66}y^{70}$
 $= ?$
Note: We tend to factorise any
fraction out, e.g. $\frac{1}{2}x^2 + \frac{1}{4}x = \frac{1}{4}x(2x+1)$
14 $\frac{1}{3}x^2y + \frac{2}{3}xy^2 = ?$
15 $\frac{1}{5}x + \frac{1}{10} = ?$
16 $\frac{2}{3}ab^2 + \frac{1}{4}ab = ?$
10 $55p^3 + 33p^2 = ?$
11 $6p^4 + 8p^3 + 10p^2$
 $= ?$
12 $10x^3y^2 + 5x^2y^3 + 15x^2y^2$
 $= ?$

Six different types of factorisation

1. Factoring out a single term

$$2x^2 + 4x = ?$$

2.
$$x^2 + bx + c$$

 $x^2 + 4x - 5 = ?$

3. Difference of two squares $4x^2 - 1 = ?$

4.
$$ax^2 + bx + c$$

$$2x^2 + x - 3 =$$

Strategy: either **split the middle term**, or 'go commando'.

5. Pairwise

$$\frac{x^3 + 2x^2 - x - 2}{?}$$

6. Intelligent Guesswork

$$x^2 + y^2 + 2xy + x + y$$
$$= ?$$

TYPE 2: $x^2 + bx + c$



$$x^2 - x - 30 = ?$$

Bro Tip: Think of the factor pairs of 30. You want a pair where the sum or difference of the two numbers is the middle number (-1).

TYPE 2: $x^2 + bx + c$

A few more examples:

$$x^{2} + 6x + 5 = ?$$

$$x^{2} - 12x + 35 = ?$$

$$x^{2} + 5x - 14 = ?$$

$$x^{2} + 6x + 9 = ?$$

$$x^{2} - 6x + 9 = ?$$

Exercise 2



Hardcore

$$x^{4} + 5x^{2} + 4 = ?$$

$$x^{2} - 2ax + a^{2} = ?$$

$$x^{4} - 6abx^{2} + 9a^{2}b^{2} = ?$$

$$x^{5}$$

$$x^{9} - x^{8} - 2x^{7} = x^{11} + 2x^{9} + x^{7} = x^{4} - 6abx^{2} + 9a^{2}b^{2} = ?$$

Six different types of factorisation

1. Factoring out a single term

2. $x^2 + bx + c$

$$2x^2 + 4x = 2x(x+2)$$

$$x^2 + 4x - 5 = (x + 5)(x - 1)$$

3. Difference of two squares

$$4x^2 - 1 = ?$$

4. $ax^2 + bx + c$

$$2x^2 + x - 3 =$$

Strategy: either **split the middle term**, or 'go commando'.

5. Pairwise

$$\begin{array}{c}
x^3 + 2x^2 - x - 2 \\
= \\
= \\
?
\end{array}$$

6. Intelligent Guesswork

$$x^2 + y^2 + 2xy + x + y$$
$$= ?$$

TYPE 3: Difference of two squares

Firstly, what is the square root of:

$$\sqrt{4x^2} = ? \qquad \sqrt{25y^2} = ?$$

$$\sqrt{16x^2y^2} = ? \qquad \sqrt{x^4y^4} = ?$$

$$\sqrt{9(z-6)^2} = ?$$

TYPE 3: Difference of two squares

=



Click to Start Bromanimation

Quickfire Examples

$$1 - x^2 = ?$$

$$y^2 - 16 = ?$$

$$x^2y^2 - 9a^2 = ?$$

$$1 - x^4 = ?$$

$$4x^2 - 9y^2 = ?$$

?

 $x^2 - 3 =$

Test Your Understanding (Working in Pairs)

Bro Tip: Sometimes you can use one type of factorisation followed by another. Perhaps common term first?

$$x^3 - x = ?$$

$$(x+1)^2 - (x-1)^2 =$$

$$49 - (1 - x)^2 =$$

$$51^2 - 49^2 = ?$$

$$18x^2 - 50y^2 =$$

$$x^2 - 50y^2 = ?$$

 $(2t+1)^2 - 9(t-6)^2 =$ 2

Exercise 3



TYPE 4: $ax^2 + bx + c$

 $2x^2 + x - 3$

b. Splitting the middle term

 $2x^2 + x - 3 \quad \stackrel{\oplus 1}{\otimes}_{-6}$

Factorise using:

a. 'Intelligent Guessing'*

Essentially 'intelligent guessing' of the two brackets, by considering what your guess would expand to.



* Not official mathematical terminology.

More Examples

$$2x^2 + 11x + 12 =$$
 ?

$$6x^2 - 7x - 3 = ?$$

$$2x^2 - 5xy + 3y^2 = ?$$

$$6x^2 - 3x - 3 =$$
 ?

Exercise 4

 $2x^2 + 3x + 1 =$ $3x^2 + 8x + 4 =$ 2 $2x^2 - 3x - 9 =$ 3 $4x^2 - 9x + 2 =$? 4 ⁵ $2x^2 + x - 15 =$? $2x^2 - 3x - 2 =$ 6 ? $3x^2 + 4x - 4 =$ 7 ? $6x^2 - 13x + 6 =$ 8 $15y^2 - 13y - 20 =$ 9 2 10 $12x^2 - x - 1 =$ 11 $25y^2 - 20y + 4 =$?

'Commando' starts to become difficult from this question onwards because the coefficient of x^2 is not prime.

$$\begin{array}{c} \boxtimes_{1} & 4x^{3} + 12x^{2} + 9x = ? \\ \boxtimes_{2} & a^{2}x^{2} - 2abx + b^{2} = ? \end{array}$$

RECAP :: Six different types of factorisation

2. $x^2 + bx + c$ **1. Factoring out a single term** $x^2 - 4x =$ $x^2 + 7x - 30 =$? 4. $ax^2 + bx + c$ **3.** Difference of two squares $9 - 16y^2 =$ $2x^{2} + x - 3 = (2x + 3)(x - 1)$ Strategy: either **split the middle** term, or 'go commando'. 6. Intelligent Guesswork 5. Pairwise $x^{3} + 2x^{2} - x - 2$ $x^{2} + y^{2} + 2xy + x + y$

= (x + y + 1)(x + y)

 $= x^{2}(x+2) - 1(x+2)$ = (x² - 1)(x + 2) = ...

RECAP :: $ax^2 + bx + c$



$$3x^2 + 10x - 8$$

2

Method B: Splitting the middle term

$$3x^2 + 10x - 8$$



Both of these methods can be extended to more general expressions.

This method of 'go commando' can be extended to non-quadratics. After we split the middle term, we looked at the expression in two pairs and factorised.

I call more general usage of this 'pairwise factorisation'.

TYPE 5: Intelligent Guessing

 $\overline{}$

Just think what brackets would expand to give you expression. Look at each term one by one.

$$\frac{x^2 + ax + bx + ab}{= (x + a)(x + b)}$$

This factorisation will become particularly important when we cover something called 'Diophantine Equations'.

$$ab - a + b - 1 = ?$$

Test Your Understanding



$$\begin{array}{cccc} xy + 3x - 2y - 6 &= & ?\\ ac - bc - b + a &= & ?\\ a^{2}b - a + ab - 1 &= & ?\\ x^{2} + y^{2} + 2xy + xz + yz &= & ?\\ \end{array}$$

Bro Tip: The 2xy arose because of collecting like terms in the expansion. It might therefore be easier to first think how we get the 'easier' terms like the y^2 , xz, yz (where the coefficient of the term is 1) when we try to fill in the brackets.

Bro Tip: Notice that there's an 'algebraic symmetry' in x and y, as x and y could be swapped without changing the expression. But there's an asymmetry in z. This gives hints about the factorisation, as the same symmetry must be seen.

TYPE 6: Pairwise Factorisation

We saw earlier with splitting the middle term that we can factorise different parts of the expression separately and hope that a common term emerges.





$$\begin{array}{c}
x^2 - y^2 + 4x + 4y \\
= ? \\
= ? \\
? \\
\end{array}$$

Test Your Understanding



Challenge Wall!





Exercise 5

Factorise the following using either 'pairwise factorisation' or 'intelligent guessing'.

Summary

For the following expressions, identify which of the following factorisation techniques that we use, out of: (it may be multiple!)

- 1 Factorising out single term: $x^2 + 2xy \rightarrow x(x + 2y)$
- 2 Simple quadratic factorisation: $x^2 + 3x + 2 \rightarrow (x + 2)(x + 1)$
- 3 Difference Of Two Squares: $9x^2 4y^2 = (3x + 2y)(3x 2y)$
- 4 Commando/Splitting Middle Term: $2x^2 3x + 2 \rightarrow (2x + 1)(x 2)$
- 5 Pairwise: $x^4 x^3 + x 1 \rightarrow (x^3 + 1)(x 1)$
- 6 Intelligent Guesswork: $xy + x + y + 1 \rightarrow (x + 1)(y + 1)$

$$2x^{2}y + 4xy^{2}$$

$$1 - x^{2}$$

$$x^{3} - x$$

$$x^{2} - x - 2$$

$$3y^{2} - 10y - 8$$

$$x^{4} + 2x^{2} + 1$$

$$y^{3} - y^{2} - y + 1$$

$$x^{4} - 2x^{3} - 8x^{2}$$

$$xy^{2} - x - y^{2} + 1$$

$$27 - 3x^{2}$$



Factorising out an expression

It's fine to factorise out an entire expression:

$$\begin{array}{ccc} x(x+2) - 3(x+2) & \rightarrow & ? \\ & x(x+1)^2 + 2(x+1) \\ & \rightarrow & ? \end{array}$$

$$a(2c+1) + b(2c+1) \rightarrow ?$$

$$2(2x-3)^2 + x(2x-3)$$
?