

Lecture 2

- Data Model
 - hierarchical
 - network
 - relational
 - post-relational
 - multidimensional
 - object-oriented

Data Model

- ❑ The data model is a description of the organization of data in the database.
- ❑ The data model also describes the relationship between the data and restrictions applicable to the data.
- ❑ Data models can be divided into two categories:
 - Object - a logical model - focuses on the description of data, data relationships, and limiting.
 - Logical model based on the entries - focuses on the description of the data structures and access methods in the database management system.

Data Models

Classic models:

- hierarchical
- Network
- Relational

Current models:

- post-relational
- multidimensional
- object-oriented

Other data models that extend the known models

object-relational
deductive object-oriented,
semantic,
conceptual,
and others.



hierarchical model

- ADVANTAGES hierarchical model

 - Effective use of computer memory

 - Good performance of time to perform basic operations

 - Model is convenient to work with hierarchically structured information

- DISADVANTAGES hierarchical model

 - Cumbersome to process information with a fairly complex logical relationships

 - Complexity of understanding for the average user

- Examples of database hierarchical model

 - IMS, PC / Focus, Team-Up and Data Edge,
(from Russian): *Ока, ИИЭС и МИПС*

network Model

- ▣ ADVANTAGES network model:

The possibility of effective implementation in terms of memory consumption and speed
(Compared to the hierarchical) great opportunities in terms of the admissibility of arbitrary relationships education


- ▣ DISADVANTAGES network model

High complexity and rigidity of the database schema
The difficulty for the understanding and implementation of information processing in the database as a regular user

- ▣ *Known network database:*

- *IDMS, db_VistaIII,*
- *CETБ, CETOP и КОМПАС*

Example of a network model



relational Model

- ADVANTAGES relational model
Simplicity, ease the physical implementation on a computer
Processing efficiency
- DISADVANTAGES relational model
Lack of standard means of identification of individual records
Complexity of the description of hierarchical and network links
- Examples of relational database model:
 - *dBaseIIIPlus u dBaseIV (фирма Ashton-Tate), DB2(IBM), R: BASE (Microrim), FoxPro ранних версий u FoxBase (Fox Software), Paradox u dBASE for Windows (Borland), FoxPro б.поздних версий, Visual FoxPro u Access (Microsoft), Clarion (Clarion Software), Ingres (ASK Computer Systems)u Oracle (Oracle)*
 - (from Russian): *ПАЛЬМА (ИК АН УССР), HyTech (МИФИ)*
 - Object-relational: *Oracle 8.x*

post-relational model

- ADVANTAGES post-relational model

The possibility of representing the aggregate related relational tables with a single post-relational table, so - clear presentation of information and increase the effectiveness of its treatment

- DISADVANTAGES post-relational model

The difficulty in solving the problem of ensuring the integrity and consistency of data stored

- *Examples of post-relational database model:*

- *uniVers, Bubba u Dasdb*

Example of relational Model

INVOICES (накладные)

INVNO	CUSTNO
0373	8723
8374	8232
7364	8723

INVOICE.ITEMS (накладные-товары)

INVNO	GOODS	QTY
0373	cheese	3
0373	fish	2
8374	lemonade	1
8374	juice	6
8374	cookies	2
7364	yogurt	1

Example of post-relational model

6) INVOICES

a) SELECT INVOICES.INVNO,
CUSTNO, GOODS, QTY
FROM INVOICES, INVOICE.ITEMS
WHERE
INVOICES.INVNO=INVOICE.ITEMS.
INVNO;

6) SELECT * FROM INVOICES;

INVNO	CUSTNO	GOODS	QTY
0373	8723	cheese	3
		fish	2
8374	8232	lemonade	1
		juice	6
		cookies	2
7364	8723	yogurt	1

multivariate Model

▣ ADVANTAGES multivariate model

Convenience and efficiency analysis of large amounts of data related to the time (in rel.m. - nonlinear increase complexity of operations)

▣ DISADVANTAGES multivariate model

Cumbersome for the simplest of tasks common operational processing

▣ EXAMPLES database multidimensional model

- *Essbase (Arbor Software), Media Multi-matrix (Speedware), Oracle Express Server (Oracle) u Cache (InterSystems)*
- Relational-dimensional model: *Media/MR (Speedware)*
- Multidimensional object-relational model: *Cache*

An example of a relational view of car sales

model	month	volume
BMW	June	12
BMW	July	24
BMW	August	5
Audi	June	2
Audi	July	18
Mazda	July	19

multi-dimensional view

model	June	July	August
BMW	12	24	5
Audi	2	18	NULL
Mazda	NULL	19	NULL

Object-oriented model

- ADVANTAGES OOM (versus relational)
 - The ability to display information about the complex relationships of objects
 - OOM can identify individual records database and the responsibilities of their treatment

- DISADVANTAGES OOM
 - High conceptual complexity
 - The disadvantage of the data and the low speed of queries

- EXAMPLES database OOM
 - *POET (POET Software), Jasmine (Computer Associates), Versant (Versant Technologies), 02 (Arden Software), ODB-Jupiter (науч.произв. центр «ИнтеллектПлюс»), Iris, Orion и Postgres.*

Model "Entity-Relationship"

- There are a variety of object-oriented models. The most widely used model is the "entity - relationship" (ER model).
- Model "entity - relationship" is based on a realistic view which encompasses a set of objects or entities and their relationships.
- Schema components of ER are:
 - entity ;
 - connection;
 - attributes.


entity

- The entity is any object, place, person, or action, details of which are recorded.
- Entities are represented as rectangles, on which are written the names assigned to them.
- There are two types of entities:
 - dependent;
 - independent.
- Affiliated entities are also referred to as weak entities, and independent - regular entities.
- Weak entity represented by a rectangle outlined by the double line.

connection

- Combining entities are called connection.
 - Relationship is depicted in the form of diamond with the name of the link.
 - can attach an entity to itself.
 - Between the same entities may also be multiple connections.
 - Connections are of three types:
 - one-to-one;
 - one-to-many;
 - many-to-many.
- 

attributes

- Attribute called property of this entity.
 - Attributes are represented as ellipses, equipped name properties. Key attributes are underlined.
 - Connection can also have attributes.
- 

review

- Data Model, examples of models:
 - hierarchical
 - network
 - relational
 - post-relational model
 - multi-dimensional
 - object-oriented