

Functions and Their Graphs

1.2 – Functions

Vocab

- **Function** = A set of ordered pairs that has each input (x) giving exactly one output (y)
- Ex: Function or not?

X	Y
-2	3
0	4
8	32
7	5

Yes

X	Y
5	3
0	4
8	32
5	-6

No;
One input gives 2 outputs

X	Y
-2	3
0	-1
8	-2
7	3

Yes

- **In a function, one input can't give 2 different outputs!**

More Vocab

- $(x, y) = (\text{input}, \text{output})$
- $f(x)$ is another way to write an output
- **Domain** = the set of all inputs (x)
- **Range** = the set of all outputs (y)
- Ex: For the function $f(x) = x - 3$, evaluate the following:

$$\square f(-3) \quad f(-3) = (-3) - 3 \longrightarrow -6$$

$$\square f(x+1)$$

$$f(x+1) = (x+1) - 3 \longrightarrow x - 2$$

- Ex: For the function $f(x) = 2 - x^2$, evaluate the following:

$$\begin{aligned} \square f(x+1) \quad & f(x+1) = 2 - (x+1)^2 \longrightarrow 2 - (x^2 + 2x + 1) \\ & \longrightarrow 2 - x^2 - 2x - 1 \longrightarrow -x^2 - 2x + 1 \end{aligned}$$

- Ex: For the function $f(x) = x^2 + x$, evaluate the following:

$$\square f(2x) \quad f(2x) = (2x)^2 + (2x) \longrightarrow 4x^2 + 2x$$

- Ex: For the function $f(x) = x^2 - 2x + 3$, evaluate the following:

- $f(x+h)$

$$\begin{aligned} f(x+h) &= (x+h)^2 - 2(x+h) + 3 \\ &= x^2 + 2xh + h^2 - 2x - 2h + 3 \end{aligned}$$

- Ex: For the function $f(x) = 2x^2 - 3$, evaluate the following:

- The difference quotient $\frac{f(x+h) - f(x)}{h}$

$$\rightarrow \frac{(2(x+h)^2 - 3) - (2x^2 - 3)}{h}$$

$$\rightarrow \frac{(2(x^2 + 2hx + h^2) - 3) - 2x^2 + 3}{h}$$

$$\rightarrow \frac{\cancel{2x^2} + 4hx + h^2 \cancel{-3} - \cancel{2x^2} \cancel{+3}}{h}$$

$$\rightarrow \frac{4hx + h^2}{h} \rightarrow 4x + h$$


$f(x) = 5x + 6$. Find $f(x - 3)$.

1. $5x - 3$

2. $5x + 3$


✓ 3. $5x - 9$

4. $5x - 15$



$f(x) = 2x - x^2$. Find $f(x + 1)$.

- ✓ 1. $-x^2 + 1$
- 2. $-x^2 + 2x + 1$
- 3. $-x^2 + 4x + 3$
- 4. $-x^2$



- Ex: The function below is a piecewise function.
Find $f(0)$ and $f(1)$.

$$f(x) = \begin{cases} x - 3, & x < 1 \\ 2x - 4, & x \geq 1 \end{cases}$$

- Since $0 < 1$, use the top function for $f(0)$.
- **$f(0) = -3!$**
- Since $1 \geq 1$, use the bottom function for $f(1)$.
- **$f(1) = -2!$**

More Vocab


- $y = x^2$ means y is a function of x
- Y is not a function of x when a $\pm$ is in play
- Ex: Which of these has y as a function of x ?
 - $x^2 - y = 7$
 - Solve for y first...
 - $-y = 7 - x^2$
 - $y = x^2 - 7$... no $\pm$ means **YES!**
 - $x^2 + y^2 = 2x$
 - $y^2 = 2x - x^2$
 - $y = \pm \sqrt{2x - x^2}$... so **NO!**

Finding Domain and Range

- The domain (set of all x 's) is always assumed to be **all real numbers** unless some values cannot create outputs (y 's).
- Ex: Find the domain of the following functions:
 - $y = 2x - 3$
 - Any x will produce a y , so the domain is $x \in \mathbb{R}$ (all reals)
 - $y = \sqrt{x}$
 - The square root can't be negative, so the domain is $x \geq 0$
 - $y = \frac{3}{2x - 4}$
 - The denominator can't be 0, so $2x - 4 \neq 0$...
 - ... $x \neq 2$

Finding Domain and Range


- To find range, graph the function and infer the range (set of all y 's).
- Ex: Find the domain and range of the function $y = \sqrt{x-3}$
 - Graph the function first.
 - For the domain, we know from the equation given that $x \geq 3$. Our graph confirms that.
 - For the range, the graph shows us that there are no negative values for y , and the values will continue to increase as x increases.
 - Range: $y \geq 0$



$$f(x) = 4 - x^2$$

What is the domain?


- ✓ 1. $x \in \mathbb{R}$
- 2. $-2 \leq x \leq 2$
- 3. $x \geq 0$
- 4. $-2 < x < 2$



$$f(x) = \frac{x+2}{x-3}$$

What is the domain?


1. $x \in \mathbb{R}$
2. $x \neq -2$
- ✓ 3. $x \neq 3$
4. $x \neq -2$ and $x \neq 3$



$$f(x) = 2x^2 - 5$$

What is the range?

1. $y \in \mathbb{R}$
2. $y \neq 5$
3. $y < -5$
- ✓ 4. $y \geq -5$




Ch. 1 – Functions and Their Graphs


1.3 – More Functions

Vertical Line Test


- Vertical is up and down!
- **Vertical Line Test:** If you can draw some vertical line on a graph and it goes through **MORE THAN ONE** point, the graph is **NOT** a function.
 - **Ex:** Are these graphs functions?



YES!




YES!



NO!


Vocab

- As we read left to right, the function to the right is...
 - ...decreasing in the red region
 - Decreasing for $x < -1$, so we write $(-\infty, -1)$ indicate that y decreases over that x interval
 - ...constant in the blue region
 - Constant for $-1 \leq x \leq 2$, so we write $[-1, 2]$
 - ...increasing in the green region
 - Increasing for $x > 2$, so we write $(2, \infty)$






Vocab

- When a function goes from increasing to decreasing (or visa versa), it will have a **relative minimum** or a **relative maximum**.
- The graph below has a relative maximum at $(-2, 2)$ and a relative minimum at $(1, -2)$.
- A graph can have any amount of relative minima or maxima.




Functions

- A function is **even** if it is symmetric about the y-axis
 - $f(-x) = f(x)$
- A function is **odd** if it is symmetric about the origin
 - $f(-x) = -f(x)$
- A graph symmetric about the x-axis is...
 - ...not a function!




The function $y = 4x^2 - 2$ is...

- ✓ 1. Even
- 2. Odd
- 3. None of the above
- 4. Not a function



The function $y = 1/x$ is...


1. Even
- ✓ 2. Odd
3. None of the above
4. Not a function



The function $y = x^3 - x$ is...

1. Even
- ✓ 2. Odd
3. None of the above
4. Not a function

Figure it out algebraically –
no graphing!!!



REPRESENTATIONS OF FUNCTIONS

There are four possible ways to represent a function:

- verbally (by a description in words)
- numerically (by a table of values)
- visually (by a graph)
- algebraically (by an explicit formula)