
Past Continuous Tense




Определение

- Время Past Continuous является одним из нескольких английских времен, которые описывают действие, совершенное в прошлом. Принадлежность его к группе Continuous говорит о том, что это действие являлось длительным или длилось какое-то время.
- Мы сможем точно определиться, что это за действие, позже, а пока разберемся, как образуется прошедшее длительное время в английском языке - Past Continuous Tense.



Как образуется Past Continuous Tense

- □ Past Continuous образуется при помощи вспомогательного глагола to be в прошедшем времени (was, were) и причастия настоящего времени смыслового глагола Present Participle (IV-я форма или ing-форма)
- Утвердительная форма будет выглядеть как was / were doing



Past Continuous

to be + V-ing

Положительная форма	Отрицательная форма	Вопросительная форма
I was going	I was NOT going	Was I going?
YOU WE were going THEY	YOU WE were NOT going THEY	Were WE going? THEY
HE SHE was going IT	HE SHE was NOT going IT	Was SHE going?

Past Continuous употребляется для выражения:

- (основные случаи употребления)
- 1. Действия, протекавшего в указанный момент в прошлом, который может быть обозначен:
- a) обстоятельством времени;
- □ **б)** другим прошедшим действием в Past Indefinite;
- **в)** другим одновременным действием в Past Continuous;
- **г)** контекстом или ситуацией.
- 2. Длительного действия, протекавшего в определен.
 период времени в прошлом.
- Дополнительные случаи употребления:
- З. Для выражения запланированного будущего действия в прошлом.

Примеры из текста:

- When the patient was being questioned by the physician on his condition he said that a short, painful dry cough associated with rapid respiration had developed two days before.
- While the patient was being examined the physician listened to his heart and lungs and then measured his sounds were abnormal

Примеры (преобразованные)

In addition to that the patient was complaining of the pain both in the throat and behind the breastbone.

It was accumulating in the bronchial tubes and was making the patient cough.

The doctor was administering the patient two tablets of tetracycline to be taken orally and a cough mixture to be taken three times a day.

Thank you for attention!