



Smart Home & Business Use HD Cameras

Visit our website for more information WWW.CAMNOOPY.COM







Contents



Company Profile



Smart Cameras & Software Introduction



Secondary R&D Technical Support











Profile Production Quality Camnoopy

Company Name

Shenzhen Sopooda Tech Co., Ltd

Company Address

1F, 2F, 4F, 5F/BLD E, Dong Hai Wang Industry Zone A, Yang Mei, NO. 369, Bu Long Road, Ban Tian, Shenzhen, China

Management Ideas

Products difference is different in enterprises

General Manager

Fu Gang





Profile Production Quality



Established in	2010			
Employees number	About 200 employees			
Total Areas	3,300 square meters (4 floors in all)			
Sales Revenue	USD 10,000,000 (2013) , USD 13,500,000 (2014)/			
Production capacity	Home cameras: 50,000-60,000 set/month; Industry cameras: 40,000-50,000 set/month; others (NVRs, DVRs, Kits):10,000-20,000 set/month			
Partner cooperation	Omni Son. SONY. PHSILICON			
R&D teams	35-40			
OEM cooperative partners	Huawei, Stanley (America), China Telecom, China Mobile, China Electronics, COSHIP Electronics, TCL			
overseas subsidiary company	ANYIN Techologies (HONG KONG) Co., Ltd			






Profile Production

Quality







Company Orientation

Profile Production Quality



International Quaility Process of Innovative Camera Manufactures



International Quality, refer to foreign counterparts,

welcome pre-shipment inspection made by domestic and overseas' clients



Innovation: innovation is not only a product or technology innovation, but production management innovation



Camera Manufacturer: with high-level 10 years experiences

in industrial and civil camera field



History&Technology

Profile Production

Quality



2015年

Development

Video sharing technology, streaming media technology, cloud

technology, intelligent analysis technology, higher definition technology2016年

andDetelopment has full intellectual property Apple, Android

APP flagship version of the software

Development completely has appearance and

utility model patent product consumer cameras

Production of civil cloud camera and cube

camera (HI 3518E)

Production of civil screen phone network camera

(H pp)oduction of IP network high-definition

cameras 20 kinds of series of products and to develop their own all CMS centralized management software platform

Setting up factories, to start producing

professional surveillance cameras 40-50 kinds of series products

2014年

2013年

2012年

2011年

2010年



... Company Pictres

Profile

Production

Quality



[2F **Front** Desk]

[Product ion Showroom

[VIP Room

[5F **Front** Desk]







[Recept ion Room]

[Meeting Room]

[Business Center]

[Manage rs Room]













Profile Production

Quality



[R&D Dept.]



[Technology



Technology Team

5 hardware engineers
10 the underlying softare
engineers
5 APP engineers
3 sofeware test engineers
4 technology support
engineers

[R&D Dept.]



[Technology Dept.]





Profile Production

Quality

















Production

Quality



[2015 America CES Show]



[2015America CES Show]



[2015 Taibei Show]



[2015 Taibei Show]



[2015 HongKong Show]



[2015 HongKong Show]



[2015Russia Show]



[2015Russia Show]



** Factory Production Capaticy

Profile Production

Quality











Monthly Production Capaticy 50,000-60,000 sets













Profile

Production

Quality



[Production
Office]
[PMC QC and Engineer]



[Anti- Dust
Room]
[Before visiting workshop]



[Anti-st
atic]
[After Anti- dust]



[FFU Clean Room]



[Labortary]



[Aging Room]
[100% test]



[High temperature tunn[and]



[QA Test [100% Test]



** Workshop Pictures

Profile

Production

Quality



[Storag

e

[Raw Meternia Leand

Finish products



[Screen Printing Room]
[OEM logo
printing]



[Material Warehouse] [warehousing&IQC quality]



ions [p**N**ઇનાફtion&qua Litwo analysis]



[Warehouse of Finished Products]



n
Boar
Inotice issued]





Workshop Pictures

Profile Production

Quality



[Production Visiting



[6 Assembly [Ahānæu]&IP products]




[Packag
ing
[firlished] products package]



[A Line]
[More than 500 sets]



[B Line]
[100-500 sets]



[C Line]
[100sets]





Quality Control

Profile Production

Quality



1.Total Quality Management

Program:

7 All, 3 No

3 All:

- 1. All staff's participation
 2. All control of the whole process
- 3. All company QC's activities

3 No:

- 1. No receipt of disqualified products2. No productionof
- disqualified products
 3. No disqualified
- products out

4 All:

- 1. All customer-centric
- 2. All to preventionoriented
- 3. Alldata used to speak
- 4. All go accroding to the PDCA circle





Profile Production Quality



2. Quality Management System:

Quality Policy& Objective s

- Quality Policy: standardize the management, meet the standard requirements; Continuous improvement and exceed customer requirements.
- Customer satisfaction : the qualified rate of products: \geq 98% customer satification: \geq 99
- Products Aging Test: each about 100% aging test.



Quality Control

Profile Production Qua

Quality



3. Total Quality Management (Quality Control Circle)

The Quality of the Product Planning Cycle

PDCA



7. Form standard; consolidate the achivement.

8. Transform the remaining problems into another cycle.

cycle. A p

Check the work; do a survey of results. Analyze situation;
 find out problems.

2. Analyze reasons.

3. Find out main reason.

4. Formulate measures; make a plan.

||P

D

5. Carry out the plan of measures.






Profile Production Quality




4. Flow Chart about Quality

The Flow Chart of Outgoing Inspetion o



The Flow Chart of Corrective and Preventive Action **Operation**













1 Smart Cameras & Camera Software

- Smart Cameras Hierarchical Management System
- 3 IP Cameras NVR Kits





High-end Full Function IP Cameras





CN-PT200

CN-C100

High-end full function Camera CN-PT200



Color optional

Accessories optional

0 0		
Wireless Alarm Remote Controller A20	Temperature control line A9	Wireless Alarm Door Detectors A-11
	*	
PIR detector A12	wireless smoke detectorA-13	Gas Detector A-14

Camera Hardware lightspot:

- . Make-up box and pure fresh appearance, intelligent smart home style, excellent artwork quality.
- .UV mirror craft, scratch-resistant, dust prevention
- .Allocation install chassis, Wall ceiling installation, easy for lifting, wide angle for rotate
- .USA 0V9712+Hisilicon 3518E 720P High resolution chipset
- . Temperature and humidity sense and alarm push
- .3MP High resolution lens, clear and distinguishable show in a big screen
- . Allocation alarm intention antenna interface, wireless alarm can extend 80-100 meters.
- .Draw-out type all metal IRCUT double filter, high reliable, stable life

- .2 pcs high power infrared Camnoopy ceramic led, clear imagic in night time
- . Wired or intelligent wireless WIFI, easy to connection
- .Max 64ch/8 defense Zone wireless alarm, strongly alarm function
- . Horizontal $0{\sim}355$ degree, vertical 120 degree move
- . Two way audio intercom, eliminate circuit noise suppression, High-power speaker
- .Multistory precision heavy gold PCB board craft, moistureproof not easily oxidized
- .Domestic and international certification USB power adaptor, low failure rate
- . easy install. easy contact
 with internet. easy use. easy 24
 maintain

High-end full function

camera CN-C100





Color optional Accessories optional



Camera Hardware lightspot:

. Make-up box and pure fresh appearance, intelligent smart home style, excellent artwork quality.

.UV mirror craft, scratch-resistant , dust prevention

.Aluminum alloy is a circle, Laser carving process, long time use

.With installation chassis, wall mounting, easy for lifting, big rotating Angle

.USA 0V9712+Hisilicon 3518E 720P High resolution chipset

.Temperature and humidity sense and alarm push, strongly alarm function

. Two way audio intercom, easy to chat.

.PIR human induction alarm, powerful alarm function

.3MP High definition lens, large screen .Draw-out type all metal IRCUT double filter, high reliable, stable life

.2 pcs high power infrared ceramic led, clear imagic in night time

. Wired or intelligent wireless WIFI, easy to connection

. Max 64ch/8 defense zone wireless alarm, strongly alarm function

.Manual horizontal $0{\sim}355$ degree, vertical 120 degree move

Two way audio intercom, eliminate circuit noise suppression, High-power speaker

.Multistory precision heavy gold PCB board craft, moistureproof not easily oxidized

.Domestic and international certification USB power adaptor, low failure rate

. easy install, easy
contact with internet, easy







Wireless alarm intelligent camera








CN-PT100 CN-C200D CN-PT100E

Wireless alarm intelligent camera CN-PT100





function

.Horizontal $0{\sim}355$ degree, vertical 120 degree move


. Two way intercom, eliminate circuit noise suppression, High-power speaker

. Multistory precision heavy gold PCB board craft, moistureproof not easily oxidized

.Domestic and international certification USB power adaptor, low failure rate

. easy install, easy
contact with internet,
easy use, easy maintain







- .Clever and smart design, perfect technological quality
- .USA 0V9712+Hisilicon 3518E 720P High resolution chipset
- .Large screen display is clear
- .Draw-out type all metal IRCUT double filter, high reliable, stable life
- .2 pcs high power infrared ceramic led, clear imagic in night time
- . Wired or intelligent wireless WIFI, easy to connection





Accessories optional

0 0		. 0
Wireless Alarm Remote Controller A20	Temperature control line A9	Wireless Alarm Door Detectors A-11
		(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
PIR detector A12	wireless smoke detectorA-13	Gas Detector A-14

Wireless alarm intelligent camera CN-PT100E









Color optional

Camera Hardware lightspot:

- .Clever and smart design, perfect technological quality
- .USA 0V9712+Hisilicon 3518E 720P High resolution chipset, slim as hair
- .2MP High definition lens, display is clear in pc
- .Draw-out type all metal IRCUT double filter, high reliable, stable life
- .2 pcs high power infrared ceramic led, clear imagic in night time
- . Wired or intelligent wireless WIFI, easy to connection



- . Max 64ch/8 defense zone wireless alarm, strongly alarm function
- .Horizontal $0{\sim}355$ degree, vertical 120 degree move
- . Two way intercom, eliminate circuit noise suppression, clear voice.
- . Multistory precision heavy gold PCB board craft, moistureproof not easily oxidized
- . Stable chipset with white switch power supply, mature and stable
- . easy install, easy
 contact with internet,
 easy use, easy maintain

Wireless alarm intelligent camera CN-C200D





Accessories for



Camera Advantage:

- .Little drops of shape design, perfect technological quality
- .USA 0V9712+Hisilicon 3518E 720P High resolution chipset
- . 2MP High definition lens, display is clear in pc
- Draw-out type all metal IRCUT double filter, high reliable, stable life
- .1 pc high power infrared ceramic led, clear imagic in night time
- .Intelligent wireless WIFI, easy to connection

Camera Advantage:

- . Max 64ch 8zone wireless alarm, strongly alarm function
- .Manual horizontal $0\sim360$ degree, vertical 90 degree move
- . Two way intercom, eliminate circuit noise suppression, clear voice.
- . Multistory precision heavy gold PCB board craft, moistureproof not easily oxidized
- . Stable chipset with white switch power supply, mature and stable
- . easy install, easy contact with internets, easy use, easy maintain





High price advantage&High definition&intelligent camera



CN-PT100C



CN-C100E

High price advantage&High definition&intelligent camera CN-PT100C





Camera Hardware lightspot:

- .Clever and smart design, perfect technological quality
- .USA 0V9712+Hisilicon 3518E 720P High resolution chipset
- .2MP High definition lens, display is clear in pc
- .Draw-out type all metal IRCUT double filter, high reliable, stable life
- .12MIL high power infrared ceramic led, clear imagic in night time
- . Wired or intelligent wireless WIFI, easy to connection



Camera Hardware lightspot:

- .Cable input/output alarm, Switch quantity/High and low level alarm output optional
- .Horizontal $0{\sim}355$ degree, vertical 120 degree move
- . Two way intercom, eliminate circuit noise suppression, clear voice.
- . Stable chipset with white switch power supply, mature and stable
- .Built-in professional anti-dust mesh, dust-proof and mosquitoes
- . easy install、easy
 contact with internet、easy
 use、easy maintain

Cost-effective HD Smart Home Camera

Camera Advantage:

Camnoopy

Model: CN-C100E









USB-RJ45 Cable A7 (Optional)

Different color (Optional)

- . Unique smart home housing design with outstanding Craft
- .UV Material, scratch-proof and dust-proof
- . Rigid aluminum tray with laser engraving technology
- . Package with installation base, easy to install in wall and ceiling in a big rotation angle
- . 2. OMP LEN, Clear image in Computer
- .0V9712+Hi3518E 720P HD Chip
- .Built-in IR cut filter in metallic material, long life. high reliability and stability
- . One piece High- power infrared ceramic lamp, clear night image
- . Smart WIFI connection (wire optional), easy to set up
- . Manual Ajust: horizontal $0\sim360^{\circ}$. Vertical: 90°
- . Two-way audio, 3D Voice Echo cancellation and noise suppression technologies
- .Precision Immersion Gold Multilayer PCB board technology, Moistureproof and difficult to oxidize
- . Mature and stable high quality white power adaptor 32
- . Easy to install, setting, use and maintain

30M Infrared Night version outdoor waterproof IP camera поору

Model: CN-720K3



Camera advantage:

.Metal housing,outdoor waterproof, outstanding housing craft, wall mounting and ceiling optional,can work at any complex environment in the outdoor

.3MP 3.6MM LENs, Clear image in big LCD screen

.36 pieces 12MIL High-power infrared lamp, distance:25-30M, clear night image

. Wire and smart WiFi connection, easy to set up

.Support TF card, optional

- . Support external microphone, 3D Voice Echo cancellation and noise suppression technologies
- .Precision Immersion Gold Multilayer PCB board technology, Moistureproof and difficult to oxidize

.Stable high quality white power adaptor

. Easy to install, setting, use and maintain

60M Infrared night vision outdoor waterproof IP camera







Camera advantage:

- .Metal housing,outdoor waterproof, outstanding housing craft, wall mounting and ceiling optional,can work at any complex environment in the outdoor
- .3MP 2.8-12MM HD Varifocal Len, adjust focul length independently, large-screen display is also legible
- .8 pieces high-power Laser LED, distance 45-50M, clear night image
- . Wire and smart WiFi connection, easy to set up
- .Support TF card, optional
- . Support external microphone, 3D Voice Echo cancellation and noise suppression technologies
- .Precision Immersion Gold Multilayer PCB board technology, Moistureproof and difficult to oxidize
- .Stable high quality white power adaptor
- . Easy to install, setting, use and maintain

Introduction of accessories



Remote controller A20	Power adaptor (Standard package) A-30	Network cable A6	USB-RJ45 conversion cable A7	Temperature&Humidity cable A8/ A9
Door detector A-10	Door detector A-11	PIR detector A12	Smoke wireless detector A-13	Gas Detector A-14

Accessories

.Power adaptor: Chip control, overcurrent protection, low voltage protection, highvoltage protection.

Remote controller: One key setting defence. One key delete defence. SOS. Privacy button

.Temperature&Humitidy cable:Set up upper and lower limit to temperature&Humitidy, when temperature or humitidy beyond limits, it will send alarm

Wireless alarm detectors

.433MHZ Wireless alarm device, compatibility with 1527/2262 wireless code mode and all alarm detectors in security market

- . With low voltage alarm push function
- .One key to learn alarm sensor code, simpleness and convenience
- .Intelligent control, few misinformation
- . Microprocessor(MPC)Coutroller, part of accessories with fault self-checking function 35







Camera Software APP







Highlights:

- . APP smart WIFI to add camera, super experience.
- .APP temperature&humidity alarm push and temperature-limit setting, much stronger alarm push function. (hardware support)
- . APP alarm transport preset function, automatic turn over to the preset location and ring (hardware support)
- . APP wireless alarm device list, user-defined wireless alarm name, electric power display (hardware support)
- . APP image zoom in and zoom out, super experience.
- . APP smartphone video storage and play back, easier video operation.

Highlights:

- . APP alarm push as TF card is abnormal, stronger alarm push function.
- . APP realtime alarm push and ring, APP one-key defense and one-key cancel defense, easy operation.
- . APP horizontal and vertical rotate camera by remote control (hardware support)
- . APP video snapshot save and view
- .APP view alarm logs, audible alarm
- . APP sensitivity adjustment function of motion detection
- . APP sensitivity adjustment function of PIR (hardware support)

Camera Software CMS





Highlights:

- . APP sensitivity adjustment of audible alarm.
- . APP remote access the SD card video and download.
- . APP video snapshot will save in the default phone album in smart phone.
- . APP online update camera and APP new software.
- . PC client software to view, playback, video and alarm push in mult-image.
- . PC computer alarm sensor can support special functions such as it can view alarm image, and private image only can see the blank image.
- . APP and PC software is easy to install and with abundant functions, and the technology is mature and stable.






- 1 Intelligent camera single item and software
 - Hierarchical management system of intelligent camera
- 3 Intelligent camera NVR kits






Hierarchical Management System of Intelligent Camera









1

high

Back-end needs to tiled display wall and centralized storage, and integrated Management Platform, the most point is that it takes up too much broadband, if you want to ensure smooth image and real time transfer, the thousands surveillance systems have to apply fiber industrial network (FIN), then it can solve the problem in network transmission.

2


troublesome wiring installation

Front-end camera and back-end, the computer room all need cable wiring, Video camera, display screen, platform software all need install and debug, all this must be done by a professional technicist.

3

poor experience

The structure of centralized storage and monitor certain leads network delay and image stuck, even system crash. And professional surveillance is mainly to view and manage by PC computer, it's not ideal both in software experience and the level of image smooth.









distributed architecture, competitive cost, easy

operation, strong Compare with professional surveillance, it is more table! Front-end camera supports storage function (Max support 128GB), Middle-end can manage and control miniaturied system by PC CMS software and alarm receiving center. Back-end will master control by server and PC. This structure is competitive in cost and it is easy in operation, and also have a strong stability.

Easy install

The front-end needs only a network cable or Wifi, plug in then finish installation, it can save you lots of troule in wiring installation. The back-end installation only needs to build up a server and a PC computer, it is efficient.

super experience

terminal clients can operate manage and view camera via app, all the PC software functions can reach in the smart phone app. APPsupport image zoom out, smart WIFI, defense and cancel defense, alarm push and video etc. The opration is something like wechat, QQ, you don't need to know to much technology.





Part 3: Civil Intelligent Camera Surveillance System Type



Civil hierarchical chain management Intelligent monitoring system

Based on the backend server management platform +CMS management software

2

Civil alarm center

Intelligent monitoring system

Based on the backend server management platform +Alarm center platform




1. Civil hierarchical chain management intelligent surveillance system



(1) Based on the backend server management platform+CMS

The system is mainly used in chains, head office and branch control, total control centers and sub-centers, such as sports lottery management, administration and other chain restaurants.





- 1. Civil hierarchical chain management intelligent surveillance system
- (2), Functions
- A. Achieve the hierarchical management, is currently the largest five accounts before permission.

区域分级管理项目演示平台					
分级管理		安全退出			
演示平台 目录1 	当前分组: 演示平台 <u>添加子</u> 关键字: 符合条件的记录共 2 条, 1 页, 1 设备ID	查询设备	批里添加	操作	
··· <u>目录5</u>	1051761	走廊	启用	详情 修改 禁	用刷除
	1068970	y970	启用	详情 修改 禁	用】「删除」





1. Civil hierarchical chain management intelligent surveillance system

(2) Functions

B. Achieve unified management, including unified add cameras, unified set of CMS login user name and password on each grade PC platform. Add unlimited number of cameras.

	分级管理	系统设置		安全退出					
5500	名:	取消	设备号: 密 码: 设备名: 客户编号: 地址: 第一联系人: 电话: 第二联系人:	修改分组	添加设备	批里添加	启用启用	操作 详情	 删除
			备注:	添加	取消				





1. Civil hierarchical chain management intelligent



surveillance system

(2) Function

C. CMS to achieve the real-time monitoring, 64 cameras can be monitored simultaneously, to manage of camera recording, playback and alarm records, the real time video view controls, video picture alarm push notification when an alarm occurs. And displays the first contact, second contact, address, telephone and other information and etc.







1. Civil hierarchical chain management intelligent surveillance system

(2) Function

D. Front-end camera configuration: Camera 1set, wireless door sensor 1 set, privacy protection remote controller 1pc to consist one small smart home camera system, for back-end management and control is very convenient.

E. APP Mobile phone software: Dedicated to end-customers, completely replace the PC software, simple, convenient, strong sense of experience.





1. Civilian classification chain management intelligient Monitoring System



(3), The case

XX Province Sports Lottery Management Center is plan to manage the thousands of lottery betting station, by using the network

technology, it is possible for the center to see the operation of all the lottery betting station in real time . Requirements are as belows;

A, More than 10,000 sets IP Cameras

B, a patrol officials manages 100 lottery betting, and each patrol officials have one PC computer, you can always check the 100 betting stations situation, and can only view this 100 betting cameras.

C. in order to save the costs, each betting install their own camera, alarm door sensor, alarm sensors, each Betting's security monitoring was managed by the betting station themself, such as arm and disarm the alarm settings

and other disposal night.

D, province and city level Lottery betting Management Center can install the CMS management software platform, you can view of every lottery betting live pictures.

E, the server of the entire system needs to be laid in Province Sports Lottery Management Center, all devices managed by the server

Add add the cameras, sub-rights and group management, you can start the camera, you can stop the camera working, manage the Camera 's owner information,

such as contact information, emergency contact information and etc.








(1), based on the back-end server management platform + Alarm Center platform

This system is mainly to replace the traditional alarm systems, the traditional alarm systems due to the use of traditional analog control architecture cause the False positive rate, can not see live video, very high chance that Once police intelligence tappeared, can not run to the site in time, and deal with the Awkward issues. The system is mainly applied in residential, office, retail, and for monitoring and Alarm management.









(2), Function

A, background server management platform realized the hierarchical management, currently up to 5 grade.

区域分级管理项目演示平台					
<u>分级管理</u>		安全退出			
演示平台 目录1 	当前分组: 演示平台 添加子 关键字: 符合条件的记录共2条,1页, 1 设备ID	查询设备	批里添加	操作	
<u> </u>	1051761	走廊	启用	详情 修改 禁用 删除	
	1068970	у970	启用	详情 修改 禁用 删除	







(2). The function

B, background server management platform realized the unified management, including to add cameras, to set every PC alarm Center's login user name and password. No limitation on the number of cameras.

	- No. 10 (1994)	- 14 A A A A A A A A A A A A A A A A A A		1.00.10.10.10.10.10			_		
	分级管理	系统设置		安全退出					
演示平台 目录1 目录2 目录3 目录4 目录5	名:	当前分组: 演示平 关键字: 符合条件的记录 1 设备D 1051761			添加设备	批里添加	启用启用	操作 详情 修改 详情 修改	
			第二联系人:电话:备注:	添加	取消				52








(2), Function

C. PC Alarm Center 's factory default does not display real-time images, only when alarm appeared, pops up alarm screen, can Simultaneously pop 20 screens, which allows the lowest 2 level to display screen, after pop-up screen, you can achieve record such as alarm records and show the first contact, the second contact, address, telephone and other information.









(2), Function

D. The front camera configuration: Camera 1pc, wireless door sensor 1 pair ,privacy mask remoter 1pc,

A small smart home camera system, back-end management, very convenient control.

E. APP software: Dedicated to the end customers, completely replace the PC, the function is simple, Convenient, and have strong sense of experience







(3), The Case

Changsha alarm center management system, by using the network technology, capable of receiving and processing each streets's alarm and requirements are as belows;

A. More then 5000 points front camera.

B. Changsha City is divided to districts, street, small residentia district, building, a total of five. A residential property Manages all residents in the district, one security guard manages one building, a street office manages all the residential district, once the alarms appears, the building security alarm center, the residential management center must pop up the alarm screen, timely deal with the alarms, the other levels pop-up alarm menu, to save bandwidth will not display the image screen





1 Intelligent IP Camera & Software

2 Intelligent IP Camera Grading Management System

3 Intelligent IP Camera NVR Kit

Intelligent IP Camera NVR Kit-Wifi Kit Series





The Kit Package Consists Of

1pc of 720P NMR With POE function 4pcs of Outdoor Waterproof IP Camera

1pc of RJ45 network cable with 1.5meter — en

1pc of 15V Power Supply For NVR

1pc of mouse for NVR

1pc of disk and manual instruction





Wifi Kit:

Connect the camera with DC 12V power supply and get wifi through the router, connect the nvr with router by network cable. It is a simple operate kit for home use.

PS: The way for IP Camera get wifi just like our mobile do, no need cable, and NVR connect router by one cable only

Intelligent IP Camera NVR Kit-POE Series





This POE Kit Package Consists Of

1pc of 720P NMR With POE Function.
4pcs of Outdoor Waterproof IP Camera
1pc of RJ45 network cable with 1.5 Meter length.
4 bunches of RJ45 network cable with 20Meter length.
1pc of 15V Power Supply For NMR
1pc of mouse for NMR
1pc of disk and manual instruction



POE Kit:

Connect the camera to NVR by cable to realise plug and play suitable for home and shops.

PS: just like our telephone, insert the telephoneline to start communication with easy and safe operation









Camnoopy offer standard SDK and Api interface to the partners who owns the javascript such as APP, PC, WEB for video application.





Camera & APP OEM Procedure



-, Camera OEM Procedure

	, сашета		
No.	OEM Items	MOQ	Remark
1	Print Logo on Camera	100pcs	
2	OEM package, manual instruction and lable	500pcs	
3	Color	500pcs	Black, Red, Yellow, Blue Colors For Option
4	Hardware features Addition or Reduce	1000pcs	Such as add 3G/4G, wired alarm, clock, infra remote control, wireless alarm etc.
_	D 1 11 DO D 1		
No.	OEM Items	MOQ	Remark
1	OEM Item	100pcs	
2	Add voice for defence setting and delete	100pcs	
3	exchange the alarm buzz	500pcs	
4	Change logo on APP	500pcs	
5	Upload APP to Iphone APP Store and google play	500pcs	Client offer content
6	Change language in APP	500pcs	
7	Change the cutis, interface style	500pcs	1
8	Add more function in APP	500pcs	Do what client request



Camera & APP OEM

Procedure

三、Javacript & Recieving Alarm Center APP OEM Procedure

Camnoopy

No.	OEM Items	MOQ	Remark
1	Change LOGO in CMS Javascript	500pcs	
2	Change LOGO in Alarm receiving center	500pcs	
3	Change CMS Interface	500pcs	
4	Change alarm receiving center style	1000pcs	Do what client request
5	Develop the CMS according to client demand	1000pcs	
6	Develop the alarm receiving center according to client demand	1000pcs	Do what client request

No.	OEM Items	мод	Remark
1	Manage Servor Building	1000pcs	P2P Servor & Protocol not public
2	Manage backstage software install & adjust	1000pcs	
3	Change LOGO and interface in backstage software	1000pcs	
4	Develop the manage backstage software by client demand	1000pcs	Do what client request



Camera & APP OEM

Procedure

三、Javacript & Recieving Alarm Center APP OEM Procedure

Camnoopy

No.	OEM Items	MOQ	Remark
1	Change LOGO in CMS Javascript	500pcs	
2	Change LOGO in Alarm receiving center	500pcs	
3	Change CMS Interface	500pcs	
4	Change alarm receiving center style	1000pcs	Do what client request
5	Develop the CMS according to client demand	1000pcs	
6	Develop the alarm receiving center according to client demand	1000pcs	Do what client request

No.	OEM Items	MOQ	Remark
1	Manage Servor Building	1000pcs	P2P Servor & Protocol not public
2	Manage backstage software install & adjust	1000pcs	
3	Change LOGO and interface in backstage software	1000pcs	
4	Develop the manage backstage software by client demand	1000pcs	Do what client request

